marset

Working Catalogue

08 Ambrosia

16 Atlas

25 Bohemia

34 Cluster

45 Dipping Light

50 Discocó

55 Djembé

74 LED-Ginger

100 Ihana

105 Jaima

121 Mercer

125 Milana

137 Pleat Box

145 Santorini

154 Soho

160 Tam Tam

171 Vetra

174 Zenc

Floor

30 Cala

38 Copérnica

69 Funiculí

70 Funiculí Fabric

80 Ginger

98 Highline

105 Jaima

142 Polo

151 Scantling

163 Tam Tam

167 Theia

172 Vetra

Table

28 Bolita

38 Copérnica

41 Dipping Light

71 Funiculí

72 Funiculí Fabic

80 LED-Ginger

120 Mercer

142 Polo

149 Scantling

166 Theia

Portable

23 Bicoca	32 Chispa	43 Dipping Light	66 FollowMe	80 LED-Ginger

Wall

16 Atlas	18 Aura	44 Dipping Light	53 Discocó	70 Funiculí

71 Funiculí Fabric	82 LED-Ginger	116 Ledtube

20 Babila

31 Cala

90 LED-Ginger

107 Jaima

112 Lab

132 Plaff-on!

144 Roc

145 Santorini

156 Soho

169 TXL

Ambrosia, Ciszak Dalmas

The starting point for the Ambrosia was to revive the traditional Linestra-style lamp — to update it and show that a technical and resolute design can also be poetic.

Inspired by the Linestra's original "line of light," Ciszak Dalmas have created a modular system that can be adapted to fit any space.

Discover more at marset.com

Ambrosia 120 (NEW)

Code	Finish	CCT
A704-101-15-22K	● Matt Gold	22K
A704-101-15-27K	● Matt Gold	27K
A704-101-15-30K	● Matt Gold	30K
A704-101-16-22K	● Black	22K
A704-101-16-27K	● Black	27K
A704-101-16-30K	● Black	30K

Materials
Structure: Aluminum
Diffuser: Methacrylate
Canopy: Aluminum / Steel

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: See power options supply on pg 11.

Product type: Pendant / Ceiling
Light source Ambrosia 22K: LED SMD 24Vdc 19.2W 2200K CRI90 2116lm
Luminaire Ambrosia 22K: (Power supply not included) 1885lm

Light source Ambrosia 27K: LED SMD 24Vdc 19.2W 2700K CRI90 2028lm
Luminaire Ambrosia 27K: (Power supply not included) 1891lm

Light source Ambrosia 30K: LED SMD 24Vdc 19.2W 3000K CRI90 2256lm
Luminaire Ambrosia 30K: (Power supply not included) 1927lm
Weight: Net 5.3 lb – Gross 6.6 lb
Package: 11.4 x 3.9 x 53.1 " - 4.4 lb – Vol - 1.4 ft³
          3.1 x 3.1 x 50.4 " - 2.2 lb – Vol - 0.4 ft³
Product notes: 24V remote power supply to be ordered separately.
Canopy not included. Supplied with 10.8 ft wire.
LED included

(1) The height can be increased by means of the 15.7 or 23.6 " poles (max. 3 units.) They can be combined.

Wire installation: Hardwired / Recessed

Ambrosia 120 + Pole 60

Ambrosia 180 (NEW)

Code	Finish	CCT
A704-102-15-22K	● Matt Gold	22K
A704-102-15-27K	● Matt Gold	27K
A704-102-15-30K	● Matt Gold	30K
A704-102-16-22K	● Black	22K
A704-102-16-27K	● Black	27K
A704-102-16-30K	● Black	30K

Materials
Structure: Aluminum
Diffuser: Methacrylate
Canopy: Aluminum / Steel

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: See power options
supply on pg 11.

Product type: Pendant / Ceiling
Light source Ambrosia 22K: LED SMD 24Vdc 28.8W 2200K CRI90 3174lm
Luminaire Ambrosia 22K: (Power supply not included) 2823lm

Light source Ambrosia 27K: LED SMD 24Vdc 28.8W 2700K CRI90 3042lm
Luminaire Ambrosia 27K: (Power supply not included) 2833lm

Light source Ambrosia 30K: LED SMD 24Vdc 28.8W 3000K CRI90 3384lm
Luminaire Ambrosia 30K: (Power supply not included) 2886lm
Weight: Net 6.8 lb – Gross 7.9 lb
Package: 11.4 x 3.9 x 53.2 " - 4.4 lb – Vol - 1.4 ft³
          3.1 x 3.1 x 74 " - 3.5 lb – Vol - 0.4 ft³
Product notes: 24V remote power supply to be ordered separately.
Canopy not included. Supplied with 9.8 ft wire.
LED included

48.6"
5.7"
10.5"
(1)
70.9"

Dimmable

ETL

(1) The height can be increased by means of the 15.7
or 23.6 " poles (max. 3 units.) They can be combined..

Wire installation: Hardwired / Recessed

Ambrosia 180 + Pole 60

Ambrosia 210 (NEW)

Code	Finish	CCT
A704-103-15-22K	● Matt Gold	22K
A704-103-15-27K	● Matt Gold	27K
A704-103-15-30K	● Matt Gold	30K
A704-103-16-22K	● Black	22K
A704-103-16-27K	● Black	27K
A704-103-16-30K	● Black	30K

Materials
Structure: Aluminum
Diffuser: Methacrylate
Canopy: Aluminum / Steel

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: See power options
supply on pg 11.

Product type: Pendant / Ceiling
Light source Ambrosia 22K: LED SMD 24Vdc 28.8W 2200K CRI90 3174lm
Luminaire Ambrosia 22K: (Power supply not included) 2802lm

Light source Ambrosia 27K: LED SMD 24Vdc 28.8W 2700K CRI90 3042lm
Luminaire Ambrosia 27K: (Power supply not included) 2812lm

Light source Ambrosia 30K: LED SMD 24Vdc 28.8W 3000K CRI90 3384lm
Luminaire Ambrosia 30K: (Power supply not included) 2865lm
Weight: Net 6.8 lb – Gross 7.9 lb
Package: 11.4 x 3.9 x 53.1 " - 4.4 lb – Vol - 1.4 ft³
          3.1 x 3.1 x 26.7 " - 1.3 lb – Vol - 0.14 ft³
          3.1 x 3.1 x 50.4 " - 2.2 lb – Vol - 0.35 ft³
Product notes: 24V remote power supply to be ordered separately.
Canopy not included. Supplied with 12.8 ft wire.
LED included

47.2"   11.8"
5.7"   5.7"
10.5
(1)
47.2"   23.6"
82.6"

Dimmable

ETL

(1) The height can be increased by means of the 15.7 or 23.6 "
poles (max. 3 units per each side). They can be combined.

Wire installation: Hardwired / Recessed

Ambrosia 210 + 2 Pole 60

Ambrosia 315 (NEW)

Code	Finish	CCT
A704-104-15-22K	● Matt Gold	22K
A704-104-15-27K	● Matt Gold	27K
A704-104-15-30K	● Matt Gold	30K
A704-104-16-22K	● Black	22K
A704-104-16-27K	● Black	27K
A704-104-16-30K	● Black	30K

Materials
Structure: Aluminum
Diffuser: Methacrylate
Canopy: Aluminum / Steel

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: See power options
supply on pg 11.

Product type: Pendant / Ceiling
Light source Ambrosia 22K: LED SMD 24Vdc 43.2W 2200K CRI90 4761lm
Luminaire Ambrosia 22K: (Power supply not included) 4220lm

Light source Ambrosia 27K: LED SMD 24Vdc 43.2W 2700K CRI90 4563lm
Luminaire Ambrosia 27K: (Power supply not included) 4235lm

Light source Ambrosia 30K: LED SMD 24Vdc 43.2W 3000K CRI90 5076lm
Luminaire Ambrosia 30K: (Power supply not included) 4314lm
Weight: Net 11.2 lb – Gross 12.9 lb
Package: 11.4 x 3.9 x 88.6 " - 7.7 lb – Vol - 2.3 ft³
               3.1 x 3.1 x 38.5 " - 1.7 lb – Vol - 0.2 ft³
               3.1 x 3.1 x 74 " - 3.5 lb – Vol - 0.4 ft³
Product notes: 24V remote power supply to be ordered separately.
Canopy not included. Supplied with 12.1 ft wire.
LED included

Dimmable

(1) The height can be increased by means of the 15.7 or 23.6 "
(max. 3 units per each side). They can be combined.

Wire installation: Hardwired / Recessed

Ambrosia 315 + 2 Pole 60

Height extension pole 16

Code	Finish
A704-005-15	● Matt Gold
A704-005-16	● Black

Materials
Structure: Metal

Product type: Accessory

15.7"

Height extension pole 24

Code	Finish
A704-006-15	● Matt Gold
A704-006-16	● Black

Materials
Structure: Metal

Product type: Accessory

23.6"

Canopy Ambrosia 60W / 0-10V

Code
A666-213-15
A666-213-16

Finish
● Matt Gold
● Black

Materials
Structure: Metal

Product type: Ceiling

Luminaire: 120 - 277 VAC 0-10V
Product notes:
One canopy can feed one or two fixtures.
(For more info check the spec sheet.)

Dimmable: Yes
**Integrated dimmer:** No
Dimming protocols: 0-10V

(Dimmable)

8"

5.3"

1.3"

Outlet Box Cover Plate

Code
A666-219-15
A666-219-16

Finish
● Matt Gold
● Black

Code
968-230

Description
Power supply 60W - 24V

Product type: Ceiling
120 - 277 VAC 0-10V
Porduct notes: The installation and location of
the remote LED driver must be in accordance
with the specific regulations of each country
and will be the exclusive responsibility of the
installation company.

Materials
Structure: Metal

4.3"

0.2"

5.7"

1"

Ambrosia A 60 left (NEW)

Code	Finish	CCT
A704-115-15-22K	● Matt Gold	22K
A704-115-15-27K	● Matt Gold	27K
A704-115-15-30K	● Matt Gold	30K
A704-115-16-22K	● Black	22K
A704-115-16-27K	● Black	27K
A704-115-16-30K	● Black	30K

Materials
Structure: Aluminum
Diffuser: Methacrylate
Canopy: Aluminum / Steel

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: It depends on the
purchased power supply.

Product type: Wall
Light source Ambrosia 22K: LED SMD 24Vdc 9.6W 2200K CRI90 1058lm
Luminaire Ambrosia 22K: (Power supply not included)

Light source Ambrosia 27K: LED SMD 24Vdc 9.6W 2700K CRI90 1014lm
Luminaire Ambrosia 27K: (Power supply not included)

Light source Ambrosia 30K: LED SMD 24Vdc 9.6W 3000K CRI90 1028lm
Luminaire Ambrosia 30K: (Power supply not included)

Weight: Net 1.3 lb – Gross 2.8 lb
Package: 24 x 5.3 x 5.7 " - 1.5 lb – Vol - 0,4 ft³
        3.1 x 3.1 x 26.7 " - 1.3 lb – Vol - 0.14 ft³

Product notes: 24V remote power supply to be ordered separately.
LED included

3.1"   11.8"
        Ø2.4"
3.7"
        23.6"

Dimmable

Under approval process. For latest
certification status check the spec sheet.

Wire installation: Hardwired / Recessed

Ambrosia A 60 right (NEW)

Code	Finish	CCT
A704-116-15-22K	● Matt Gold	22K
A704-116-15-27K	● Matt Gold	27K
A704-116-15-30K	● Matt Gold	30K
A704-116-16-22K	● Black	22K
A704-116-16-27K	● Black	27K
A704-116-16-30K	● Black	30K

Materials
Structure: Aluminum
Diffuser: Methacrylate
Canopy: Aluminum / Steel

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: It depends on the
purchased power supply.

Product type: Wall
Light source Ambrosia 22K: LED SMD 24Vdc 9.6W 2200K CRI90 1058lm
Luminaire Ambrosia 22K: (Power supply not included)

Light source Ambrosia 27K: LED SMD 24Vdc 9.6W 2700K CRI90 1014lm
Luminaire Ambrosia 27K: (Power supply not included)

Light source Ambrosia 30K: LED SMD 24Vdc 9.6W 3000K CRI90 1028lm
Luminaire Ambrosia 30K: (Power supply not included)

Weight: Net 1.3 lb – Gross 2.8 lb
Package: 24 x 5.3 x 5.7 " - 1.5 lb – Vol - 0,4 ft³
        3.1 x 3.1 x 26.7 " - 1.3 lb – Vol - 0.14 ft³

Product notes: 24V remote power supply to be ordered separately.
LED included

        11.8"
        Ø2.4"   3.1"
3.7"
        23.6"

Dimmable

Under approval process. For latest
certification status check the spec sheet.

Wire installation: Hardwired / Recessed

Ambrosia A 90 left (NEW)

Code	Finish		CCT
A704-117-15-22K	●	Matt Gold	22K
A704-117-15-27K	●	Matt Gold	27K
A704-117-15-30K	●	Matt Gold	30K
A704-117-16-22K	●	Black	22K
A704-117-16-27K	●	Black	27K
A704-117-16-30K	●	Black	30K

Materials
Structure: Aluminum
Diffuser: Methacrylate
Canopy: Aluminum / Steel

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: It depends on the
purchased power supply.

Product type: Wall
Light source Ambrosia 22K: LED SMD 24Vdc 14.4W 2200K CRI90 1587lm
Luminaire Ambrosia 22K: (Power supply not included)

Light source Ambrosia 27K: LED SMD 24Vdc 14.4W 2700K CRI90 1521lm
Luminaire Ambrosia 27K: (Power supply not included)

Light source Ambrosia 30K: LED SMD 24Vdc 14.4W 3000K CRI90 1692lm
Luminaire Ambrosia 30K: (Power supply not included)

Weight: Net 2.6 lb – Gross 3.2 lb
Package: 24 x 5.3 x 5.7 " - 1.5 lb – Vol - 0,4 ft³
           3.1 x 3.1 x 38.5 " - 1.7 lb – Vol - 0.2 ft³

Product notes: 24V remote power supply to be ordered separately.
LED included

17.7"
3.1"   Ø2.4"
3.7"
35.4"

(Dimmable)

Under approval process. For latest
certification status check the spec sheet.

Wire installation: Hardwired / Recessed

Ambrosia A 90 right (NEW)

Code	Finish		CCT
A704-118-15-22K	●	Matt Gold	22K
A704-118-15-27K	●	Matt Gold	27K
A704-118-15-30K	●	Matt Gold	30K
A704-118-16-22K	●	Black	22K
A704-118-16-27K	●	Black	27K
A704-118-16-30K	●	Black	30K

Materials
Structure: Aluminum
Diffuser: Methacrylate
Canopy: Aluminum / Steel

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: It depends on the
purchased power supply.

Product type: Wall
Light source Ambrosia 22K: LED SMD 24Vdc 14.4W 2200K CRI90 1587lm
Luminaire Ambrosia 22K: (Power supply not included)

Light source Ambrosia 27K: LED SMD 24Vdc 14.4W 2700K CRI90 1521lm
Luminaire Ambrosia 27K: (Power supply not included)

Light source Ambrosia 30K: LED SMD 24Vdc 14.4W 3000K CRI90 1692lm
Luminaire Ambrosia 30K: (Power supply not included)

Weight: Net 2.6 lb – Gross 3.2 lb
Package: 24 x 5.3 x 5.7 " - 1.5 lb – Vol - 0,4 ft³
           3.1 x 3.1 x 38.5 " - 1.7 lb – Vol - 0.2 ft³

Product notes: 24V remote power supply to be ordered separately.
LED included

17.7"
Ø2.4"   3.1"
3.7"
35.4"

(Dimmable)

Under approval process. For latest
certification status check the spec sheet.

Wire installation: Hardwired / Recessed

Ambrosia A 210 (NEW)

Code	Finish		CCT
A704-121-15-22K	●	Matt Gold	22K
A704-121-15-27K	●	Matt Gold	27K
A704-121-15-30K	●	Matt Gold	30K
A704-121-16-22K	●	Black	22K
A704-121-16-27K	●	Black	27K
A704-121-16-30K	●	Black	30K

Materials
Structure: Aluminum
Diffuser: Methacrylate
Canopy: Aluminum / Steel

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: It depends on the purchased power supply.

Product type: Wall
Light source Ambrosia 22K: LED SMD 24Vdc 28.8W 2200K CRI90 3174lm
Luminaire Ambrosia 22K: (Power supply not included) 2802lm

Light source Ambrosia 27K: LED SMD 24Vdc 28.8W 2700K CRI90 3042lm
Luminaire Ambrosia 27K: (Power supply not included) 2812lm

Light source Ambrosia 30K: LED SMD 24Vdc 28.8W 3000K CRI90 3384lm
Luminaire Ambrosia 30K: (Power supply not included) 2865lm

Weight: Net 6.2 lb – Gross 7.9 lb
Package: 59.8 x 5.3 x 6.5 " - 4.4 lb – Vol - 1 ft³
         3.1 x 3.1 x 26.7 " - 1.3 lb – Vol - 0.14 ft³
         3.1 x 3.1 x 50.4 " - 2.2 lb – Vol - 0.35 ft³

Product notes: 24V remote power supply to be ordered separately.
LED included

53.2''
Ø2.4''
3.1''
3.7''
23.6''
47.2''
82.7''

Dimmable

Under approval process. For latest certification status check the spec sheet.

Wire installation: Hardwired / Recessed

Disk accessory (NEW)

| Code	Finish	
A704-128-15	●	Matt Gold
A704-128-16	●	Black

Materials
Structure: Metal

Product type: Accessory
Accessory used to hide the driver behind the canopy.
Two units are required for Ambrosia A 210, one for each canopy.

ø4.3''

Power supply Dimmable

Code	Description
968-230	Power supply 60W - 24V

120 - 277 VAC 0-10V
Product type: Power supply

Product notes: Take into account the total power in watts and the power of the driver. The wattage of the selected lamps cannot exceed the max wattage of the canopy's driver. Therefore, you must choose your canopy/driver by the power required.

5.7''

Ambrosia, Ciszak Dalmas

dos palillos
en casa camper

Atlas

Code	Finish
A34-010	○ Translucent

Materials
Shade: Polycarbonate
Canopy: White polyamide
Structure: Stainless steel

Product type: Wall / Ceiling
Light source: E26 LED PAR30S 13W 36º 2700K
Weight: Net 0.7 lb – Gross 1.2 lb
Package: 7 x 8.3 x 9.5 '' - 1.2 lb – Vol - 0.28 ft^3
Lamping not included

ø4''
1''
9.8''
6.7''
ø4.3''

c(UL)us

Wire installation: Hardwired
Canopy color: White
Cord color: Transparent

Atlas Susp.

Code
A34-019

Finish
○ Translucent

Materials
Shade: Polycarbonate
Canopy: White polyamide

Product type: Pendant
Light source: E26 LED PAR30S 13W 36º 2700K
Weight: Net 0.7 lb – Gross 1.2 lb
Package: 7 x 8.3 x 9.5 '' - 1.2 lb – Vol - 0.28 ft³
Lamping not included

9.8ft

6.7''

ø4.3''

Cable length: 9.8 ft
Wire installation: Hardwired
Cord color: Transparent
Canopy color: White

Base Atlas 2

Code
A34-037

Finish
○ White

Materials
Structure: White polyamide

Canopy color: White

4.9''

9.8''

Aura

Code	Finish
A676-008	○ Transparent
A676-009	○ Opal
A676-010	○ Smoked
A676-012	○ Copper

Materials
Shade: Blown Glass
Structure: Polycarbonate
Dissipater: Aluminum

Dimmable: No

Product type: Wall
Light Source: LED SMD 500mA 6W 2700K CRI90 607.2lm
Luminaire: 90 - 264 VAC 8.7W 448lm
Weight: Net 1.1 lb – Gross 2.2 lb
Package: 10.2 x 10.2 x 7.8 '' - 2.2 lb – Vol - 0.56 ft³
Product notes: Suitable for damp locations
Not suitable for ceiling mount
LED included

ø4.3"

ø7.05"   3.91"

ADA

c(UL)us

Wire installation: Hardwired

Aura Plus

Code	Finish
A676-019	○ Translucent
A676-020	Opal
A676-021	Smoked
A676-022	Copper

Materials **Dimmable: No**
Shade: Blown Glass
Structure: Polycarbonate
Dissipater: Aluminum

Product type: Wall / Ceiling
Light Source: LED SMD 500mA 6W 2700K CRI90 607.2lm
Luminaire: 90 - 264 VAC 8.7W 470lm
Weight: Net 1.96 lb – Gross 2.64 lb
Package: 13 x 13 x 8.6 '' - 2.64 lb – Vol - 0.74 ft³
Product notes: Suitable for damp locations
LED included

ø4.3''

ø9.84''   3.78''

ADA

c(UL)us

Wire installation: Hardwired

Spare parts

Code	Product	Finish	Spare part
A676-105	Aura	Transparent	Glass
A676-104	Aura	Opal	Glass
A676-102	Aura	Smoked	Glass
A676-103	Aura	Copper	Glass
A676-111	Aura Plus	Transparent	Glass
A676-110	Aura Plus	Opal	Glass
A676-108	Aura Plus	Smoked	Glass
A676-109	Aura Plus	Copper	Glass

Babila demonstrates that, when it comes to a design, the material can be as important as the shape. This outdoor wall sconce is of polished stainless steel, a circular object that produces a panoramic effect, reflecting its surroundings. It is not designed to be an architectural element, but rather a simple and beautiful design that draws attention, whether on or off, as it allows us to catch a glimpse of the daily life occurring around it.


Babila 18

| Code	Finish	Dimming
A706-005	⚪ Polished stainless steel	Triac
A706-006-35	⚪ White (RAL 9010)	Triac
A706-006-47	⚫ Brown (RAL 8019)	Triac
A706-017	⚪ Polished stainless steel	0-10V
A706-010-35	⚪ White (RAL 9010)	0-10V
A706-010-47	⚫ Brown (RAL 8019)	0-10V
A706-019	⚪ Polished stainless steel	AC LED on/off
A706-020-35	⚪ White (RAL 9010)	AC LED on/off
A706-020-47	⚫ Brown (RAL 8019)	AC LED on/off

Materials
Diffuser: Polished stainless steel
AISI 316 or lacquered aluminum

Dimmable: Yes
Integrated dimmer: No
Dimming protocols:
Phase cut (Triac)
0-10V (120-277V)

Product type: Wall / Ceiling
Light Source: LED SMD 500mA 6W 2700K CRI90 607.2lm
Luminaire: 120 VAC TRIAC 8.7W 225lm
          120-277 VAC 0-10V 8.7W 225lm
          120 VAC AC LED on/off 8W 225lm
Weight: Net 1.8 lb – Gross 2.6 lb
Package: 11.4 x 12 x 4.9 " - 2.6 lb – Vol - 0.35 ft^3
LED included

3.4''

Ø7.1''

Ø5.6''

1.4''

(Dimmable)

(ADA)

Suitable for wet locations

c (UL) us

Wire installation: Hardwired

Babila 28

Code	Finish	Dimming
A706-007	Polished stainless steel	Triac
A706-008-35	White (RAL 9010)	Triac
A706-008-47	Brown (RAL 8019)	Triac
A706-011	Polished stainless steel	0-10V
A706-018-35	White (RAL 9010)	0-10V
A706-009-47	Brown (RAL 8019)	0-10V
A706-021	Polished stainless steel	AC LED on/off
A706-022-35	White (RAL 9010)	AC LED on/off
A076-022-47	Brown (RAL 8019)	AC LED on/off

Materials
Diffuser: Polished stainless steel
AISI 316 or lacquered aluminum

Dimmable: Yes
Integrated dimmer: No
Dimming protocols:
Phase cut (Triac)
0-10V (120-277V)

Product type: Wall / Ceiling
Light Source: LED SMD 500mA 6W 2700K CRI90 607.2lm
Luminaire: 120 VAC TRIAC 8.7W 185lm
         120-277 VAC 0-10V 8.7W 185lm
         120 VAC AC LED on/off 8W 185lm
Weight: Net 3 lb – Gross 4.6 lb
Package: 15.4 x 15.7 x 4.9 " - 4.6 lb Vol - 0.7 ft^3
LED included

4.5"
Ø5.6"
Ø11"
1.4"

Dimmable

**Suitable for
wet locations**

Wire installation: Hardwired

Babila, 2020

Bicoca. Christophe Mathieu

The Bicoca is born with the optimism of brightening life and accompanying the good times, wherever you go. This colorful, lightweight portable lamp projects an intimate light that adds warmth to all your personal spaces.

Made of polycarbonate, Bicoca begins with an overlay of basic geometric figures, with a tiltable shade to direct the light. Two accessories increase the applicability and versatility of the lamp.

Discover more at marset.com

DESIGN PLUS
powered by: light+building

Bicoca

Code	Finish	
A680-055	⬤ Off-white (RAL 9001)	⇨
A680-056	⬤ Anthracite (RAL 7026)	⇨
A680-057	⬤ Red wine (RAL 3005)	⇨
A680-058	⬤ Yellow (RAL 1032)	⇨
A680-059	⬤ Light blue (PANTONE 7542C)	⇨
A680-060	⬤ Pale pink (PANTONE 5015C)	⇨

Materials
Shade: Polycarbonate
Body: Polycarbonate
Diffuser: Opal polycarbonate

Dimmable: Yes
Integrated dimmer: Yes
Dimmer Type: 3-step dimmer

Product type: Table / Portable
Light source: LED SMD 1A 3.5W 2700K CRI90 398lm
Luminaire: in 5 Vdc 1.5A 241lm
Weight: Net 1.01 lb – Gross 2.2 lb
Package: Ø6.29 x 11.81 '' – 2.2 lb Vol – 0.21 ft³ (1U)
        20 x 11.8 x 13.4 '' – 15 lb Vol –1.8 ft³ (6U)
Product notes: Sold in multiples of 6.
Charging cable included (USB to USB-C). Power adapter not included.
LED included

ø5.51''
8.85''
ø2.52''

Dimmer

ETL
Under approval process. For latest certification status check the spec sheet.

Switch location: Body
Charging time 10 h

Battery life time:
5 hours in peak power
10 hours in half power
20 hours in a quarter power

Magnet accessory

Code
A680-008

Finish
● Inox

Materials
Structure: Neodymium magnet

Product type: Accessory
Weight: Net 0.02 lb – Gross 0.04 lb
Package: 4.72 x 6.89 x 0.39 '' - 0.04 lb – Vol - 0.035 ft³

0.39"

ø0.63"

Armrest accessory + magnet

Code
A680-007

Finish
● Grey

Materials
Structure: Fabric with metal counterweight

Product type: Accessory
Weight: Net 2 lb – Gross 2.2 lb
Package: 6.3 x 5.5 x 3.5 '' - 2.2 lb – Vol - 0.07 ft³

3.9"

18.4"

Spare parts

Code	Product	Spare part
R680-014	Bicoca	Battery
R968-002-USA	Bicoca	Black power adapter
R961-057	Bicoca	Usb type C cable black

At first glance, the Bohemia appears to be made of blown glass. However, the lamp's large size ruled out that material. Instead, the designer settled on polycarbonate to create an exciting, organic, translucent profile that integrates two volumes into a single shape. The design allows for a large shade in different colors with a white interior for pristine reflection.


Discover more at marset.com

Bohemia 84

Code	Finish	
A698-010	● Green	
A698-011	● Violet	
A698-012	● Amber	

Materials
Shade: Rotomoulded Polycarbonate
Diffuser: Opal methacrylate

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Dual dimming driver
Phase cut (Triac) or 0-10V

Product type: Pendant
Light Source: LED SMD 700mA 22.4W 2700K CRI90 2933lm
Luminaire: 120 VAC TRIAC 26W 1619lm
          120 - 277 VAC 0-10V 26W 1619lm
Weight: Net 28 lb – Gross 44 lb
Package: 37 x 37 x 20 '' – 44 lb Vol – 17.6 ft³
LED included

Dimmable

ø4.3"
1.41"
8.2ft
16.3"
ø23.7"
ø33"

Cable length: 8.2 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Black

Bohemia 84 E26

Code	Finish
A698-016	● Green
A698-017	● Violet
A698-018	● Amber

Materials
Shade: Rotomoulded Polycarbonate

Product type: Pendant
Light source: E26 LED GLOBE 20W
Weight: Net 28 lb – Gross 39 lb
Package: 37 x 37 x 20 '' – 39 lb Vol – 17.6 ft³
Lamping not included

ø4.3''
1.41''
8.2 ft
16.3''
ø23.7''
ø33''

Cable length: 8.2 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Black

A technologically innovative design that brings back the sense of touch. Moving the Bolita dims or boosts the light, an interplay that captivates with its beautiful visual effect. Bolita seeks out that user interaction.

The idea of Florian and Sebastian at the kaschkasch studio was to design a lamp in which the dimming process was mechanical and not electronic.


Discover more at marset.com

Bolita

Code	Finish
A695-007	○ White (RAL 9011)

Materials
Base: Steel
Diffuser: Opal blown glass

Dimmable: Yes
Integrated dimmer: Yes
Dimming protocols: Analog, dimmed via glass movement.

Product type: Table
Light Source: LED SMD 24Vdc 6.5W 2700K CRI90 579lm
Luminaire: 120 VAC 8.7W 157lm
Weight: Net 0.9 lb – Gross 3.3 lb
Package: 9 x 7 x 5 " – 3.3 lb Vol – 0.18 ft³ (1u)
            15 x 16.7 x 17.7 " – 11 lb Vol – 1 ft³ (4u)
Product note: Sold in multiples of 4.
LED included

Cable length: 4.9 ft
Wire installation: Plug-in
Cord color: Black
Switch location: Base

Code	Product	Finish	Spare part
R695-001	Bolita	-	Glass

The beauty exuded by the Cala stems from its simple, synthetic and essential form: a shade that embraces the light without containing it, letting it escape to yield very warm lighting.

With a structure made of oak or black lacquered metal, the Cala is an iconic Marset design defined by that most valuable of pairings: form and function.


Cala P165

Code
A645-020

Finish
● Oak - Pearl White

Materials
Shade: White polyester PET, textilene
Diffuser: Methacrylate
Structure: Varnished oak

Product type: Floor
Light source: 3x E26 LED TYPE A 11W
Weight: Net 11 lb – Gross 22.7 lb
Package: 27.2 x 27.2 x 14.5 " - 11.7 lb – Vol - 6.4 ft³
       19.7 x 5 x 61 " - 11 lb – Vol - 3.5 ft³
Lamping not included

ø25.4"
12.6"
64.9"
16.3"

cULus

Cable length: 6.6 ft
Wire installation: Plug-in
Cord color: Black
Switch location: In-line

Cala Metal P145

Code
A645-060-39

Finish
● Black

Materials
Shade: White polyester PET, textilene
Diffuser: Methacrylate
Structure: Iron

Product type: Floor
Light source: E26 LED TYPE A 11W
Weight: Net 12.8 lb – Gross 20.5 lb
Package: 23.6 x 23.6 x 11.8 '' - 9.9 lb – Vol - 3.8 ft³
            19.7 x 5 x 52 '' - 12 lb – Vol - 3.18 ft³
Lamping not included

ø22.2''

9.4''

57''

17.5''

c(UL)us

Cable length: 6.6 ft
Wire installation: Plug-in
Cord color: Black
Switch location: In-line

Cala 140 IP65

Code
A645-014

Finish
● Iroko - Brown

Materials
Shade: Polyethilene , Textilene
Structure: Iroko wood

Product type: Floor
Light source: 2x E26 LED TYPE A 11W
Weight: Net 23.6 lb – Gross 24.6 lb
Package: 22 x 22 x 11.4 '' - 11.4 lb – Vol - 3.2 ft³
            18.5 x 4.7 x 49.6 '' - 13.2 lb – Vol - 2.5 ft³
Lamping not included

ø20.8''

9.4''

55.1''

16.6''

Suitable for wet locations

c(UL)us

Cable length: 6.6 ft
Wire installation: Plug-in
Cord color: Black
Switch location: Built in the shade

Its design evokes a high-quality garage lamp, lightweight and useful, with three dimming levels. It's sophisticated and warm, decidedly designed to accompany.

Its structure is protected by a grid that revolves around the light source, an original touch. A built-in hook in the base allows it to be hung via the included cord.


Discover more at marset.com

Chispa

Code	Finish	
A703-001	● Black (RAL 9004)	⇒
A703-002	● Blue (RAL DESIGN 230 20 20)	⇒
A703-003	● Green (RAL 6009)	⇒
A703-004	● Orange (RAL 2010)	⇒

Materials
Base: Polycarbonate
Diffuser: Opal Polyethylene
Accessory: Rope cord with metal hook.

Dimmable: Yes
Integrated dimmer: Yes
Dimmer Type: 3-step dimmer

Product type: Table / Portable
Light source: LED SMD 0.7A 2.7W 2700K CRI90 216lm
Luminaire: in 5 Vdc 1.5A 110lm
Weight: Net 1.1 lb – Gross 1.7 lb
Package: 5.5 x 5.5 x 11 '' – 1.7 lb Vol – 0.17 ft³ (1u)
　　　　11.8 x 11.8 x 9.4 '' – 7 lb Vol – 0.7 ft³ (4u)
Product notes: Sold in multiples of 4.
Charging cable included (USB to USB-C). Power adapter not included.
LED included

3.9''

7''　3.1''　Ø2.4''

0.8''　39.4''

(Dimmer)

Suitable for wet locations

(ETL) Under approval process. For latest certification status check the spec sheet.

Switch location: Body
Charging time 10 h

Battery life time:
7 hours in peak power
14 hours in half power
28 hours in a quarter power

Code	Product	Spare part
R703-001	Chispa	Battery
R968-002-USA	Chispa	Black power adapter
R961-057	Chispa	Usb type C cable black

Cluster, Accessory

For use with our 24V pendant fixtures: Dipping Light 24V and Ginger 20 24V. For cluster canopy installation, take into account the canopy's max wattage and number of wire entry points. The total wattage of the selected pendants cannot exceed the max wattage of the canopy, and the number of pendants cannot exceed the number of wire entry points of the canopy.

Customize your space with the Dipping Light cluster configurator at
configurator.marset.com/dipping-light

Circular Canopy 20W

Code	Finish
A693-013	● Black

Materials
Structure: Painted iron

Product type: Accessory
Luminaire: 120 - 277 VAC 24W (max.)
Weight: Net 1.7 lb – Gross 2.2 lb
Package: 9 x 8.3 x 3.5 '' - 2.2 lb – Vol - 0.14 ft³
Product notes: Canopy for 24V luminaires.

Wire installation: Hardwired
Canopy color: Black - Entry points: 3

Dimmable: No

Ø6.9''
Ø6.4''
1.7''

Circular Canopy 50W

Code	Finish	Dimming
A693-015	● Black	0-10V

Materials
Structure: Painted iron

Product type: Accessory
Luminaire: 120 - 277 VAC 0-10V 58W (max.)
Weight: Net 2.5 lb – Gross 3.08 lb
Package: 9 x 8.2 x 3.5 '' - 3.08 lb – Vol - 0.14 ft³
Product notes: Canopy for 24V luminaires.

Wire installation: Hardwired
Canopy color: Black - Entry points: 5

Dimmable: Yes
Integrated dimmer: No
Dimming Protocols: 0-10V (120-277V)

Dimmable

Ø7.8''
Ø6.9''
1.7''

Rectangular Canopy 50W

Code	Finish
A693-017	● Black

Materials
Structure: Painted iron

Product type: Accessory
Luminaire: 120 - 277 VAC 0-10V 58W (max.)
Weight: Net 4.6 lb – Gross 5.5 lb
Package: 16.3 x 8.3 x 2.8 " - 5.5 lb – Vol - 0.25 ft^3
Product notes: Canopy for 24V luminaires.

Wire installation: Hardwired
Canopy color: Black - Entry points: 9

Dimming
0-10V

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: 0-10V

Dimmable

c(UL)us

13.8"
6.8"
12.6"
1.9"

Circular Canopy 50W

Code	Finish
A693-019	● Black

Materials
Structure: Painted iron

Product type: Accessory
Luminaire: 120 - 277 VAC 0-10V 58W (max.)
Weight: Net 2.5 lb – Gross 5.5 lb
Package: 16 x 15.7 x 3 " - 5.5 lb – Vol - 0.38 ft^3
Product notes: Canopy for 24V luminaires.

Wire installation: Hardwired
Canopy color: Black - Entry points: 9

Dimming
0-10V

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: 0-10V

Dimmable

c(UL)us

Ø11.8"
Ø10.1"
1.9"

Circular Canopy 100W

Code	Finish
A693-021	● Black

Materials
Structure: Painted iron

Product type: Accessory
Luminaire: 120 - 277 VAC 0-10V 114W (max.)
Weight: Net 7.2 lb – Gross 8.3 lb
Package: 16.5 x 15.7 x 3 " - 8.3 lb – Vol - 0.35 ft^3
Product notes: Canopy for 24V luminaires.

Wire installation: Hardwired
Canopy color: Black - Entry points: 19

**Dimming**
0-10V

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: 0-10V

Dimmable

c(UL)us

Ø14.1"
Ø13"
1.9"

Hook Accessory

Code	Finish
A693-007	● Black

Materials
Structure: Painted iron

Product type: Accessory
Weight: Net 0.02 lb – Gross 0.02 lb
Package: 0.5 x 0.5 x 1.7 " - 0.02 lb – Vol - 0.035 ft^3
Product notes: This accessory is included when purchasing the 24V pendants.

1.7"
ø0.5"

The Copérnica collection consists of desktop and floor lamps that use counterweights of mixed materials and density, such as steel and aluminum, allowing one to move the lamp with great precision and providing a wide range of heights, distances, and adjustments to suit one's taste. The Copérnica draws minimalist structures in space, as if it were a canvas, and the carefully selected color schemes add soft chromatic touches to the ensemble.

Discover more at marset.com

Copérnica M

Code	Finish
A686-046	Graphite-Golden-Black
A686-047	Graphite-Satin Nickel-Black
A686-048	Graphite-Red-Black

Materials
Structure: Steel
Base: Steel
Counterweight: Steel
Diffuser: Aluminum

Dimmable: Yes
Integrated dimmer: Yes
Dimming protocols: 3 positions dimmer

Product type: Table
Light Source: LED SMD 24Vdc 4.7W 2700K CRI90 491lm
Luminaire: 85 - 264 VAC 7W 416lm
Weight: Net 7.7 lb – Gross 13.4 lb
Package: 44.4 x 9.8 x 6.7 '' – 6.83 lb Vol – 1.68 ft³
         14.2 x 14.2 x 1.18 '' – 6.6 lb Vol – 0.14 ft³
LED included

41.7''
ø2.95''   ø4.72''
ø8.26''
23.7''

Dimmer

Cable length: 6.6 ft
Wire installation: Plug-in
Cord color: Black
Switch location: Underside of shade.

Copérnica P

Code	Finish
A686-052	🌗 Graphite-Golden-Black
A686-053	🌙 Graphite-Satin Nickel-Black
A686-054	🌙 Graphite-Red-Black

Materials
Structure: Steel
Base: Steel
Counterweight: Steel
Diffuser: Aluminum

Dimmable: Yes
Integrated dimmer: Yes
Dimming protocols: 3 positions dimmer

Product type: Floor
Light Source: LED SMD 24Vdc 4.7W 2700K CRI90 491lm
Luminaire: 85 - 264 VAC 7W 416lm
Weight: Net 8.8 lb – Gross 15 lb
Package: 64.6 x 9.8 x 6.7 '' – 9 lb Vol – 2.3 ft^3
        14 x 14 x 1.2 '' – 6 lb Vol – 0.14 ft^3
LED included

41.73''
ø2.95''
ø4.72''
Dimmer
c(UL)us
51.18''
ø10.23''

Cable length: 6.6 ft
Wire installation: Plug-in
Cord color: Black
Switch location: Underside of shade.

Copérnica P190

Code	Finish
A686-056	● Graphite-Black

Materials
Structure: Steel
Base: Steel
Diffuser: Aluminum

Dimmable: Yes
Integrated dimmer: Yes
Dimming protocols: Progressive dimmer
from 0 to 100

Product type: Floor
Light Source: LED SMD 1050mA 40W 2700K CRI90 5108lm
Luminaire: 220 - 240 VAC 29W 2302lm
Weight: Net 16.8 lb – Gross 29.5 lb
Package: 80 x 10.2 x 13 '' – 9.7 lb Vol – 6.14 ft^3
        14 x 14 x 1.18 '' – 19.8 lb Vol – 0.14 ft^3
LED included

ø10.19''
Dimmer
c(UL)us
72.83''
ø12.2''

Cable length: 6.6 ft
Wire installation: Plug-in
Cord color: Black
Switch location: In-line

Dipping Light, Jordi Canudas

Beyond its function as a lamp, the Dipping Light seeks to excite. When it's turned on, its different shades of paint sift the light, creating a magical ambient effect. When it's off, its colored glass sphere is an object charged with beauty, and an eye-catching design piece for a shelf, bedside, or table. The various layers of paint draw concentric circles and capture the light, moderating its intensity. The paint becomes the shade, colouring and texturizing the light.

Discover more at marset.com

Dipping Light

| Code	Finish	
A691-013	White - Brushed Brass	⇘
A691-300	White - Graphite	⇘
A691-014	Blue - Brushed Brass	⇘
A691-301	Blue - Graphite	⇘
A691-015	Green - Brushed Brass	⇘
A691-302	Green - Graphite	⇘
A691-016	Amber - Brushed Brass	⇘
A691-303	Amber - Graphite	⇘
A691-017	Pink - Brushed Brass	⇘
A691-304	Pink - Graphite	⇘

Materials   Dimmable: No
Body: Metal
Diffuser: Brilliant white blown glass
globe with layered paint

Product type: Table
Light Source: LED SMD 700mA 2.2W 2700K CRI80 243lm
Luminaire: 120 - 277 VAC 4W 123lm
Weight: Net 2.6 lb – Gross 4 lb
Package: 13.7 x 13.7 x 7 '' – 4 lb Vol – 0.38 ft³

ø4.92''

8.74''

ø2.36''

Cable length: 6.6 ft
Wire installation: Plug-in
Cord color: Black
Switch location: In-line

Dipping Light S

Code	Finish
A691-306	⬤ White - Brushed Brass
A691-307	⬤ White - Graphite
A691-308	⬤ Blue - Brushed Brass
A691-309	⬤ Blue - Graphite
A691-310	⬤ Green - Brushed Brass
A691-311	⬤ Green - Graphite
A691-312	⬤ Amber - Brushed Brass
A691-313	⬤ Amber - Graphite
A691-314	⬤ Pink - Brushed Brass
A691-315	⬤ Pink - Graphite

Materials
Body: Metal
Diffuser: Brilliant white blown glass globe with layered paint

Dimmable: Yes
Integrated dimmer: Yes
Dimming protocols: Progressive dimmer from 0 to 100

Product type: Table
Light Source: LED SMD 700mA 8.6W 2700K CRI90 765lm
Luminaire: 85 - 264 VAC 11W
Weight: Net 3 lb – Gross 5.5 lb
Package: 6.7 x 13 x 6.7 '' – 3 lb Vol – 0.3 ft³
         9.8 x 9.8 x 12.2 '' – 2.4 lb Vol – 0.7 ft³
LED included

ø7.9"
14.2"
ø4.3"

Dimmer
c(UL)us

Cable length: 5.75 ft
Wire installation: Plug-in
Cord color: Black
Switch location: In-line

Dipping Light M

Code	Finish
A691-019	⬤ White - Brushed Brass
A691-318	⬤ White - Graphite
A691-020	⬤ Blue - Brushed Brass
A691-319	⬤ Blue - Graphite
A691-021	⬤ Green - Brushed Brass
A691-320	⬤ Green - Graphite
A691-022	⬤ Amber - Brushed Brass
A691-321	⬤ Amber - Graphite
A691-023	⬤ Pink - Brushed Brass
A691-322	⬤ Pink - Graphite

Materials
Body: Metal
Diffuser: Brilliant white blown glass globe with layered paint

Dimmable: Yes
Integrated dimmer: Yes
Dimming protocols: Progressive dimmer from 0 to 100

Product type: Table
Light Source: LED SMD 700mA 8.6W 2700K CRI90 765lm
Luminaire: 85 - 264 VAC 11W 312lm
Weight: Net 7.3 lb – Gross 11.7 lb
Package: 13.4 x 10.2 x 10.2 '' – 6.39 lb Vol – 0.078 ft³
         16.1 x 16.1 x 16.1 '' – 5.29 lb Vol – 2.4 ft³
LED included

ø11.81"
21.26"
ø5.9"

Dimmer
c(UL)us

Cable length: 5.75 ft
Wire installation: Plug-in
Cord color: Black
Switch location: In-line

Dipping Light Portable

Code	Finish
A691-530	White - Brushed Brass
A691-532	Blue - Brushed Brass
A691-534	Green - Brushed Brass
A691-536	Amber - Brushed Brass
A691-538	Pink - Brushed Brass

Materials
Body: Metal
Diffuser: Brilliant white blown glass globe with layered paint

Dimmable: Yes
Integrated dimmer: Yes
Dimmer Type: 3-step dimmer

Product type: Table
Light source: LED SMD 1A 3.5W 2700K CRI90 216lm
Luminaire: in 5 Vdc 1.5A 123lm
Weight: Net 2.6 lb – Gross 3.3 lb
Package: 7 x 7 x 14 '' – 3.3 lb Vol – 0.4 ft³
LED included

ø5''
8.7''
ø2.4''

Dimmer

Under approval process. For latest certification status check the spec sheet.

Switch location: Body
Charging time 10 h

Battery life time:
5 hours in peak power
10 hours in half power
20 hours in a quarter power

Disk accessory + magnet

Code	Finish
A691-097	● Black

Materials
Structure: Metal counterweight

Product type: Accessory
Weight: Net 1.1 lb – Gross 1.3 lb
Package: 6 x 5.5 x 3.5 '' - 1.3 lb – Vol - 0.07 ft³

0.4''
ø4.3''

Magnet accessory

Code	Finish
A680-008	● Inox

Materials
Structure: Neodymium magnet

Product type: Accessory
Weight: Net 0.04 lb – Gross 0.04 lb
Package: 4.72 x 6.89 x 0.39 '' - 0.04 lb – Vol - 0.035 ft³

0.39''
ø0.63''

Dipping Light A1-13

Code	Finish
A691-336	🌗 White - Brushed Brass
A691-338	🔵 Blue - Brushed Brass
A691-340	🟢 Green - Brushed Brass
A691-342	🟡 Amber - Brushed Brass
A691-344	🔴 Pink - Brushed Brass

Materials
Body: Metal
Diffuser: Brilliant white blown glass globe with layered paint

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)

Product type: Wall
Light source: LED COB 500mA 5.68W 2700K CRI90 645lm
Luminaire: 120 VAC TRIAC 9W
Weight: Net 2 lb – Gross 3.3 lb
Package: 7 x 7 x 11 '' – 3.3 lb Vol – 0.04 ft³
Product notes: 0-10V dimming upon request.
LED included

ø4.9''
Ø4.3''
2.4''
4.5''

Dimmable

c(UL)us

Wire installation: Hardwired

Dipping Light A2-13

Code	Finish
A691-348	🌗 White - Brushed Brass
A691-349	🌗 White - Graphite
A691-350	🔵 Blue - Brushed Brass
A691-351	🔵 Blue - Graphite
A691-352	🟢 Green - Brushed Brass
A691-353	🟢 Green - Graphite
A691-354	🟡 Amber - Brushed Brass
A691-355	🟠 Amber - Graphite
A691-356	🔴 Pink - Brushed Brass
A691-357	🔴 Pink - Graphite

Materials
Body: Metal
Diffuser: Brilliant white blown glass globe with layered paint

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)

Product type: Wall
Light source: LED SMD 500mA 8.6W 2700K CRI90 765lm
Luminaire: 120 VAC TRIAC 7.5W
Weight: Net 2 lb – Gross 3.3 lb
Package: 7 x 7 x 11 '' – 3.3 lb Vol – 0.04 ft³
Product notes: 0-10V dimming upon request.
LED included

ø4.9''
Ø4.3''
6.5''

Dimmable

c(UL)us

Wire installation: Hardwired

Dipping Light 13

Code	Finish	Dimming
A691-360	⚪ White	on/off
A691-361	🔵 Blue	on/off
A691-362	🟢 Green	on/off
A691-363	🟠 Amber	on/off
A691-364	🔴 Pink	on/off
A691-396	⚪ White	0-10V
A691-397	🔵 Blue	0-10V
A691-398	🟢 Green	0-10V
A691-399	🟠 Amber	0-10V
A691-410	🔴 Pink	0-10V

Materials
Diffuser: Brilliant white blown glass
globe with layered paint
Cover: Polycarbonate
Canopy: Metal

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: 0-10V

Product type: Pendant
Light Source: LED SMD 350mA 4.05W 2700K CRI90 463lm
Luminaire: 90 - 264 VAC 6W 203lm
110 - 127 VAC 0-10V 6W 203lm
Weight: Net 1.7 lb – Gross 2.86 lb
Package: 8.6 x 8.6 x 9 " – 2.86 lb Vol – 0.35 ft³
LED included

ON/OFF   0-10V

ø4,3"   ø4,3"
1,8"
6.7ft   6.7ft
Ø5.3"   Ø5.3"
ø5.3"   ø5.3"

(Dimmable)

c(UL)us

Cable length: 6.7 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Black

Dipping Light 13 - 24V

Code	Finish
A691-250	⚪ White
A691-251	🔵 Blue
A691-252	🟢 Green
A691-253	🟠 Amber
A691-254	🔴 Pink

Materials
Diffuser: Brilliant white blown glass
globe with layered paint
Cover: Polycarbonate

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Dependent on
purchased power supply. See Cluster
accessory, page 35.

Product type: Pendant
Light source: LED SMD 24Vdc 5W 2700K CRI90 495lm
Luminaire: (Power supply not included) 203lm
Weight: Net 1.3 lb – Gross 2.86 lb
Package: 8.6 x 8.6 x 9 " – 2.86 lb Vol – 0.35 ft³
Product notes: Use with cluster accessory, see pg 31, 32.
1 pc. hook accessory included.
LED included

13.1 ft
Ø5.3"
ø5.3"

(Dimmable)

c(UL)us

Cable length: 13.1 ft
Wire installation: Hardwired
Cord color: Black

Dipping Light 20

Code	Finish	Dimming
A691-366	⚪ White	on/off
A691-367	🔵 Blue	on/off
A691-368	🟢 Green	on/off
A691-369	🟠 Amber	on/off
A691-370	🔴 Pink	on/off
A691-412	⚪ White	0-10V
A691-413	🔵 Blue	0-10V
A691-414	🟢 Green	0-10V
A691-415	🟠 Amber	0-10V
A691-416	🔴 Pink	0-10V

Materials
Diffuser: Brilliant white blown glass
globe with layered paint
Cover: Polycarbonate
Canopy: Metal

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: 0-10V

Product type: Pendant
Light Source: LED SMD 350mA 4.05W 2700K CRI90 463lm
Luminaire: 90 - 264 VAC 6W 231lm
           110 - 127 VAC 0-10V 6W 231lm
Weight: Net 2.6 lb – Gross 3.7 lb
Package: 13 x 10.2 x 10.2 '' – 3.7 lb Vol – 0.7 ft³
LED included

ON/OFF — 0.24" — ø4.3"
0-10V — 1.8" — ø4.3"
6.7ft — Ø7.9" — ø7.9"

Dimmable

c(UL)us

Cable length: 6.7 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Black

Dipping Light 20 - 24V

Code	Finish
A691-270	⚪ White
A691-271	🔵 Blue
A691-272	🟢 Green
A691-273	🟠 Amber
A691-274	🔴 Pink

Materials
Diffuser: Brilliant white blown glass
globe with layered paint
Cover: Polycarbonate

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Dependent on
purchased power supply. See Cluster
accessory, page 35.

Product type: Pendant
Light source: LED SMD 24Vdc 5W 2700K CRI90 495lm
Luminaire: (Power supply not included) 231lm
Weight: Net 2.4 lb – Gross 4.4 lb
Package: 13 x 10.2 x 10.2 '' – 4.4 lb Vol – 0.7 ft³
Product notes: Use with cluster accessory, see pg 31, 32.
1 pc. hook accessory included.
LED included

13.1ft — Ø7.9" — ø7.9"

Dimmable

c(UL)us

Cable length: 13.1 ft
Wire installation: Hardwired
Cord color: Black

Dipping Light 30

Code	Finish	Dimming
A691-372	⚪ White	Triac
A691-373	🔵 Blue	Triac
A691-374	🟢 Green	Triac
A691-375	🟠 Amber	Triac
A691-376	🔴 Pink	Triac
A691-418	⚪ White	0-10V
A691-419	🔵 Blue	0-10V
A691-420	🟢 Green	0-10V
A691-421	🟠 Amber	0-10V
A691-422	🔴 Pink	0-10V

Materials
Diffuser: Brilliant white blown glass
globe with layered paint
Cover: Polycarbonate
Canopy: Metal

Dimmable: Yes
Integrated dimmer: No
Dimming protocols:
Phase cut (Triac)
0-10V

Product type: Pendant
Light Source: LED SMD 700mA 8.2W 2700K CRI90 913lm
Luminaire: 100 - 120 VAC TRIAC 14W 379lm
110 - 127 VAC 0-10V 14W 379lm
Weight: Net 5.2 lb – Gross 8 lb
Package: 16 x 15.7 x 16 '' – 8 lb Vol – 2.47 ft³
LED included

Ø5.11''
1.8''
6.7 ft
Ø11.8''
ø11.8''

Dimmable

c (UL) us

Cable length: 6.7 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Black

Dipping Light 30 - 24V

Code	Finish
A691-290	⚪ White
A691-291	🔵 Blue
A691-292	🟢 Green
A691-293	🟠 Amber
A691-294	🔴 Pink

Materials
Diffuser: Brilliant white blown glass
globe with layered paint
Cover: Polycarbonate

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Dependent on
purchased power supply. See Cluster
Accessory, page 35.

Product type: Pendant
Light source: LED SMD 24Vdc 11.5W 2700K CRI90 1024lm
Luminaire: (Power supply not included) 379lm
Weight: Net 4.4 lb – Gross 7.3 lb
Package: 16 x 15.7 x 16 '' – 7.3 lb Vol – 2.47 ft³
Product notes: Use with cluster accessory, see pg 31, 32.
1 pc. hook accessory included.
LED included

13.1 ft
Ø11.8''
ø11.8''

Dimmable

c (UL) us

Cable length: 13.1 ft
Wire installation: Hardwired
Cord color: Black

Spare parts

| Code	Product	Finish	Spare part
A691-402	Dipping light	White	Glass
A691-401	Dipping light	Blue	Glass
A691-405	Dipping light	Green	Glass
R691-005	Dipping light	Amber	Glass
A691-404	Dipping light	Pink	Glass
A691-509	Dipping light S	White	Glass
A691-510	Dipping light S	Blue	Glass
A691-511	Dipping light S	Green	Glass
A691-512	Dipping light S	Amber	Glass
A691-514	Dipping light S	Pink	Glass
A691-101	Dipping light M	White	Glass
A691-102	Dipping light M	Blue	Glass
A691-103	Dipping light M	Green	Glass
A691-104	Dipping light M	Amber	Glass
A691-105	Dipping light M	Pink	Glass
R691-012	Dipping light A	White	Glass
R691-013	Dipping light A	Blue	Glass
R691-014	Dipping light A	Green	Glass
R691-015	Dipping light A	Amber	Glass
R691-016	Dipping light A	Pink	Glass
R691-018	Dipping Light 13	White	Glass
R691-019	Dipping Light 13	Blue	Glass
R691-020	Dipping Light 13	Green	Glass
R691-021	Dipping Light 13	Amber	Glass
R691-022	Dipping Light 13	Pink	Glass
R691-024	Dipping Light 20	White	Glass
R691-025	Dipping Light 20	Blue	Glass
R691-026	Dipping Light 20	Green	Glass
R691-027	Dipping Light 20	Amber	Glass
R691-028	Dipping Light 20	Pink	Glass
R691-030	Dipping Light 30	White	Glass
R691-031	Dipping Light 30	Blue	Glass
R691-032	Dipping Light 30	Green	Glass
R691-033	Dipping Light 30	Amber	Glass
R691-034	Dipping Light 30	Pink	Glass
R680-014	Dipping Light portable		Battery
R968-002-USA	Dipping Light portable		Black power adapter
R961-057	Dipping Light portable		Usb type C cable black

Dipping Light, 2018

Discocó 35

Code
A620-055
A620-127
A620-128
A620-083

Finish
○ White (RAL 9003)
● Matte Grey (RAL 7037)
● Matte Beige (RAL 1001)
● Black - Gold (RAL 9004 - Gold)

Materials
Discs: ABS
Sphere: Chromed metal
Canopy: Metal

Product type: Pendant
Light source: E12 LED TYPE G16.5 5W
Weight: Net 3.3 lb – Gross 5.7 lb
Package: 33.8 x 7 x 7.4 '' -5.7 lb – Vol - 1.06 ft³
Lamping not included

ø4.3''
1.2''
6.6 ft
11.02''
ø13.86''

c(UL)us

Cable length: 6.6 ft
Wire installation: Hardwired
Cord color: White
Canopy color: White

Discocó 53

Code	Finish
A620-005	● White (RAL 9003)
A620-129	● Matte Grey (RAL 7037)
A620-130	● Matte Beige (RAL 1001)
A620-084	● Black - Gold (RAL 9004 - Gold)

Materials
Discs: ABS
Sphere: Chromed metal
Canopy: Metal

Product type: Pendant
Light source: E26 LED TYPE A 11W
Weight: Net 6.17 lb – Gross 10.4 lb
Package: 42.5 x 10.2 x 10.6 " - 10.4 lb – Vol - 2.82 ft³
Lamping not included

ø4.3"
1.2"
6.6 ft
16.73"
ø20.87

Cable length: 6.6 ft
Wire installation: Hardwired
Cord color: White
Canopy color: White

Discocó 68

Code	Finish
A620-122	● White (RAL 9003)
A620-131	● Matte Grey (RAL 7037)
A620-132	● Matte Beige (RAL 1001)
A620-145	● Black - Gold (RAL 9004 - Gold)
A620-162	● American oak-Black chrome

Materials
Discs: ABS
Sphere: Chromed metal
Canopy: Metal

Product type: Pendant
Light source: 3x E26 LED TYPE A 11W
Weight: Net 10.1 lb – Gross 16.5 lb
Package: 49.2 x 12.9 x 11.02 " - 16.5 lb – Vol - 4.06 ft³
Product notes: For the wood version, the discs are made of
pressed American oak of 0.16". Black chrome sphere.
Lamping not included

ø4.3"
1.2"
6.6 ft
20.51"
ø26.77"

Cable length: 6.6 ft
Wire installation: Hardwired
Cord color: Black (American oak version), White (all the rest)
Canopy Color: Black (American oak version), White (all the rest)

Discocó 88

Code	Finish
A620-006	⬤ White (RAL 9003)
A620-133	⬤ Matte Grey (RAL 7037)
A620-134	⬤ Matte Beige (RAL 1001)
A620-085	◐ Black - Gold (RAL 9004 - Gold)

Materials
Discs: ABS
Sphere: Chromed metal
Canopy: Metal

Product type: Pendant
Light source: 3x E26 LED TYPE A 11W
Weight: Net 14.8 lb – Gross 23.4 lb
Package: 52.7 x 12.2 x 16.5 '' - 23.4 lb – Vol - 6 ft³
Lamping not included

ø4.3''
1.2''
9.8 ft
26.77''
ø34.65''

c(UL)us

Cable length: 9.8 ft
Wire installation: Hardwired
Cord color: White
Canopy color: White

Discocó 132

Code	Finish
A620-047	⬤ White (RAL 9003)
A620-135	⬤ Matte Grey (RAL 7037)
A620-136	⬤ Matte Beige (RAL 1001)
A620-086	◐ Black - Gold (RAL 9004 - Gold)

Materials
Discs: ABS
Sphere: Chromed metal
Canopy: Metal

Product type: Pendant
Light source: 6x E26 LED TYPE A 11W
Weight: Net 40.8 lb – Gross 52.9 lb
Package: 47.6 x 16.1 x 16.1 '' - 30.9 lb – Vol - 7.06 ft³
                17.7 x 16.5 x 16.5 '' - 22 lb – Vol - 2.82 ft³
Lamping not included

ø4.3''
1.2''
11.5 ft
40.24''
ø51.97''

c(UL)us

Cable length: 11.5 ft
Wire installation: Hardwired
Cord color: White
Canopy color: White

Discocó C53

Code
A620-065
A620-087

Finish
⬤ White (RAL 9003)
⬤ Black - Gold (RAL 9004 - Gold)

Materials
Discs: ABS
Semi-sphere: Chromed metal

Product type: Ceiling
Light source: E26 LED TYPE A 11W
Weight: Net 4.9 lb – Gross 8.1 lb
Package: 33.8 x 10.6 x 8.6 '' - 8.1 lb – Vol - 1.76 ft³
Lamping not included

ø7.5"
13.39"
ø20.87"

c (UL) us

Wire installation: Hardwired

Discocó C68

Code
A620-147
A620-146

Finish
⬤ White (RAL 9003)
⬤ Black - Gold (RAL 9004 - Gold)

Materials
Discs: ABS
Semi-sphere: Chromed metal

Product type: Ceiling
Light source: 3x E26 LED TYPE A 11W
Weight: Net 8.8 lb – Gross 15.4 lb
Package: 42.9 x 13 x 10.6 '' - 15.4 lb – Vol - 3.42 ft³
Lamping not included

ø10.63"
17.24"
ø26.77"

c (UL) us

Wire installation: Hardwired

Code
A620-089
A620-093

Finish
⬤ White (RAL 9003)
⬤ Black - Gold (RAL 9004 - Gold)

Materials
Discs: ABS
Semi-sphere: Chromed metal

Product type: Wall
Light source: 2x E12 LED TYPE G16.5 5W
Weight: Net 2.6 lb – Gross 3.3 lb
Package: 23 x 7.5 x 6 " - 3.3 lb – Vol - 0.7 ft³
Lamping not included

10.8''
14.9''
4.4''
9.3''

c(UL)us

Wire installation: Hardwired

Djembé, Joan Gaspar

Using a rotomolding technique allowed the designer, Joan Gaspar, to design a fixture with vastly different interiors and exteriors: its outside recalls the texture of a stone, giving off a perception of great weight, emphasized by its volume. In the spacious interior you'll find a smooth, white space perfect for the reflection of light. Djembé is a lamp designed for use in public spaces that seeks to bring beauty and an unbeatable quality of light.

Discover more at marset.com

Djembé 42.21

Code	Finish	Dimming
A681-291	● White (RAL 1013)	Triac
A681-292	● Grey (RAL 7022)	Triac
A681-293	● Red (RAL 3011)	Triac
A681-294	● Sky Blue (PANTONE 7542C)	Triac
A681-380	● White (RAL 1013)	0-10v
A681-381	● Grey (RAL 7022)	0-10v
A681-382	● Red (RAL 3011)	0-10v
A681-383	● Sky Blue (PANTONE 7542C)	0-10v

Materials
Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)
Diffuser: Aluminum

Dimmable: Yes
Integrated dimmer: No
Dimming protocols:
Phase cut (Triac)
0-10v

Product type: Pendant
Light Source: LED SMD 700mA 16.28W 2700K CRI90 1873lm
Luminaire: 90 - 135 VAC TRIAC 19W 955lm
120 - 277 VAC 0-10V 19W 955lm
Weight: Net 6.6 lb – Gross 9.7 lb
Package: 17.3 x 17.3 x 12 '' – 9.7 lb Vol – 2.11 ft³
Product notes: 3000K available upon request
LED included

ø4.3''
1.8''
6.56 ft
8.28''
ø16.37''

Dimmable

Cable length: 6.56 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Black

Djembé 42.28

Code	Finish	Dimming
A681-295	White (RAL 1013)	Triac
A681-296	Grey (RAL 7022)	Triac
A681-297	Red (RAL 3011)	Triac
A681-298	Sky Blue (PANTONE 7542C)	Triac
A681-384	White (RAL 1013)	0-10v
A681-385	Grey (RAL 7022)	0-10v
A681-386	Red (RAL 3011)	0-10v
A681-387	Sky Blue (PANTONE 7542C)	0-10v

Materials
Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)
Diffuser: Aluminum

Dimmable: Yes
Integrated dimmer: No
Dimming protocols:
Phase cut (Triac)
0-10V

Product type: Pendant
Light Source: LED SMD 700mA 16.28W 2700K CRI90 1873lm
Luminaire: 90 - 135 VAC TRIAC 19W 925lm
120 - 277 VAC 0-10V 19W 925lm
Weight: Net 6.6 lb – Gross 11 lb
Package: 17.3 x 17.3 x 12.6 '' – 11 lb Vol – 2.118 ft³
Product notes: 3000K available upon request
LED included

ø4.3''
1.81''
6.56 ft
11.02''
ø16.54''

Dimmable

c(UL)us

Cable length: 6.56 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Black

Djembé 65.23

Code	Finish
A681-388	White (RAL 1013)
A681-389	Grey (RAL 7022)
A681-390	Red (RAL 3011)
A681-391	Sky Blue (PANTONE 7542C)

Materials
Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)
Diffuser: Aluminum

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Dual dimming driver
Phase cut (Triac) or 0-10V

Product type: Pendant
Light Source: LED SMD 700mA 22.4W 2700K CRI90 2933lm
Luminaire: Only 120 VAC TRIAC 26W 1843lm
120 - 277 VAC 0-10V 26W 1843lm
Weight: Net 11 lb – Gross 16.3 lb
Package: 25.6 x 25.6 x 11 '' – 16.3 lb Vol – 4.23 ft³
Product notes: 3000K available upon request
LED included

ø4.3''
1.81''
6.56 ft
9.06''
ø24.76''

Dimmable

c(UL)us

Cable length: 6.56 ft
Wire installation: Hardwired

Cord color: Black
Canopy color: Black

Djembé 65.35

Code	Finish
A681-392	● White (RAL 1013)
A681-393	● Grey (RAL 7022)
A681-394	● Red (RAL 3011)
A681-395	● Sky Blue (PANTONE 7542C)

Materials
Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)
Diffuser: Aluminum

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Dual dimming driver Phase cut (Triac) or 0-10V

Product type: Pendant
Light Source: LED SMD 700mA 22.4W 2700K CRI90 2933lm
Luminaire: Only 120 VAC TRIAC 26W 1845lm
120 - 277 VAC 0-10V 26W 1845lm
Weight: Net 13.4 lb – Gross 18.7 lb
Package: 25.6 x 25.6 x 16.5 '' – 18.7 lb Vol – 6.35 ft³
Product notes: 3000K available upon request
LED included

ø4.3''
1.81''
6.56 ft
13.78''
ø25.4''

Dimmable

Cable length: 6.56 ft
Wire installation: Hardwired

Cord color: Black
Canopy color: Black

Djembé 65.45

Code	Finish
A681-396	● White (RAL 1013)
A681-397	● Grey (RAL 7022)
A681-398	● Red (RAL 3011)
A681-399	● Sky Blue (PANTONE 7542C)

Materials
Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)
Diffuser: Aluminum

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Dual dimming driver Phase cut (Triac) or 0-10V

Product type: Pendant
Light Source: LED SMD 700mA 22.4W 2700K CRI90 2933lm
Luminaire: Only 120 VAC TRIAC 26W 1770lm
120 - 277 VAC 0-10V 26W 1770lm
Weight: Net 15.2 lb – Gross 20.5 lb
Package: 25.6 x 25.6 x 19.3 '' – 20.5 lb Vol – 7.06 ft³
Product notes: 3000K available upon request
LED included

ø4.3''
1.81''
6.56 ft
17.72 ''
ø25.6''

Dimmable

Cable length: 6.56 ft
Wire installation: Hardwired

Cord color: Black
Canopy color: Black

Code	Finish
A681-506	● White (RAL 1013)
A681-507	● Grey (RAL 7022)
A681-508	● Red (RAL 3011)
A681-509	● Sky Blue (PANTONE 7542C)

Materials
Shade: Bi-injected rotary moulded
polyethylene (stone texture on the
outer part and smooth satin white
on the inner part of the fixture)
Diffuser: Aluminum

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Dual dimming driver
Phase cut (Triac) or 0-10V

Product type: Pendant
Light Source: LED SMD 1050mA 33.8W 2700K CRI90 4037lm
Luminaire: Only 120 VAC TRIAC 42W 2519lm
            120 - 277 VAC 0-10V 42W 2519lm
Weight: Net 22 lb – Gross 41.9 lb
Package: 45.2 x 45.2 x 20 '' – 41.9 lb Vol – 24.7 ft³
Product notes: 3000K available upon request
LED included

ø9.8''
1.5''
6.56 ft
14.9''
ø39.4''

Dimmable

c (UL) us

Cable length: 6.56 ft
Wire installation: Hardwired

Cord color: Black
Canopy color: Black

Djembé C42.13

Code	Finish	Dimming
A681-136	⬤ White (RAL 1013)	Triac
A681-137	⬤ Grey (RAL 7022)	Triac
A681-138	⬤ Red (RAL 3011)	Triac
A681-139	⬤ Sky Blue (PANTONE 7542C)	Triac
A681-312	⬤ White (RAL 1013)	0-10v
A681-313	⬤ Grey (RAL 7022)	0-10v
A681-314	⬤ Red (RAL 3011)	0-10v
A681-315	⬤ Sky Blue (PANTONE 7542C)	0-10v

Materials
Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)
Diffuser: Aluminum

Dimmable: Yes
Integrated dimmer: No
Dimming protocols:
Phase cut (Triac)
0-10V

Product type: Ceiling
Light Source: LED SMD 700mA 16.28W 2700K CRI90 1873lm
Luminaire: Only 120 VAC TRIAC 19W 846lm
120 - 277 VAC 0-10V 19W 846lm
Weight: Net 5.3 lb – Gross 7.7 lb
Package: 17.3 x 17.3 x 7.4 " – 7.7 lb Vol – 1.41 ft³
Product notes: 3000K available upon request
LED included

ø15.87"

Dimmable

5.31"

Wire installation: Hardwired

Djembé C42.21

Code	Finish	Dimming
A681-140	⬤ White (RAL 1013)	Triac
A681-141	⬤ Grey (RAL 7022)	Triac
A681-142	⬤ Red (RAL 3011)	Triac
A681-143	⬤ Sky Blue (PANTONE 7542C)	Triac
A681-316	⬤ White (RAL 1013)	0-10v
A681-317	⬤ Grey (RAL 7022)	0-10v
A681-318	⬤ Red (RAL 3011)	0-10v
A681-319	⬤ Sky Blue (PANTONE 7542C)	0-10v

Materials
Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)
Diffuser: Aluminum

Dimmable: Yes
Integrated dimmer: No
Dimming protocols:
Phase cut (Triac)
0-10V

Product type: Ceiling
Light Source: LED SMD 700mA 16.28W 2700K CRI90 1873lm
Luminaire: Only 120 VAC TRIAC 19W 955lm
120 - 277 VAC 0-10V 19W 955lm
Weight: Net 6.6 lb – Gross 9.4 lb
Package: 17.3 x 17.3 x 9.8 " – 9.4 lb Vol – 1.765 ft³
Product notes: 3000K available upon request
LED included

ø16.38"

Dimmable

8.27"

Wire installation: Hardwired

Djembé C 42.28

Code	Finish	Dimming
A681-144	White (RAL 1013)	Triac
A681-145	Grey (RAL 7022)	Triac
A681-146	Red (RAL 3011)	Triac
A681-147	Sky Blue (PANTONE 7542C)	Triac
A681-320	White (RAL 1013)	0-10v
A681-321	Grey (RAL 7022)	0-10v
A681-322	Red (RAL 3011)	0-10v
A681-323	Sky Blue (PANTONE 7542C)	0-10v

Materials
Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)
Diffuser: Aluminum

Dimmable: Yes
Integrated dimmer: No
Dimming protocols:
Phase cut (Triac)
0-10V

Product type: Ceiling
Light Source: LED SMD 700mA 16.28W 2700K CRI90 1873lm
Luminaire: Only 120 VAC TRIAC 19W 925lm
        120 - 277 VAC 0-10V 19W 925lm
Weight: Net 6.6 lb – Gross 11.5 lb
Package: 17.3 x 17.3 x 12.6 " – 11.5 lb Vol – 2.12 ft³
Product notes: 3000K available upon request
LED included

ø16.54"

11.02"

Dimmable

c(UL)us

Wire installation: Hardwired

Djembé C 65.23

Code	Finish
A681-324	White (RAL 1013)
A681-325	Grey (RAL 7022)
A681-326	Red (RAL 3011)
A681-327	Sky Blue (PANTONE 7542C)

Materials
Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)
Diffuser: Aluminum

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Dual dimming driver
Phase cut (Triac) or 0-10V

Product type: Ceiling
Light Source: LED SMD 700mA 22.4W 2700K CRI90 2933lm
Luminaire: Only 120 VAC TRIAC 26W 1843lm
        120 - 277 VAC 0-10V 26W 1843lm
Weight: Net 10.8 lb – Gross 15.4 lb
Package: 25.6 x 25.6 x 11.8 " – 15.4 lb Vol – 4.59 ft³
Product notes: 3000K available upon request
LED included

ø24.8"

9.06"

Dimmable

c(UL)us

Wire installation: Hardwired

Djembé C 65.35

Code	Finish
A681-328	⬤ White (RAL 1013)
A681-329	⬤ Grey (RAL 7022)
A681-330	⬤ Red (RAL 3011)
A681-331	⬤ Sky Blue (PANTONE 7542C)

Materials
Shade: Bi-injected rotary moulded
polyethylene (stone texture on the
outer part and smooth satin white
on the inner part of the fixture)
Diffuser: Aluminum

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Dual dimming driver
Phase cut (Triac) or 0-10V

Product type: Ceiling
Light Source: LED SMD 700mA 22.4W 2700K CRI90 2933lm
Luminaire: Only 120 VAC TRIAC 26W 1845lm
           120 - 277 VAC 0-10V 26W 1845lm
Weight: Net 14.8 lb – Gross 19.8 lb
Package: 25.6 x 25.6 x 16.5 '' – 19.8 lb Vol – 6.36 ft³
Product notes: 3000K available upon request
LED included

ø25.43''

13.78''

Dimmable

c(UL)us

Wire installation: Hardwired

Djembé C 65.45

Code	Finish
A681-332	⬤ White (RAL 1013)
A681-333	⬤ Grey (RAL 7022)
A681-334	⬤ Red (RAL 3011)
A681-335	⬤ Sky Blue (PANTONE 7542C)

Materials
Shade: Bi-injected rotary moulded
polyethylene (stone texture on the
outer part and smooth satin white
on the inner part of the fixture)
Diffuser: Aluminum

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Dual dimming driver
Phase cut (Triac) or 0-10v

Product type: Ceiling
Light Source: LED SMD 700mA 22.4W 2700K CRI90 2933lm
Luminaire: Only 120 VAC TRIAC 26W 1770lm
           120 - 277 VAC 0-10V 26W 1770lm
Weight: Net 16.5 lb – Gross 22 lb
Package: 25.6 x 25.6 x 19.3 '' – 22 lb Vol – 7.06 ft³
Product notes: 3000K available upon request
LED included

ø25.59''

17.12''

Dimmable

c(UL)us

Wire installation: Hardwired

Djembé C 100.38

Code	Finish
A681-514	○ White (RAL 1013)
A681-515	● Grey (RAL 7022)
A681-516	● Red (RAL 3011)
A681-517	○ Sky Blue (PANTONE 7542C)

Materials
Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)
Diffuser: Aluminum

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Dual dimming driver
Phase cut (Triac) or 0-10V

Product type: Ceiling
Light Source: LED SMD 1050mA 33.8W 2700K CRI90 4037lm
Luminaire: Only 120 VAC TRIAC 42W 2519lm
             120 - 277 VAC 0-10V 42W 2519lm
Weight: Net 22 lb – Gross 42 lb
Package: 45.3 x 45.3 x 20" - 42lb Vol – 24.7 ft³
Product notes: 3000K available upon request
LED included

ø39.4''

14.9''

Dimmable

Wire installation: Hardwired

Accessory C2 Djembé 42

Code
A681-424

Finish
● Black (RAL 9005)

Materials
Structure: Painted iron

Product type: Accessory
Weight: Net 2 lb – Gross 3.52 lb
Package: 24.4 x 7.8 x 3.5" - 3.52 – Vol - 0.35 ft³
Product notes: Accessory to combine 2 Djembé 42
models for a single junction box.
Only for triac versions.

ø6.69"   ø6.69"

23.43"

Accessory C3 Djembé 42

Code
A681-425

Finish
● Black (RAL 9005)

Materials
Structure: Painted iron

Product type: Accessory
Weight: Net 3.5 lb – Gross 4.4 lb
Package: 24.4 x 7.8 x 3.5" - 4.4 lb – Vol - 0.35 ft³
Product notes: Accessory to combine 3 Djembé 42
models for a single junction box.
Only for triac versions.

23.43"
ø6.69"
ø6.69"
ø6.69"
23.43"

Accessory C2 Djembé 65

Code
A681-426

Finish
● Black (RAL 9005)

Materials
Structure: Painted iron

Product type: Accessory
Weight: Net 2.5 lb – Gross 4.85 lb
Package: 33.4 x 7.8 x 3.5" - 4.85 lb – Vol - 0.53 ft³
Product notes: Accessory to combine 2 Djembé 65
models for a single junction box.
Only for triac versions.

ø6.69"   ø6.69"

32.48"

Accessory C3 Djembé 65

Code
A681-427

Finish
● Black (RAL 9005)

Materials
Structure: Painted iron

Product type: Accessory
Weight: Net 3.9 lb – Gross 4.85 lb
Package: 33.4 x 7.8 x 3.5" - 4.85 lb – Vol - 0.53 ft³
Product notes: Accessory to combine 3 Djembé 65
models for a single junction box.
Only for triac versions.

32.48"
ø6.69"
ø6.69"
ø6.69"
32.48"

FollowMe, Inma Bermúdez

Few lamps have had as strong an impact as the FollowMe. A pioneer in portable lighting, this bold lantern has become a design icon in just a few short years.

Its simple and lightweight shapes, tiltable lampshade and technological rigor have cemented its position as a practical and beautiful trendsetter.


Discover more at marset.com

reddot award 2016
winner lighting design

FollowMe

Code	Finish
A657-080	● White
A657-082	● Green (RAL 120 40 20)
A657-083	● Pink (RAL 050 80 20)
A657-084	● Terracotta (RAL 040 50 30)
A657-085	● Blue (RAL 190 80 10)

Materials
Diffuser: Opal polycarbonate
Body: Polycarbonate
Handle: Plywood with natural oak varnish

Integrated dimmer: Yes
Dimmer Type: 3-step dimmer

Product type: Table / Portable
Light source: LED SMD 1A 3.5W 2700K CRI90 216lm
Luminaire: in 5 Vdc 1.5A 135lm
Weight: Net 1.5 lb – Gross 4 lb
Package: 13.8 x 9.5 x 14" - 2.2lb Vol – 1 ft³ (1u)
         20.08 x 13.39 x 14.17" – 17.6 lb Vol – 2.3 ft³ (6u)
Product notes: Sold in multiples of 6.
Charging cable included (USB to USB-C). Power adapter not included.
LED included

11.34''
ø4.84''

Dimmer

Under approval process. For latest certification status check the spec sheet.

Switch location: Body
Charging time 10 h

Battery life time:
5 hours in peak power
10 hours in half power
20 hours in a quarter power

FollowMe Plus

Code	Finish
A657-081	🔘 White

Materials
Diffuser: Opal polycarbonate
Body: Polycarbonate
Diffuser: Opal polycarbonate
Handle: Plywood with natural oak veneer

Dimmer
Integrated dimmer: Yes
Dimmer Type: 3-step dimmer

Product type: Table / Portable
Light source: LED SMD 1A 3.5W 2700K CRI90 395lm
Luminaire: in 5 Vdc 1.5A 290lm
Weight: Net 2.5 lb – Gross 7.8 lb
Package: Ø9 x 20'' – 4.8 lb Vol – 0.706 ft³ (1u)
9.44 x 20.8 x 20.4'' – 13.2 lb Vol – 0,07 ft³ (2u)
Product notes: Sold in multiples of 2.
Charging cable included (USB to USB-C). Power adapter not included.
LED included

17.45"
ø7.28''

Dimmer

🔘 Under approval process. For latest
certification status check the spec sheet.

Switch location: Body
Charging time 10 h

Battery life time:
5 hours in peak power
10 hours in half power
20 hours in a quarter power

Spare parts

Code	Product	Spare part
A657-101	FollowMe / FollowMe Plus	Battery
R968-002-USA	FollowMe colors	Black power adapter
R968-006-USA	FollowMe / FollowMe Plus	White power adapter
R961-057	FollowMe colors	Usb type C cable black
R961-062	FollowMe / FollowMe Plus	Usb type C cable white

Funiculí, Lluís Porqueras

Funiculí is a revamped edition of a lamp originally designed in 1979. Lluis Porqueras always sought an absolute simplicity in his designs, stripping everything superfluous to leave only the essence of the simple, useful object.

Using the same double-clip mechanism of the original, this scaled-down model allows easy height adjustment and 360 degree shade rotation to fit the needs of any room or user.


Discover more at marset.com

Funiculí

Code	Finish
A641-006	● Moss grey (RAL 7003)
A641-007	○ Off-white (RAL 9001)
A641-008	● Black (RAL 9005)
A641-482	● Green (RAL 110 40 30)
A641-483	● Terracotta (RAL 050 40 50)
A641-484	● Mustard (RAL 075 60 70)

Materials
Base: Iron wapped with black rubber
Stem: Iron
Shade: Aluminum

Product type: Floor
Light source: E26 LED TYPE A 11W
Weight: Net 6.8 lb – Gross 11 lb
Package: 14.9 x 21.2 x 4.7" - 9.3lb Vol - 0.847 ft³
       1.9 x 1.9 x 56.3" - 1.8lb Vol - 0.14 ft³
Lamping not included

ø7.2"

53.1"

ø9.7"

Cable length: 6.6 ft
Wire installation: Plug-in
Cord color: Black
Switch location: In-line

Funiculí Fabric

Code
A641-413
A641-414

Finish
◗ Black - White
◗ Black - Sand

Materials
Base: Iron wapped with black rubber
Stem: Iron
Shade: White or sand polyester
shade, made of a PVC-PET
laminated film

Product type: Floor
Light source: E26 LED Standard 8W
Weight: Net 11.5 lb – Gross 16.5 lb
Package: 20.4 x 16.5 x 5.1" - 13.8lb Vol - 1.051 ft³
           13.38 x 13.38 x 9" - 1.31lb Vol - 0.706 ft³
           47.2 x 1.6 x 1.6" - 1.3lb Vol - 0.07ft³
Lamping not included

10.82''
ø13''
62.2''
ø11.81''

c(UL)us

Cable length: 6.6 ft
Wire installation: Plug-in
Cord color: Black
Switch location: In-line

Funiculí A

Code
A641-040
A641-041
A641-042
A641-485
A641-486
A641-487

Finish
● Moss grey (RAL 7003)
○ Off-white (RAL 9001)
● Black (RAL 9005)
● Green (RAL 110 40 30)
● Terracotta (RAL 050 40 50)
● Mustard (RAL 075 60 70)

Materials
Stem: Iron
Shade: Aluminum

Product type: Wall
Light source: E12 LED TYPE G16.5 5W
Weight: Net 1.8 lb – Gross 3.31 lb
Package: 18.1 x 13.4 x 4.3" - 3.31 lb Vol - 0.6 ft³
Lamping not included

11.61''
2.76''
ø 6.1''
19.37''
15.35''
5.9''
59''

c(UL)us

Cable length: 6.6 ft
Wire installation: Plug-in
Cord color: Black
Switch location: In-line

Funiculí A Fabric

Code
A641-415
A641-416

Finish
⬤ Black - White
⬤ Black - Sand

Materials
Stem: Iron
Shade: White or sand polyester
shade, made of a PVC-PET
laminated film

Product type: Wall
Light source: E12 LED 5W
Weight: Net 1.5 lb – Gross 3.7 lb
Package: 25.6 x 11.4 x 3.9" - 6.61 lb Vol - 0.7 ft³
        10.3 x 10.3 x 7" - 2.64 lb Vol - 042 ft³
Lamping not included

13.7''
ø9.44''
7.87''
23.62''
5.9''
59''

Cable length: 6.6 ft
Wire installation: Plug-in
Cord color: Black
Switch location: In-line

Funiculí S

Code
A641-030
A641-031
A641-032
A641-488
A641-489
A641-490

Finish
⬤ Moss grey (RAL 7003)
⬤ Off-white (RAL 9001)
⬤ Black (RAL 9005)
⬤ Green (RAL 110 40 30)
⬤ Terracotta (RAL 050 40 50)
⬤ Mustard (RAL 075 60 70)

Materials
Base: Iron wapped with black rubber
Stem: Iron
Shade: Aluminum

Product type: Table
Light source: E12 LED 5W
Weight: Net 4 lb – Gross 6 lb
Package: 18.5 x 13.4 x 4.3" – 6 lb Vol – 0.6 ft³
Lamping not included

2.76''
ø 6.1''
19.8''
ø 7.76''
14.25''

Cable length: 6.6 ft
Wire installation: Plug-in
Cord color: Black
Switch location: In-line

Funiculí S Fabric

Code
A641-417
A641-418

Finish
◐ Black - White
◐ Black - Sand

Materials
Base: Iron wapped with black rubber
Stem: Iron
Shade: White or sand polyester
shade, made of a PVC-PET
laminated film

Product type: Wall
Light source: E12 LED 5W
Weight: Net 3.7 lb – Gross 5.9 lb
Package: 25.6 x 12.2 x 3.9" - 5.31 lb Vol - 0.706 ft³
         10.2 x 10.2 x 7" - 0.6 lb Vol - 0.42 ft³
Lamping not included

21.47"
ø7.75"
13.33"
7.87"
ø9.44"

Cable length: 6.6 ft
Wire installation: Plug-in
Cord color: Black
Switch location: In-line

The LED-Ginger collection is notable for its great simplicity of form, its lightweight appearance and reflected direct light. A design for any type of project.

Available in two very different materials, wood or metal, it provides a warm glow with no glare, illuminating just the areas that need it.


Discover more at marset.com

LED-Ginger 20

Code	Finish
A662-189	Oak-White
A662-190	Wenge-White
A662-191	Oak-Oak
A662-192	Wenge-Wenge
A662-252	Brushed brass-Brushed brass
A662-253	Brushed brass-White
A662-254	Black-White

Materials
Diffuser: Pressed wood or brushed aluminum
Dissipater: Aluminum

Dimmable: No

Product type: Pendant
Light Source: LED SMD 350mA 4.05W 2700K CRI90 463lm
Luminaire: 90 - 264 VAC 6W 161lm
Weight: Net 1.3 lb – Gross 1.8 lb
Package: 9 x 8.26 x 3.93 " – 1.8 lb Vol – 0.35 ft³
LED included

ø4.3"
6.56 ft
1.53"
ø7.68"

Cable length: 6.6 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Black

LED-Ginger 20 - 24V

Code	Finish
A662-392	● Oak-White
A662-393	● Wenge-White
A662-394	● Oak-Oak
A662-395	● Wenge-Wenge
A662-344	● Brushed brass-Brushed brass
A662-345	● Brushed brass-White
A662-346	● Black-White

Materials
Diffuser: Pressed wood or brushed aluminum
Dissipater: Aluminum

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Dependent on purchased power supply. See Cluster Accessory, page 31.

Product type: Pendant
Light source: LED SMD 24Vdc 5W 2700K CRI90 495lm
Luminaire: (Power supply not included) 161lm
Weight: Net 0.7 lb – Gross 1.1 lb
Package: 9 x 8.26 x 3.93 '' – 1.1 lb Vol – 0.35 ft³
Product notes: Use with Cluster accessory, see pg 31, 32.
1 pc. hook accessory included.
LED included

13.1 ft
1.53''
ø7.68''

Dimmable

c (UL) us

Cable length: 13.1 ft
Wire installation: Hardwired
Cord color: Black

LED-Ginger 20x3

Code	Finish
A662-193	● Oak-White
A662-194	● Wenge-White
A662-195	● Oak-Oak
A662-196	● Wenge-Wenge
A662-237	● Brushed brass-Brushed brass
A662-238	● Brushed brass-White
A662-239	● Black-White

Materials
Diffuser: Pressed wood or brushed aluminum
Dissipater: Aluminum

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Dual dimming driver Phase cut (Triac) or 0-10V

Product type: Pendant
Light Source: LED SMD 350mA 12.15W 2700K CRI90 1389lm
Luminaire: Only 120 VAC TRIAC 16W 483lm
           120 - 277 VAC 0-10V 16W 483lm
Weight: Net 3.3 lb – Gross 4.4 lb
Package: 16.5 x 16.5 x 2.8 '' – 4.4 lb Vol – 0.35 ft³
LED included

ø5.7''
1.8''
6.6 ft
Ø7.68''
1.53''

Dimmable

c (UL) us

Cable length: 6.6 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Black - Entry point: 3

LED-Ginger accessory 20x3

Code
A662-188

Finish
● Black

Materials
Disc: Iron

Product type: Accessory
Weight: Net 1.5 lb – Gross 2.2 lb
Package: 16.1 x 16.1 x 1 " - 2.2 lb – Vol - 0.003 ft³

ø30cm

LED-Ginger 32

Code	Finish	Dimming
A662-035	● Oak-White	Triac
A662-036	● Wenge-White	Triac
A662-241	● Brushed brass-Brushed brass	Triac
A662-242	● Brushed brass-White	Triac
A662-243	● Black-White	Triac
A662-318	● Oak-White	0-10V
A662-319	● Wenge-White	0-10V
A662-245	● Brushed brass-Brushed brass	0-10V
A662-246	● Brushed brass-White	0-10V
A662-247	● Black-White	0-10V

Materials
Diffuser: Pressed wood or brushed
aluminum
Dissipater: Aluminum

Dimmable: Yes
Integrated dimmer: No
Dimming protocols:
Phase cut (Triac)
0-10V

Product type: Pendant
Light Source: LED SMD 700mA 8.2W 2700K CRI90 913lm
Luminaire: 100 - 120 VAC TRIAC 14W 350lm
          120 - 277 VAC 0-10V 14W 350lm
Weight: Net 3 lb – Gross 5.5 lb
Package: 18.9 x 18.9 x 6.7" - 5.5 lb Vol - 1.4 ft³
LED included

ø5.12"
1.8"
6.6 ft
2.36"
ø12.6"

Dimmable

Cable length: 6.6 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Black

Code	Finish	Dimming
A662-037	Oak-White	Triac
A662-038	Wenge-White	Triac
A662-276	Brushed brass-Brushed brass	Triac
A662-277	Brushed brass-White	Triac
A662-278	Black-White	Triac
A662-320	Oak-White	0-10V
A662-321	Wenge-White	0-10V
A662-280	Brushed brass-Brushed brass	0-10V
A662-281	Brushed brass-White	0-10V
A662-282	Black-White	0-10V

Materials
Diffuser: Pressed wood or brushed aluminum
Dissipater: Aluminum

Dimmable: Yes
Integrated dimmer: No
Dimming protocols:
Phase cut (Triac)
0-10V

Product type: Pendant
Light Source: LED SMD 700mA 16.28W 2700K CRI90 1873lm
Luminaire: 90 - 135 VAC TRIAC 21W 698lm
          120 - 277 VAC 0-10V 21W 698lm
Weight: Net 4,4 lb – Gross 7.7 lb
Package: 22.44 x 20.87 x 6.69" - 7.7 lb Vol - 1.8 ft³
LED included

ø5.12"
1.8"
6.6 ft
3.39"
ø16.54"

(Dimmable)

c(UL)us

Cable length: 6.6 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Black

LED-Ginger 60

Code	Finish	
A662-322	Oak-White	
A662-323	Wenge-White	
A662-284	Brushed brass-Brushed brass	
A662-285	Brushed brass-White	
A662-286	Black-White	

Materials
Diffuser: Pressed wood or brushed aluminum
Dissipater: Aluminum

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Dual dimming driver
Phase cut (Triac) or 0-10V

Product type: Pendant
Light Source: LED SMD 700mA 22.4W 2700K CRI90 2933lm
Luminaire: Only 120 VAC TRIAC 28W 1165lm
          120 - 277 VAC 0-10V 28W 1165lm
Weight: Net 7.7 lb – Gross 13.7 lb
Package: 26.37 x 26.37 x 9.4" - 13.7 lb Vol - 3.46 ft³
LED included

ø5.12"
1.8"
6.6 ft
4.65"
ø23.62"

(Dimmable)

c(UL)us

Cable length: 6.6 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Black

LED-Ginger 20 M

Code	Finish
A662-560	Oak-White
A662-561	Wenge-White
A662-562	Brushed brass-Brushed brass
A662-563	Brushed brass-White

Materials
Diffuser and base: Pressed wood or brushed aluminum
Dissipater: Aluminum
Stem: Aluminum

Integrated dimmer: Yes
Dimmer Type: 3-step dimmer

Product type: Table / Portable
Light source: LED SMD 1A 3.5W 2700K CRI90 395lm
Luminaire: in 5 Vdc 1.5A 290lm
Weight: Net 1.7 lb – Gross 2.2 lb
Package: 15.7 x 8.2 x 6.7" - 2.2 lb (1u) Vol - 0.35 ft³ (1u)
   15.3 x 8.6 x 16.1" - 5.3 lb (2u) Vol - 1.4 ft³ (2u)
Product notes: Sold in multiples of 2.
Charging cable included (USB to USB-C). Power adapter not included.

ø7.68"
1.53"
11.81"
ø5.51"

Dimmer

Under approval process. For latest certification status check the spec sheet.

Switch location: Base
Charging time 10 h

Battery life time:
5 hours in peak power
10 hours in half power
20 hours in a quarter power

LED-Ginger S

Code	Finish
A662-039	Oak-White
A662-040	Wenge-White

Materials
Diffuser and base: Pressed wood or brushed aluminum
Dissipater: Aluminum
Stem: Aluminum

Integrated dimmer: Yes
Dimmer Type: Progressive from 0 to 100

Product type: Table
Light Source: LED SMD 700mA 8.2W 2700K CRI90 913lm
Luminaire: 85 - 264 VAC 14W 350lm
Weight: Net 5.7 lb – Gross 9.92 lb
Package: 22.44 x 20.87 x 6.69" - 9.92 lb Vol - 1.8 ft³
LED included

ø12.6"
2.36"
18.31"
ø8.66"

Dimmer

Cable length: 6.6 ft
Wire installation: Plug-in
Cord color: Black
Switch location: In-line

LED-Ginger M

Code	Finish
A662-085	⬤ Oak-White
A662-086	⬤ Wenge-White

Materials
Diffuser and base: Pressed wood or brushed aluminum
Dissipater: Aluminum
Stem: Aluminum

Integrated dimmer: Yes
Dimmer Type: Progressive from 0 to 100

Product type: Table
Light Source: LED SMD 700mA 16.28W 2700K CRI90 1873lm
Luminaire: 85 - 264 VAC 16.85W 698lm
Weight: Net 7.5 lb – Gross 12.3 lb
Package: 24 x 24 x 8.6" - 12.3 lb Vol - 2.8 ft³
LED included

ø16.54''
3.39''
21.26''
ø10.43''

Dimmer

c(UL)us

Cable length: 6.6 ft
Wire installation: Plug-in
Cord color: Black
Switch location: In-line

LED-Ginger P

Code	Finish
A662-041	⬤ Oak-White
A662-042	⬤ Wenge-White

Materials
Diffuser and base: Pressed wood or brushed aluminum
Dissipater: Aluminum
Stem: Aluminum

Integrated dimmer: Yes
Dimmer Type: Foot-operated progressive in-line dimmer

Product type: Floor
Light Source: LED SMD 700mA 16.28W 2700K CRI90 1873lm
Luminaire: 90 - 264 VAC 698lm
Weight: Net 10.8 lb – Gross 14.4 lb
Package: 22.44 x 20.87 x 6.69" - 14.4lb Vol - 1.8 ft³
          7.4 x 7.4 x 52.4" - 4.41 lb Vol - 1.6 ft³
LED included

ø16.54''
3.39''
49.21''
ø13.39''

Dimmer

c(UL)us

Cable length: 6.6 ft
Wire installation: Plug-in
Cord color: Black
Switch location: In-line

Code
A662-120
A662-121

Finish
Oak-White
Wenge-White

Materials
Diffuser and base: Pressed wood or brushed aluminum
Dissipater: Aluminum
Stem: Metal
Arm: Carbon fiber

Integrated dimmer: Yes
Dimmer Type: Foot-operated progressive in-line dimmer

Product type: Floor
Light Source: LED SMD 700mA 16.28W 2700K CRI90 1873lm
Luminaire: 85 - 264 VAC 698lm
Weight: Net 52.5 lb – Gross 61.3 lb
Package: 22.44 x 20.87 x 6.69" - 6.171 lb Vol - 1.8 ft³
         75.2 x 7.87 x 4.3" - 22.04 lb Vol - 1.41 ft³
         24.8 x 24.4 x 1.57" - 33.06 lb Vol - 0.7 ft³
LED included

Cable length: 8.2 ft
Wire installation: Plug-in
Cord color: Black
Switch location: In-line

LED-Ginger 20 A

Code
Plug-in
A662-199
A662-200

Hardwired
A662-201
A662-202

Finish

Oak-White
Wenge-White

Oak-White
Wenge-White

Dimmer

Progressive
Progressive

No
No

Materials
Diffuser and base: Pressed wood or brushed aluminum
Dissipater: Aluminum
Structure: Metal

Integrated dimmer: Yes (Plug-in version)
Dimmer Type:
Plug-in version, Progressive in-line dimmer from 0 to 100.

Product type: Wall
Light source: LED SMD 350mA 4.05W 2700K CRI90 463lm
Luminaire: 85 - 264 VAC 5.7W 161lm
Weight: Net 1.3 lb – Gross 3.3 lb
Package: 18.1 x 11 x 9.4 " - 3.3 lb Vol - 1.06 ft³
Product notes: Plug-in: Progressive dimmer from 0 to 100.
               Hardwired: Canopy with switch on/off.
LED included

Plug-in

Hardwired

Cord color: Black
Wire installation: Plug-in / Hardwired

LED-Ginger A

Code	Finish	Dimmer
Plug-in		
A662-087	Oak-White	Progressive
A662-088	Wenge-White	Progressive

Hardwired (Canopy)		
A662-095	Oak-White	Triac / on-off
A662-096	Wenge-White	Triac / on-off

Materials
Diffuser and base: Pressed wood or brushed aluminum
Dissipater: Aluminum
Structure: Metal

Integrated dimmer: Yes (Plug-in version)
Dimmer Type:
Plug-in version: progressive in-line dimmer from 0 to 100.
Hardwired version: Phase cut (triac) dimming driver

Product type: Wall
Light Source: LED SMD 700mA 8.2W 2700K CRI90 913lm
Luminaire: 85 - 264 VAC 14W 350lm (Plug-in)
          100 - 120 VAC TRIAC 14W 350lm (Canopy)
Weight: Net 3.3 lb – Gross 6.61 lb
Package: 22.4 x 20.8 x 6.69" - 6.61 lb Vol - 1.8 ft³
LED included

21.85"
2.36"
5.39"
ø12.6"
16.22"
6.3"

Plug-in
2.5"
9.8"
59"

Hardwired
Ø4.5"
59"

Dimmer / Dimmable

Cord color: Black
Wire installation: Plug-in / Hardwired

LED-Ginger 20C

Code	Finish
A662-288	Oak-White
A662-289	Wenge-White
A662-290	Oak-Oak
A662-291	Wenge-Wenge
A662-292	Brushed brass-Brushed brass
A662-293	Black-White
A662-576-36-27K	Mauve (RAL 010 70 10)
A662-576-37-27K	Sand (RAL 050 85 10)
A662-576-38-27K	Stone Grey (RAL 000 65 00)

Materials
Diffuser: Pressed wood or brushed aluminum
Dissipater: Aluminum
Canopy: Metal

Dimmable: No

Product type: Wall / Ceiling
Light Source: LED SMD 350mA 4.05W 2700K CRI90 463lm
Luminaire: 90 - 264 VAC 6W 161lm
Weight: Net 0.9 lb – Gross 1.5 lb
Package: 9.4 x 8.3 x 3.9" - 1.5 lb Vol - 0.35 ft³
LED included

1.3"
Ø7.7"
Ø4.3"
Ø3"
2.8"

ADA

Canopy color: Black
Wire installation: Hardwired

Code	Finish	Dimming
A662-203	Oak-White	Triac
A662-204	Wenge-White	Triac
A662-205	Oak-Oak	Triac
A662-206	Wenge-Wenge	Triac
A662-294	Brushed brass	Triac
A662-295	Black-White	Triac
A662-577-36-27K	Mauve (RAL 010 70 10)	Triac
A662-577-37-27K	Sand (RAL 050 85 10)	Triac
A662-577-38-27K	Stone Grey (RAL 000 65 00)	Triac
A662-324	Oak-White	0-10V
A662-325	Wenge-White	0-10V
A662-326	Oak-Oak	0-10V
A662-327	Wenge-Wenge	0-10V
A662-296	Brushed brass	0-10V
A662-297	Black-White	0-10V
A662-578-36-27K	Mauve (RAL 010 70 10)	0-10V
A662-578-37-27K	Sand (RAL 050 85 10)	0-10V
A662-578-38-27K	Stone Grey (RAL 000 65 00)	0-10V

Materials
Diffuser: Pressed wood or brushed aluminum
Dissipater: Aluminum
Canopy: Metal

Dimmable: Yes
Integrated dimmer: No
Dimming protocols:
Phase cut (Triac)
0-10V

Product type: Wall / Ceiling
Light Source: LED SMD 700mA 8.2W 2700K CRI90 913lm
Luminaire: 100 - 120 VAC TRIAC 14W 350lm
120 - 277 VAC 0-10V 14W 350lm
Weight: Net 2.2 lb – Gross 4.41 lb
Package: 16.9 x 18.9 x 6.7" - 4.41 lb Vol - 1.4 ft³
LED included

1.5"
ø4.3"
ø12.6"
3.79"

Dimmable
ADA

Canopy color: Black
Wire installation: Hardwired

Code	Finish	Dimming
A662-207	Oak-White	Triac
A662-208	Wenge-White	Triac
A662-209	Oak-Oak	Triac
A662-210	Wenge-Wenge	Triac
A662-446	Brushed brass	Triac
A662-447	Black-White	Triac
A662-579-36-27K	Mauve (RAL 010 70 10)	Triac
A662-579-37-27K	Sand (RAL 050 85 10)	Triac
A662-579-38-27K	Stone Grey (RAL 000 65 00)	Triac
A662-328	Oak-White	0-10V
A662-329	Wenge-White	0-10V
A662-330	Oak-Oak	0-10V
A662-331	Wenge-Wenge	0-10V
A662-448	Brushed brass	0-10V
A662-449	Black-White	0-10V
A662-580-36-27K	Mauve (RAL 010 70 10)	0-10V
A662-580-37-27K	Sand (RAL 050 85 10)	0-10V
A662-580-38-27K	Stone Grey (RAL 000 65 00)	0-10V

Materials
Diffuser: Pressed wood or brushed aluminum
Dissipater: Aluminum
Canopy: Metal

Dimmable: Yes
Integrated dimmer: No
Dimming protocols:
Phase cut (Triac)
0-10V

Product type: Wall / Ceiling
Light Source: LED SMD 700mA 16.28W 2700K CRI90 1873lm
Luminaire: 90 - 135 VAC TRIAC 21W 698lm
   120 - 277 VAC 0-10V 21W 698lm
Weight: Net 4.2 lb – Gross 7.71 lb
Package: 22.4 x 20.8 x 6.7 " - 7.71 lb Vol - 1.80 ft^3
LED included

1.9''
ø5.1''
ø16.54''
5.04''

Dimmable

Canopy color: Black
Wire installation: Hardwired

LED-Ginger 60C

Code	Finish
A662-332	Oak-White
A662-333	Wenge-White
A662-334	Oak-Oak
A662-335	Wenge-Wenge
A662-450	Brushed brass-Brushed brass
A662-451	Black-White
A662-581-36-27K	Mauve (RAL 010 70 10)
A662-581-37-27K	Sand (RAL 050 85 10)
A662-581-38-27K	Stone Grey (RAL 000 65 00)

Materials
Diffuser: Pressed wood or brushed aluminum
Dissipater: Aluminum
Canopy: Metal

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Dual dimming driver
Phase cut (Triac) or 0-10V

Product type: Wall / Ceiling
Light Source: LED SMD 700mA 22.4W 2700K CRI90 2933lm
Luminaire: Only 120 VAC TRIAC 28W 1165lm
         120 - 277 VAC 0-10V 28W 1165lm
Weight: Net 7.3 lb – Gross 13.8 lb
Package: 26.3 x 26.3 x 9.44" - 13.8 lb Vol - 3.53 ft³
LED included

1.9"
ø5.1"
ø23.62"
6.46"

Dimmable

Canopy color: Black
Wire installation: Hardwired

Accessory C2 20/32

Code	Finish
Structure	
A662-518	Black
Shades 20	
A662-519	Oak-White
A662-520	Wenge-White
A662-521	Oak-Oak
A662-522	Wenge-Wenge
A662-523	Brushed brass-Brushed brass
A662-524	Black-White
A662-582-36-27K	Mauve (RAL 010 70 10)
A662-582-37-27K	Sand (RAL 050 85 10)
A662-582-38-27K	Stone Grey (RAL 000 65 00)
Shades 32	
A662-525	Oak-White
A662-526	Wenge-White
A662-527	Oak-Oak
A662-528	Wenge-Wenge
A662-529	Brushed brass-Brushed brass
A662-530	Black-White
A662-583-36-27K	Mauve (RAL 010 70 10)
A662-583-37-27K	Sand (RAL 050 85 10)
A662-583-38-27K	Stone Grey (RAL 000 65 00)

Materials
Canopy: Metal

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Dual dimming driver
Phase cut (Triac) or 0-10V

Product type: Wall / Ceiling
Luminaire: Only 120 VAC TRIAC 20W (max.)
         120 - 277 VAC 0-10V 20W (max.)
Weight: Net 9.9 lb – Gross 13.2 lb
Package: 9.1 x 8.3 x 3.9" - 2.2 lb Vol - 0.35 ft³
         22.4 x 20.9 x 6.7"- 6.6 lb Vol - 1.8 ft³
         24.4 x 7.8 x 3.5" - 4.4 lb Vol - 0.35 ft³
Product notes: Must be specified together with Ginger 32C + 42C. See pg 78, 79.
LED included

7.9"
12.6"
19.7"
3.9"

Dimmable

ADA

Canopy color: Black
Wire installation: Hardwired

Code	Finish
Structure	
A662-539	● Black

Shades 20
| A662-519	◗ Oak-White
A662-520	◗ Wenge-White
A662-521	● Oak-Oak
A662-522	● Wenge-Wenge
A662-523	● Brushed brass-Brushed brass
A662-524	◗ Black-White
A662-582-36-27K	● Mauve (RAL 010 70 10)
A662-582-37-27K	● Sand (RAL 050 85 10)
A662-582-38-27K	● Stone Grey (RAL 000 65 00)

Shades 32
A662-525	◗ Oak-White
A662-526	◗ Wenge-White
A662-527	● Oak-Oak
A662-528	● Wenge-Wenge
A662-529	● Brushed brass-Brushed brass
A662-530	◗ Black-White
A662-583-36-27K	● Mauve (RAL 010 70 10)
A662-583-37-27K	● Sand (RAL 050 85 10)
A662-583-38-27K	● Stone Grey (RAL 000 65 00)

Shades 42
A662-532	◗ Oak-White
A662-533	◗ Wenge-White
A662-534	● Oak-Oak
A662-535	● Wenge-Wenge
A662-536	● Brushed brass-Brushed brass
A662-537	◗ Black-White
A662-584-36-27K	● Mauve (RAL 010 70 10)
A662-584-37-27K	● Sand (RAL 050 85 10)
A662-584-38-27K	● Stone Grey (RAL 000 65 00)

Materials   Dimmable: Yes
Canopy: Metal   Integrated dimmer: No
                                    Dimming protocols: Dual dimming driver
                                    Phase cut (Triac) or 0-10V

Product type: Wall / Ceiling
Luminaire: Only 120 VAC TRIAC 30W (max.)
         120 - 277 VAC 0-10V 30W (max.)
Weight: Net 17.2 lb – Gross 22 lb
Package: 9.1 x 8.3 x 3.9'' - 2.2 lb Vol - 0.35 ft³
         22.4 x 20.8 x 6.7'' - 7.7 lb Vol - 1.8 ft³
         22.4 x 20.8 x 6.7'' - 6.6 lb Vol - 1.8 ft³
         20.9 x 20.9 x 4.7'' - 5.5 lb Vol - 1.1 ft³
Product notes: Must be specified together with Ginger 20C + 32C + 42C. See pg 77, 78, 79.
LED included

Dimmable

Canopy color: Black
Wire installation: Hardwired

Accessory C2 LED-Ginger 32/42

Code
A662-215

Finish
● Black (RAL 9005)

Materials
Structure: Painted iron

Product type: Accessory
Weight: Net 3.9 lb – Gross 4.4 lb
Package: When ordered, this item is shipped coupled with the Ginger 42C.
Product notes: Must be specified together with Ginger 32C + 42C . See pg 78, 79.

ø5.11"   ø4.33"
17.55"

Accessory C2 LED-Ginger 42/60

Code
A662-273

Finish
● Black (RAL 9005)

Materials
Structure: Painted iron

Product type: Accessory
Weight: Net 3.9 lb – Gross 4.8 lb
Package: When ordered, this item is shipped coupled with the Ginger 60C.
Product notes: Must be specified together with Ginger 42C + 60C. See pg 79, 80.

ø5.11"   ø5.11"
19.88"

Accessory C3 LED-Ginger 32/42/60

Code
A662-216

Finish
● Black (RAL 9005)

Materials
Structure: Painted iron

Product type: Accessory
Weight: Net 5.9 lb – Gross 6.6 lb
Package: When ordered, this item is shipped coupled with the Ginger 60C.
Product notes: Must be specified together with Ginger 32C + 42C + 60C. See pg 78, 79, 80.

ø5.11"
ø4.33"
ø5.11"
19.88"
17.32"

Spare parts

Code	Product	Finish	Spare part
R662-013	LED-Ginger 20	Oak-White	Shade
R662-014	LED-Ginger 20	Wenge-White	Shade
R662-015	LED-Ginger 20	Oak	Shade
R662-016	LED-Ginger 20	Wenge	Shade
R662-017	LED-Ginger 20	Brushed brass	Shade
R662-018	LED-Ginger 20	Brushed brass-White	Shade
R662-019	LED-Ginger 20	Black-White	Shade
R662-211-36	LED-Ginger 20	Mauve	Shade
R662-211-37	LED-Ginger 20	Sand	Shade
R662-211-38	LED-Ginger 20	Stone Grey	Shade
R662-039	LED-Ginger 32	Oak-White	Shade
R662-040	LED-Ginger 32	Wenge-White	Shade
R662-038	LED-Ginger 32	Oak	Shade
R662-041	LED-Ginger 32	Wenge	Shade
R662-042	LED-Ginger 32	Brushed brass	Shade
R662-043	LED-Ginger 32	Brushed brass-White	Shade
R662-044	LED-Ginger 32	Black-White	Shade
R662-212-36	LED-Ginger 32	Mauve	Shade
R662-212-37	LED-Ginger 32	Sand	Shade
R662-212-38	LED-Ginger 32	Stone Grey	Shade
R662-032	LED-Ginger 42	Oak-White	Shade
R662-024	LED-Ginger 42	Wenge-White	Shade
R662-046	LED-Ginger 42	Oak	Shade
R662-047	LED-Ginger 42	Wenge	Shade
R662-048	LED-Ginger 42	Brushed brass	Shade
R662-049	LED-Ginger 42	Brushed brass-White	Shade
R662-050	LED-Ginger 42	Black-White	Shade
R662-213-36	LED-Ginger 42	Mauve	Shade
R662-213-37	LED-Ginger 42	Sand	Shade
R662-213-38	LED-Ginger 42	Stone Grey	Shade
R662-052	LED-Ginger 60	Oak-White	Shade
R662-025	LED-Ginger 60	Wenge-White	Shade
R662-053	LED-Ginger 60	Oak	Shade
R662-054	LED-Ginger 60	Wenge	Shade
R662-055	LED-Ginger 60	Brushed brass	Shade
R662-056	LED-Ginger 60	Brushed brass-White	Shade
R662-037	LED-Ginger 60	Black-White	Shade
R662-214-36	LED-Ginger 60	Mauve	Shade
R662-214-37	LED-Ginger 60	Sand	Shade
R662-214-38	LED-Ginger 60	Stone Grey	Shade
A662-400	LED-Ginger 20M		Battery
R968-002-USA	LED-Ginger 20M		Black power adapter
R961-057	LED-Ginger 20M		Usb type C cable black

The LED-Ginger collection is moving outdoors, with numerous sizes of wall sconce and bollard as well as a large-scale lamppost style light. This outdoor collection also introduces a unique new rust brown finish, with a deep, warm glow, alongside the standard black-white metal finish familiar to the indoor version.


Discover more at marset.com

LED-Ginger 15C IP65

Code	Finish
A662-649-31	● Rust Brown
A662-649-39	☁ Black-White (RAL 9005-9010)

Materials
Diffuser: Aluminum
Dissipater: Aluminum
Structure: Stainless steel

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: 0-10V

Product type: Wall / Ceiling
Light source: LED SMD 24Vdc 5W 2700K CRI90 495lm
Luminaire: (Power supply not included) 67 lm - Black-White
(Power supply not included) 27 lm - Rust brown
Weight: Net 0.8 lb – Gross 1.1 lb
Package: 9.4 x 8.3 x 3.9 '' – 1.1 lb Vol – 0.3 ft^3
Product notes: 24V remote power supply to be ordered separately, see pg 90.
LED included

Ø 6''   0.7''   Ø 2.4''   2.2''

Dimmable

ADA

Suitable for wet locations

(ETL)

Canopy color: Black
Wire installation: Hardwired

LED-Ginger 20C IP65

Code	Finish
A662-650-31	● Rust Brown
A662-650-39	☁ Black-White (RAL 9005-9010)

Materials
Diffuser: Aluminum
Dissipater: Aluminum

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: 0-10V

Product type: Wall / Ceiling
Light source: LED SMD 24Vdc 5W 2700K CRI90 495lm
Luminaire: (Power supply not included) 161 lm - Black-White
(Power supply not included) 29 lm - Rust brown
Weight: Net 1.1 lb – Gross 1.5 lb
Package: 9.4 x 8.3 x 3.9" – 1.5 lb Vol – 0.4 ft³
Product notes: 24V remote power supply to be ordered separately, see pg 90.
LED included

0.7"
Ø2.4"
Ø7.7"
2.2"

Dimmable

ADA

**Suitable for
wet locations**

cETLus

Canopy color: Black

LED-Ginger 32C IP65

Code	Finish	Dimming
A662-651-31	● Rust Brown	Triac
A662-651-39	☁ Black-White (RAL 9005-9010)	Triac
A662-652-31	● Rust Brown	0-10V
A662-652-39	☁ Black-White (RAL 9005-9010)	0-10V

Materials
Diffuser: Aluminum
Dissipater: Aluminum

Dimmable: Yes
Integrated dimmer: No
Dimming protocols:
Phase cut (Triac)
0-10V

Product type: Wall / Ceiling
Light Source: LED SMD 700mA 7.8W 2700K CRI90 913 lm
Luminaire: 100 - 120 VAC TRIAC 14W 350 lm - Black-White
120 - 277 VAC 0-10V 14W 350 lm - Black-White
100 - 120 VAC TRIAC 14W 81 lm - Rust Brown
120 - 277 VAC 0-10V 14W 81 lm - Rust Brown
Weight: Net 1.9 lb – Gross 4.4 lb
Package: 16.9 x 18.9 x 6.7 " – 4.4 lb Vol – 1.4 ft³
LED included

2"
Ø4.3
ø12.6"
4.2"

Dimmable

**Suitable for
wet locations**

cULus   Under approval process. For latest
certification status check the spec sheet.

Canopy color: Black

LED-Ginger 42C IP65

Code	Finish	Dimming
A662-653-31	● Rust Brown	Triac
A662-653-39	☁ Black-White (RAL 9005-9010)	Triac
A662-654-31	● Rust Brown	0-10V
A662-654-39	☁ Black-White (RAL 9005-9010)	0-10V

Materials
Diffuser: Aluminum
Dissipater: Aluminum

Dimmable: Yes
Integrated dimmer: No
Dimming protocols:
Phase cut (Triac)
0-10V

Product type: Wall / Ceiling
Light source: LED SMD 700mA 15.4W 2700K CRI90 1873 lm
Luminaire: 90 - 135 VAC TRIAC 21W 698 lm - Black-White
　　　　　120 - 277 VAC 0-10V 21W 698 lm - Black-White
　　　　　90 - 135 VAC TRIAC 21W 186 lm - Rust brown
　　　　　120 - 277 VAC 0-10V 21W 186 lm - Rust brown
Weight: Net 4 lb – Gross 7.7 lb
Package: 22.4 x 20.9 x 6.7'' – 7.7 lb Vol – 1.8 ft³
LED included

2.4''
ø5.1''
ø16.5''
5.5''

(Dimmable)

**Suitable for
wet locations**

c(UL)us   Under approval process. For latest
　　　　certification status check the spec sheet.

Canopy color: Black

LED-Ginger 60C IP65

Code	Finish
A662-655-31	● Rust Brown
A662-655-39	☁ Black-White (RAL 9005-9010)

Materials
Diffuser: Aluminum
Dissipater: Aluminum

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Dual dimming driver
Phase cut (Triac) or 0-10V

Product type: Wall / Ceiling
Light source: LED SMD 700mA 21W 2700K CRI90 2933 lm
Luminaire: Only 120 VAC TRIAC 28W 1165 lm - Black-White
　　　　　120 - 277 VAC 0-10V 28W 1165 lm - Black-White
　　　　　Only 120 VAC TRIAC 28W 245 lm - Rust brown
　　　　　120 - 277 VAC 0-10V 28W 245 lm - Rust brown
Weight: Net 7.9 lb – Gross 13.9 lb
Package: 26.4 x 26.4 x 9.5'' – 13.9 lb Vol – 3.5 ft³
LED included

2.4''
ø5.1
ø23.6''
6.5''

(Dimmable)

**Suitable for
wet locations**

c(UL)us   Under approval process. For latest
　　　　certification status check the spec sheet.

Canopy color: Black

## LED-Ginger 20A 24V IP65 (NEW)

Code
A662-662-31-27K
A662-662-39-27K

Finish
● Rust Brown
☁ Black-White (RAL 9005-9010)

Materials
Diffuser: Aluminum
Dissipater: Aluminum

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: It depends on the purchased power supply.
0-10V

Product type: Wall
Light source: LED SMD 24Vdc 5W 2700K CRI90 495lm
Luminaire: (Power supply not included) 161lm - Black-White
(Power supply not included) 29lm - Rust brown
Weight: Net 1.1 lb – Gross 2.6 lb
Package: 14.2 x 11.8 x 6.7 " – 2.6 lb Vol – 0.7 ft³
Product notes: 24V remote power supply to be ordered separately.
LED included

Ø5.7"
3.9"
ø7.9"
10.8"

(Dimmable)

**Suitable for
wet locations**

c(UL)us Under approval process. For latest
certification status check the spec sheet.

Power supplies on page 96

Canopy color: Black

LED-Ginger 32A IP65 (NEW)

Code
A662-663-31-27K
A662-663-39-27K

Finish
● Rust Brown
☁ Black-White (RAL 9005-9010)

Materials
Diffuser: Aluminum
Dissipater: Aluminum

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)

Product type: Wall
Light Source: LED SMD 700mA 7.8W 2700K CRI90 913 lm
Luminaire: 100 - 120 VAC TRIAC 14W 350 lm - Black-White
120 - 277 VAC 0-10V 14W 350 lm - Black-White
Weight: Net 3.3 lb – Gross 6.2 lb
Package: 20.5 x 16.5 x 9.5 " – 6.2 lb Vol – 1.8 ft³
LED included

2"
Ø5.7"
5.2"
ø12.6"
18.3"

(Dimmable)

**Suitable for
wet locations**

c(UL)us Under approval process. For latest
certification status check the spec sheet.

Canopy color: Black

LED-Ginger B 20/44

Code	Finish
A662-585-31	Rust Brown-White
A662-585-39	Black-White (RAL 9005-9010)

Materials
Diffuser: Aluminum
Structure: Aluminum

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: 0-10V

Product type: Bollard
Light source: LED SMD 24Vdc 5W 2700K CRI90 495 lm
Luminaire: (Power supply not included) 161 lm
Weight: Net 1.8 lb – Gross 2.9 lb
Package: 9.8 x 9 x 4.7" – 1.5 lb Vol – 0.24 ft³
          5.9 x 5.1 x 18.9" – 1.3 lb Vol – 0.3 ft³
Product notes: 24V remote power supply to be ordered separately, see pg 90.
LED included

Ø7.7"
1.6"
17.3"
Ø4.3"

Dimmable

Suitable for wet locations

(ETL)us

Cable length: 8.5 ft

LED-Ginger B 20/63

Code	Finish
A662-586-31	Rust Brown-White
A662-586-39	Black-White (RAL 9005-9010)

Materials
Diffuser: Aluminum
Structure: Aluminum

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: 0-10V

Product type: Bollard
Light source: LED SMD 24Vdc 5W 2700K CRI90 495 lm
Luminaire: (Power supply not included) 161 lm
Weight: Net 1.9 lb – Gross 3 lb
Package: 9.8 x 9 x 4.7" – 1.5 lb Vol – 0.24 ft³
          5.9 x 5.1 x 26.2" – 1.5 lb Vol – 0.35 ft³
Product notes: 24V remote power supply to be ordered separately, see pg 90.
LED included

Ø7.7"
1.6"
25"
Ø4.3"

Dimmable

Suitable for wet locations

(ETL)us

Cable length: 7.9 ft

LED-Ginger B 20/86

Code
A662-587-31
A662-587-39

Finish
🔴 Rust Brown-White
⚫ Black-White (RAL 9005-9010)

Materials
Diffuser: Aluminum
Structure: Aluminum

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: 0-10V

Product type: Bollard
Light source: LED SMD 24Vdc 5W 2700K CRI90 495 lm
Luminaire: (Power supply not included) 161 lm
Weight: Net 2.2 lb – Gross 3.5 lb
Package: 9.8 x 9 x 4.7'' – 1.5 lb Vol – 0.24 ft³
          5.9 x 5.1 x 38.8'' – 2 lb Vol – 0.7 ft³
Product notes: 24V remote power supply to be ordered separately, see pg 90.
LED included

Ø7.7''
1.6''
33.9''
Ø4.3''

Dimmable

**Suitable for
wet locations**

ETL us

Cable length: 6.9 ft

Post accessory

Code
A662-555

Finish
⚫ Stainless steel

Materials
Structure: Stainless steel 316 L

Product type: Accessory for LED-Ginger Bollards.
Weight: Net 0.7 lb – Gross 0.9 lb
Package: 5.5 x 5.5 x 11'' - 0.9 lb – Vol - 0.2 ft³

Ø3''
9.7''

Ground fixation plate

Code
A662-556

Finish
● Stainless steel

Materials
Structure: Stainless steel 316 L

Product type: Accessory for LED-Ginger Bollards.
Weight: Net 0.7 lb – Gross 0.9 lb
Package: 5.9 x 5.9 x 5.1" - 0.9 lb – Vol - 0.1 ft³

3.5"

4.9"

LED-Ginger: Power Supply - Dimmable

Code	Description	Dimming	VAC
968-230	Power supply 60W - 24V	0-10V	120-277
968-233	Power supply 100W - 24V	0-10V	120-277

Product notes: Use these power supplies for LED-Ginger Bollards
and LED-Ginger 15C / 20C.
These LED drivers must be installed in a cabinet / box suitable for
wet locations or in a dry location.

LED-Ginger: Connector Accessory

Code	Description
A963-001	2 way terminal block 4 poles IP68 H2O Stop. (ø0.2/0.5" cable).
A963-002	3/4 way terminal block 4 poles IP68 H2O Stop. (ø0.2/0.5" cable).

Ø0.9"
3.1"

2.2"
3.3"

Product notes: Use these power supplies for LED-Ginger Bollards
and LED-Ginger 15C / 20C.

LED-Ginger 60/298

Code
A662-745

Finish
☁ Black-White (RAL 9005-9010)

Materials
Diffuser: Aluminum
Structure: Stainless Steel
Dissipater: Aluminum

Dimmable: Yes
Integrated dimmer: No
Dimming: Depending on the connection
ON / OFF
1-10V

Product type: Lamppost
Light source: LED SMD 1050mA 33.8W 2700K CRI90 4037lm
Luminaire: 90 - 305 VAC 1-10V 35.8W 1463lm
Weight: Net 29.2 lb – Gross 44 lb
Package: 26.8 x 27.2 x 9.4'' – 12.6 lb Vol – 3.9 ft³
         24 x 6.3 x 100.4'' – 24.5 lb Vol – 8.8 ft³
         9.8 x 9.8 x 17.3'' – 7.2 lb Vol – 1.1 ft³
LED included

28.7''
10.9''
Ø23.6''
117.4''
Ø9.3''

Dimmable

**Suitable for
wet locations**

c(UL)us   Under approval process. For latest
          certification status check the spec sheet.

Wire installation: Hardwired

## Ground fixation plate

Code
A662-733

Finish
● Stainless steel

Materials
Structure: Stainless steel 316 L

Product type: Accessory for **LED-Ginger 60/298**
Weight: Net 3.5 lb – Gross 5.3 lb
Package: 13.8 x 9.4 x 9.4 '' - 5.3 lb – Vol - 0.7 ft³

Ø7.9''
12.4''
12.6''

The High Line is a light sculpture, a svelte form that emits light without revealing its source. The floor lamp by Josep Lluis Xuclà illuminates indirectly by reflection, with a twist: the High Line's ally is not the ceiling but the wall, and they want to remain close. Formally, the High Line is a composition of volumes and forms.

High Line

Code
A690-009

Finish
Oak-White (RAL 9002)

Materials
Base: Iron
Structure: Wooden profiles

Integrated dimmer: Yes
Dimmer Type: Progressive dimmer from 0 to 100

Product type: Floor
Light Source: LED SMD 700mA 30W 2700K CRI90 3895lm
Luminaire: 110 - 120 VAC 44W 2076lm
Weight: Net 20.5 lb – Gross 29.32 lb
Package: 80 x 9 x 7'' – 22.04 lb Vol – 2.68 ft^3
        13 x 14 x 1.18'' – 8.3 lb Vol – 0.035 ft^3
LED included

Dimmer

74.6''

12.59''   9.44''

Cable length: 7.25 ft
Cord color: Black
Switch location: In-line

Ihana, Joanna Laajisto

In search of the beauty of light, Joanna Laajisto created a sculptural lamp defined by its pure, almost graphic forms, and by the balance between rigidity and fragility.

Offering the option of ambient light for any classic or contemporary interior design project, this modular collection can be used to create light compositions.

For Ihana customized configurations, get in contact with us.

Ihana x2 80

Code	Finish	Dimming	CCT
A709-157-39-27K	Opal	Triac	27K
A709-158-39-22/30K	Opal	Triac	DTW 22K-30K

Materials
Structure: Steel
Shade: Opal blown glass

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)
Dim to warm from 2200K to 3000K (Triac)

Product type: Pendant / Ceiling
Light source: LED SMD 700mA 16W 2700K CRI90 1826lm
Luminaire: 100 - 120 VAC TRIAC 28W 994lm
Light source DTW: LED SMD 700mA 16W 2200-3000K CRI90
Luminaire DTW: 100 - 120 VAC TRIAC 28W
Weight: Net 9.9 lb – Gross 14.8 lb
Package: (2x) 8.3 x 16.5 x 16.5'' – 6.61 lb Vol – 1.41 ft^3
       9.5 x 5.5 x 45'' – 8.15 lb Vol – 1.41 ft^3
Product notes: 0-10V upon request
LED included

27.16''
Ø5.12''
1.9''
31.5''
Ø11.8''
39''

Dimmable

Wire installation: Hardwired
Canopy color: Black

Ihana x2 100

Code	Finish	Dimming	CCT
A709-111-39-27K	Opal	Triac	27K
A709-112-39-22/30K	Opal	Triac	DTW 22K-30K

Materials
Structure: Steel
Shade: Opal blown glass

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)
Dim to warm from 2200K to 3000K (Triac)

Product type: Pendant / Ceiling
Light source: LED SMD 700mA 16W 2700K CRI90 1826lm
Luminaire: 100 - 120 VAC TRIAC 28W 994lm
Light source DTW: LED SMD 700mA 16W 2200-3000K CRI90
Luminaire DTW: 100 - 120 VAC TRIAC 28W
Weight: Net 9.9 lb – Gross 14.8 lb
Package: (2x) 8.3 x 16.5 x 16.5" – 6.61 lb Vol – 1.41 ft^3
　　　　　9.5 x 5.5 x 45" – 8.15 lb Vol – 1.41 ft^3
Product notes: 0-10V upon request
LED included

27.16"
Ø5.12"
1.9"
39.4"
Ø11.8"
39"

Dimmable

c(UL)us

Wire installation: Hardwired
Canopy color: Black

Ihana x2 150

Code	Finish	Dimming	CCT
A709-109-39-27K	Opal	Triac	27K
A709-110-39-22/30K	Opal	Triac	DTW 22K-30K

Materials
Structure: Steel
Shade: Opal blown glass

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)
Dim to warm from 2200K to 3000K (Triac)

Product type: Pendant / Ceiling
Light source: LED SMD 700mA 16W 2700K CRI90 1826lm
Luminaire: 100 - 120 VAC TRIAC 28W 994lm
Light source DTW: LED SMD 700mA 16W 2200-3000K CRI90
Luminaire DTW: 100 - 120 VAC TRIAC 28W
Weight: Net 11.3 lb – Gross 18.1 lb
Package: (2x) 8.3 x 16.5 x 16.5" – 6.61 lb Vol – 1.41 ft^3
　　　　　7 x 7 x 66" – 11.5 lb Vol – 1.76 ft^3
Product notes: 0-10V upon request
LED included

27.16"
Ø5.12"
1.9"
59"
Ø11.8"
39"

Dimmable

c(UL)us

Wire installation: Hardwired
Canopy color: Black

Ihana x2 200

Code	Finish	Dimming	CCT
A709-107-39-27K	Opal	Triac	27K
A709-108-39-22/30K	Opal	Triac	DTW 22K-30K

Materials
Structure: Steel
Shade: Opal blown glass

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)
Dim to warm from 2200K to 3000K (Triac)

Product type: Pendant / Ceiling
Light source: LED SMD 700mA 16W 2700K CRI90 1826lm
Luminaire: 100 - 120 VAC TRIAC 28W 994lm
Light source DTW: LED SMD 700mA 16W 2200-3000K CRI90
Luminaire DTW: 100 - 120 VAC TRIAC 28W
Weight: Net 14.8 lb – Gross 21.4 lb
Package: (2x) 8.3 x 16.5 x 16.5'' – 6.61 lb Vol – 1.41 ft³
7 x 7 x 88.6'' – 14.8 lb Vol – 2.47 ft³
Product notes: 0-10V upon request
LED included

27.16''
Ø5.12''
1.9''
Dimmable
78.75''
Ø11.8''
39''

Wire installation: Hardwired
Canopy color: Black

Ihana x3 80

Code	Finish	Dimming	CCT
A709-156-39-27K	Opal	Triac	27K
A709-113-39-22/30K	Opal	Triac	DTW 22K-30K

Materials
Structure: Steel
Shade: Opal blown glass

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)
Dim to warm from 2200K to 3000K (Triac)

Product type: Pendant / Ceiling
Light source: LED SMD 700mA 23.5W 2700K CRI90 1826lm
Luminaire: 100 - 120 VAC TRIAC 42W 1491lm
Light source DTW: LED SMD 700mA 23.5W 2200-3000K CRI90
Luminaire DTW: 100 - 120 VAC TRIAC 42W
Weight: Net 15 lb – Gross 21 lb
Package: (3x) 8.3 x 16.5 x 16.5'' – 6.61 lb Vol – 1.41 ft³
9.5 x 5.5 x 45'' – 8.15 lb Vol – 1.41 ft³
9.5 x 5.5 x 45'' – 6.2 lb Vol – 1.41 ft³
Product notes: 0-10V upon request
LED included

54.3''
Ø5.12''
1.9''
Dimmable
31.5''
Ø11.8''
66.1''

Wire installation: Hardwired
Canopy color: Black

Ihana x3 100

Code	Finish	Dimming	CCT
A709-105-39-27K	○ Opal	Triac	27K
A709-106-39-22/30K	○ Opal	Triac	DTW 22K-30K

Materials
Structure: Steel
Shade: Opal blown glass

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)
Dim to warm from 2200K to 3000K (Triac)

Product type: Pendant / Ceiling
Light source: LED SMD 700mA 23.5W 2700K CRI90 1826lm
Luminaire: 100 - 120 VAC TRIAC 42W 1491lm
Light source DTW: LED SMD 700mA 23.5W 2200-3000K CRI90
Luminaire DTW: 100 - 120 VAC TRIAC 42W
Weight: Net 15 lb – Gross 21 lb
Package: (3x) 8.3 x 16.5 x 16.5'' – 6.61 lb Vol – 1.41 ft³
9.5 x 5.5 x 45'' – 8.15 lb Vol – 1.41 ft³
9.5 x 5.5 x 45'' – 6.2 lb Vol – 1.41 ft³
Product notes: 0-10V upon request
LED included

54.3''
Ø5.12''
1.9''
39.4''
Ø11.8''
66.1''

Dimmable

c(UL)us

Wire installation: Hardwired
Canopy color: Black

Ihana x3 150

Code	Finish	Dimming	CCT
A709-103-39-27K	○ Opal	Triac	27K
A709-104-39-22/30K	○ Opal	Triac	DTW 22K-30K

Materials
Structure: Steel
Shade: Opal blown glass

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)
Dim to warm from 2200K to 3000K (Triac)

Product type: Pendant / Ceiling
Light source: LED SMD 700mA 23.5W 2700K CRI90 1826lm
Luminaire: 100 - 120 VAC TRIAC 42W 1491lm
Light source DTW: LED SMD 700mA 23.5W 2200-3000K CRI90
Luminaire DTW: 100 - 120 VAC TRIAC 42W
Weight: Net 17.2 lb – Gross 28 lb
Package: (3x) 8.3 x 16.5 x 16.5'' – 6.61 lb Vol – 1.41 ft³
7 x 7 x 65.8'' – 11.5 lb Vol – 1.76 ft³
7 x 7 x 65.8'' – 9.9 lb Vol – 1.76 ft³
Product notes: 0-10V upon request
LED included

54.3''
Ø5.12''
1.9''
59''
Ø11.8''
66.1''

Dimmable

c(UL)us

Wire installation: Hardwired
Canopy color: Black

Ihana x3 200

Code	Finish	Dimming	CCT
A709-101-39-27K	● Opal	Triac	27K
A709-102-39-22/30K	● Opal	Triac	DTW 22K-30K

Materials
Structure: Steel
Shade: Opal blown glass

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)
Dim to warm from 2200K to 3000K (Triac)

Product type: Pendant / Ceiling
Light source: LED SMD 700mA 23.5W 2700K CRI90 1826lm
Luminaire: 100 - 120 VAC TRIAC 42W 1491lm
Light source DTW: LED SMD 700mA 23.5W 2200-3000K CRI90
Luminaire DTW: 100 - 120 VAC TRIAC 42W
Weight: Net 18 lb – Gross 33.3 lb
Package: (3x) 8.3 x 16.5 x 16.5'' – 6.61 lb Vol – 1.41 ft^3
             7 x 7 x 88.5'' – 14.7 lb Vol – 2.47 ft^3
             7 x 7 x 88.5'' – 11.9 lb Vol – 2.47 ft^3
Product notes: 0-10V upon request
LED included

Dimmable

Ø5.12''
1.9''
54.3''
78.75''
Ø11.8''
66.1''

c **(UL)** us

Wire installation: Hardwired
Canopy color: Black

Discover more at marset.com

Jaima 43 E26

| Code	Finish
A683-047	● Beige
A683-048	● Grey

Materials
Shade: Textilene, inner part in white

Product type: Pendant
Light Source: E26 LED Globe (ø120) 22W
Weight: Net 4 lb – Gross 8.1 lb
Package: 17.3 x 17.7 x 15.4'' – 11 lb Vol – 2.8 ft³
Lamping not included

1.37"
ø4.33''
6.6ft
19.68''
ø16.92''

c(UL)us

Cable length: 6.6 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Black

Jaima 54 E26

Code
A683-051
A683-052

Finish
● Beige
● Grey

Materials
Shade: Textilene, inner part in white

Product type: Pendant
Light Source: E26 LED Globe (ø120) 22W
Weight: Net 4.85 lb – Gross 11 lb
Package: 21.5 x 21.5 x 18.1" – 11 lb Vol – 4.95 ft³
Lamping not included

1.37"
ø4.33"
6.6 ft
24.8"
ø21.3"

c(UL)us

Cable length: 6.6 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Black

Jaima 71 E26

Code
A683-055
A683-056

Finish
● Beige
● Grey

Materials
Shade: Textilene, inner part in white

Product type: Pendant
Light Source: E26 LED Globe (ø120) 22W
Weight: Net 6.17 lb – Gross 16.5 lb
Package: 27.5 x 27.5 x 24.8" – 16.5 lb Vol – 10.6 ft³
Lamping not included

1.37"
ø4.33"
6.6 ft
32.28"
ø27.95"

c(UL)us

Cable length: 6.6 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Black

Jaima 43 IP65

| Code	Finish
A683-059	● Beige
A683-060	● Grey

Materials
Shade: Textilene, inner part in white

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)

Product type: Pendant
Light Source: LED COB 120 VAC 15W 2700K CRI90 1022lm
Luminaire: 120 VAC TRIAC 15W 528lm
Weight: Net 4 lb – Gross 8.1 lb
Package: 17.3 x 17.7 x 15.4'' – 11 lb Vol – 2.8 ft³
LED included

Dimmable

**Suitable for
wet locations**

c(UL)us

1.37"
ø4.33"
6.6ft
19.68"
ø16.92''

Cable length: 6.6 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Black

Jaima 54 IP65

| Code	Finish
A683-063	● Beige
A683-064	● Grey

Materials
Shade: Textilene, inner part in white

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)

Product type: Pendant
Light Source: LED COB 120 VAC 15W 2700K CRI90 1022lm
Luminaire: 120VAC TRIAC 15W 513lm
Weight: Net 4.85 lb – Gross 11 lb
Package: 21.5 x 21.5 x 18.1'' – 11 lb Vol – 4.95 ft³
LED included

Dimmable

**Suitable for
wet locations**

c(UL)us

1.37"
ø4.33"
6.6ft
24.8"
ø21.3''

Cable length: 6.6ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Black

Jaima 71 IP65

Code	Finish
A683-067	● Beige
A683-068	● Grey

Materials
Shade: Textilene, inner part in white

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)

Product type: Pendant
Light Source: LED COB 120 VAC 15W 2700K CRI90 1022lm
Luminaire: 120VAC TRIAC 15W 530lm
Weight: Net 6.17 lb – Gross 16.5 lb
Package: 27.5 x 27.5 x 24.8'' – 16.5 lb Vol – 10.6 ft³
LED included

1.37" ø4.33"

6.6ft

32.28"

ø27.95"

Dimmable

**Suitable for
wet locations**

c(UL)us

Cable length: 6.6 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Black

Jaima P207 + Shade 43

| Code	Finish
Structure E26	
A683-070	● Black (RAL 9005)
Structure LED IP65	
A683-071	● Black (RAL 9005)
Shade 43	
A683-029	● Beige
A683-030	● Grey

Materials
Shade: Textilene, inner part in white
Structure: Stainless steel
Extensible stem: Carbon fiber

Dimmable: Yes
Integrated dimmer: No

Product type: Floor
Light Source: E26 LED Globe (ø120) 22W
Light Source: LED COB 120 VAC 15W 2700K CRI90 1022lm
Luminaire: 120VAC TRIAC 15W 528lm
Weight: Net 9 lb – Gross 22.7 lb
Package: 85.4 x 18.9 x 9'' – 178.7 lb Vol – 8.47 ft³
     17.7 x 17.7 x 15.35'' – 5.51 lb Vol – 2.83 ft³
LED included

35.98"

ø16.92"

min3.6ft - max4.43ft

6.26ft

33.46"

**Suitable for
wet locations**

c(UL)us

Product notes: a floor base 49 or a fixed
stem needs to be purchased. See page 110.

Cable length: 9.2 ft
Wire installation: Plug-in
Cord color: Black

Jaima P307 + Shade 54

Code	Finish
Structure E26	
A683-072	● Black (RAL 9005)
Structure LED IP65	
A683-073	● Black (RAL 9005)
Shade 54	
A683-037	● Beige
A683-038	● Grey

Materials
Shade: Textilene, inner part in white
Structure: Stainless steel
Extensible stem: Carbon fiber

Dimmable: Yes
Integrated dimmer: No

Product type: Floor
Light Source: E26 LED Globe (ø120) 22W
Light Source: LED COB 120 VAC 15W 2700K CRI90 1022lm
Luminaire: 120VAC TRIAC 15W 513lm
Weight: Net 10.36 lb – Gross 27.5 lb
Package: 109 x 19 x 9'' – 19.82 lb Vol – 10.59 ft³
      21.7 x 21.7 x 17.7'' – 7.7 lb Vol – 14.8 ft³
LED included

ø21.26''
40.94''
min7.38ft - max10.1ft
min4.26ft - max6.66ft
9.8ft
6.52ft

Suitable for wet locations

c (UL) us

Product notes: a floor base 49 or a fixed stem needs to be purchased. See page 110.

Cable length: min 6.6 ft - max 9.2 ft
Wire installation: Plug-in
Cord color: Black

---

Jaima P307 + Shade 71

Code	Finish
Structure E26	
A683-072	● Black (RAL 9005)
Structure LED IP65	
A683-073	● Black (RAL 9005)
Shade 71	
A683-041	● Beige
A683-042	● Grey

Materials
Shade: Textilene, inner part in white
Structure: Stainless steel
Extensible stem: Carbon fiber

Dimmable: Yes
Integrated dimmer: No

Product type: Floor
Light Source: E26 LED Globe (ø120) 22W
Light Source: LED COB 120 VAC 15W 2700K CRI90 1022lm
Luminaire: 120 VAC TRIAC 15W 530lm
Weight: Net 10.5 lb – Gross 33 lb
Package: 109 x 27.5 x 24.6'' – 15.4 lb Vol – 10.947 ft³
      27.9 x 27.9 x 24.8'' – 13.2 lb Vol – 10.6 ft³
LED included

ø27.95''
48.42''
min7.38ft - max10.1ft
min3.6ft - max6.03ft
9.8ft
6.79ft

Suitable for wet locations

c (UL) us

Product notes: a floor base 70 or a fixed stem needs to be purchased. See page 110.

Cable length: min 6.6 ft - max 9.2 ft
Wire installation: Plug-in
Cord color: Black

49 base + stem

Code
A683-033

Finish
● Concrete - Black (RAL 9005)

Materials
Base: Concrete
Stem: Stainless steel

Product type: Accessory
Weight: Net 31.5 lb – Gross 37.91 lb
Package: 12.2 x 7.1 x 6.7'' - 4.8 lb – Vol -0.31 ft³
      24.8 x 24.8 x 2.7'' - 33.1 lb – Vol -0.95 ft³
**Product notes:** Base only compatible with Jaima P207

11.22" ø19.29" 1.18"

70 base + stem

Code
A683-044

Finish
● Concrete and black (RAL 9005)

Materials
Base: Concrete
Stem: Stainless steel

Product type: Accessory
Weight: Net 81.1 lb – Gross 113.9 lb
Package: 29.5 x 29.5 x 7.48'' - 77.2 lb – Vol -3.7 ft³
      12.2 x 7.08 x 6.69'' - 4.85 lb – Vol -0.31 ft³
**Product notes:** Base only compatible with Jaima P307

11.22" ø19.29" 1.18"

Fixed stem

Code
A683-032

Finish
● Black (RAL 9005)

Price
USD $ 495   CAD $ 631

Materials
Stem: Stainless steel

Product type: Accessory
Weight: Net 4.18'' – Gross 5,07''
Package: 12.2 x 7.08 x 6.69''- 4.8 lb – Vol -0.31 ft³
**Product notes:** Compatible with Jaima P207 and P307.

10.31" ø4.52"

Jaima, 2017

Lab 2 2020

Code	Finish
A646-191	● Graphite grey (RAL 7024)

Materials   Dimmable: No
Structure: Injected aluminum
Lids: Metal, wood (see next page)

Product type: Wall
Light source: LED SMD 24Vdc 7.4W 2700K CRI90 378lm
Luminaire: 100 - 240 VAC 8.47W 322lm
Weight: Net 1.91 lb – Gross 2.20 lb
Package: 5.9 x 5.9 x 5.1" – 2.2 lb Vol – 0,106 ft^3

4.9"
4.9"
3.1"

**Suitable for
wet locations**

ADA

c (UL) us

Wire installation: Hardwired

Lid

Code	Finish
A646-005	⬤ White (RAL 9003)
A646-022	⬤ Brown (RAL 8019)
A646-023	⬤ Rust brown
A646-007	⬤ Dark iroko

Materials
Structure: Injected aluminum
Lids: Metal, wood

Product type: Accessory

4.9''
4.9''

Signage Lid

Code	Finish
-	1 - 3 units
-	4 - 10 units
-	11 - 25 units
-	26 or more units

Product type: Accessory
Product Notes: Minimum order of 3pcs.
Available upon request, Lab 2 only.

4.9''
4.9''

Lab A 35

Code	Finish
A646-160	⬤ Graphite grey - White (RAL 7024-9003)
A646-161	⬤ Graphite grey - Brown (RAL 7024-8019)
A646-162	⬤ Graphite grey - Rust brown
A646-163	⬤ Graphite grey - Dark iroko

Materials   Dimmable: No
Structure: Aluminum
Lids: Metal, wood

Product type: Wall
Light Source: LED SMD 700mA 4W 2700K CRI80 320lm
Luminaire: 100-277 VAC 6.2W
Weight: Net 3.08 lb – Gross 5.07 lb
Package: 6.89 x 5.11 x 18.11'' – 5.07 lb Vol – 0.35 ft³

4.96''
13.78''
3.14''

Suitable for wet locations

ADA

c(UL)us

Wire installation: Hardwired

Lab B 35

| Code	Finish
A646-170	○ Graphite grey - White (RAL 7024-9003)
A646-171	● Graphite grey - Brown (RAL 7024-8019)
A646-172	● Graphite grey - Rust brown
A646-173	● Graphite grey - Dark iroko

Materials   Dimmable: No
Structure: Aluminum
Lids: Metal, wood

Product type: Bollard
Light Source: LED SMD 700mA 4W 2700K CRI80 320lm
Luminaire: 100-277 VAC 6.2W
Weight: Net 3.08 lb – Gross 5.07 lb
Package: 6.89 x 5.11 x 18.11" – 5.07 lb Vol – 0.35 ft³

4.96"

13.78"

3.14"

Suitable for wet locations

c(UL)us

Wire installation: Hardwired

Lab B 60

Code	Finish
A646-180	○ Graphite grey - White (RAL 7024-9003)
A646-181	● Graphite grey - Brown (RAL 7024-8019)
A646-182	● Graphite grey - Rust brown
A646-183	● Graphite grey - Dark iroko

Materials   Dimmable: No
Structure: Aluminum
Lids: Metal, wood

Product type: Bollard
Light Source: LED SMD 700mA 4W 2700K CRI80 320lm
Luminaire: 100-277 VAC 6.2W
Weight: Net 5.51 lb – Gross 7.71 lb
Package: 7.08 x 5.11 x 27.6" – 7.71 lb Vol – 0.70 ft³

4.96"

23.6"

3.14"

Suitable for wet locations

c(UL)us

Wire installation: Hardwired

Ground fixation plate

Code
A646-067

Finish
● Stainless steel

Materials
Structure: Stainless steel

Product type: Accessory
Weight: Net 0.57 lb – Gross 0.7 lb
Package: 9 x 10 x 21'' - 0.7 lb – Vol - 0.70 ft³

3.54''

7.87''

Its ergonomic design beckons you to move it in any direction, up to 360º, and its use is very intuitive. When opened, it turns on automatically; when closed, it turns off and hides away in the wall, like camouflage. It's so versatile it can be installed vertically or horizontally, adapting to the needs of your space. Now we present a new surface edition, just as functional but more compact. The switch is integrated in the base, maximum ergonomic design, with absolute flexibility to move it in any direction.

Ledtube RSC

Code	Finish	
A622-084	● Aluminum	⧓
A622-089	● Bronze	⧓
A622-087	○ Matte white (RAL 9010)	⧓
A622-088	● Matte black (RAL 9005)	⧓

Materials
Structure: Injected aluminum
Frontal: Transparent polycarbonate

Dimmable: No

Product type: Wall
Light Source: LED SMD 700mA 2.3W 2700K CRI80 226.5lm
Luminaire: 100 - 240 VAC 3.6W 131lm
Weight: Net 1.43 lb – Gross 1.76 lb
Package: 7.9 x 4.7 x 3.1'' – 1.7 lb Vol – 0.075 ft³
Product notes: Incorporated press button to switch on or off when opening or closing the wall lamp. Honeycomb grill to reduce glare.
LED included

2.68''

6.69''

c(UL)us

Wire installation: Hardwired

Code	Finish
A622-125	● Aluminum
A622-128	● Bronze
A622-126	● Matte white (RAL 9010)
A622-127	● Matte black (RAL 9005)

Materials   Dimmable: No
Structure: Injected aluminum
Frontal: Transparent polycarbonate

Product type: Wall
Light Source: LED SMD 700mA 2.3W 2700K CRI80 226.5lm
Luminaire: 100 - 240 VAC 3.6W 131lm
Weight: Net 1.98 lb – Gross 1.98 lb
Package: 6.3 x 5.9 x 3.5" – 2 lb Vol – 0.081 ft³
Product notes: Incorporated press button to switch on or off when opening or closing the wall lamp. Honeycomb grill to reduce glare.
LED included

1.3"

ø5.2"

Wire installation: Hardwired

Code	Finish
A622-129	● Aluminum
A622-132	● Bronze
A622-130	● Matte white (RAL 9010)
A622-131	● Matte black (RAL 9005)

Materials   Dimmable: No
Structure: Injected aluminum
Frontal: Transparent polycarbonate

Product type: Wall
Light Source: LED SMD 700mA 2.3W 2700K CRI80 226.5lm
Luminaire: 100 - 240 VAC 3.6W 131lm
Weight: Net 1.98 lb – Gross 1.98 lb
Package: 6.3 x 5.9 x 3.5" – 2 lb Vol – 0.081 ft³
Product notes: Incorporated press button to switch on or off when opening or closing the wall lamp. Honeycomb grill to reduce glare.
LED included

1.3"

ø5.2"

Wire installation: Hardwired

Ledtube A

Code
A622-180-17-27K ⬤ Aluminum
A622-180-18-27K ⬤ Bronze
A622-180-35-27K ⬤ Matte white (RAL 9010)
A622-180-39-27K ⬤ Matte black (RAL 9005)

Finish

Materials
Structure: Injected aluminum
Frontal: Transparent polycarbonate

Dimmable: No

Product type: Wall
Light source: LED SMD 700mA 2.1W 2700K CRI80 226.5lm
Luminaire: 100 - 240 VAC 4.25W 131lm
Weight: Net 1 lb – Gross 1.23 lb
Package: 8.26 x 4.72 x 3.54'' – 0.66 lb Vol – 0.07 ft^3
Product notes: Lens at 25º with a honeycomb grill to reduce glare.
Integrated switch
LED included

Ø2.55''   2.55''

Ø1.10''

c(UL)us   Under approval process. For latest
           certification status check the spec sheet.

Wire installation: Hardwired

Disk accessory

Code
A622-181-17 ⬤ Aluminum
A622-181-18 ⬤ Bronze
A622-181-35 ⬤ Matte white (RAL 9010)
A622-181-39 ⬤ Matte black (RAL 9005)

Finish

Materials
Structure: Metal

Product type: Accessory
Accessory used for installation with the junction box.

Ø4.3''

Ledtube mini

Code	Finish
A622-205	● Aluminum
A622-206	● Bronze
A622-207	● Matte white (RAL 9010)
A622-208	● Matte black (RAL 9005)

Materials   Dimmable: No
Structure: Injected aluminum
Frontal: Transparent polycarbonate

Product type: Wall
Light Source: LED SMD 700mA 2.1W 2700K CRI80 199.4lm
Luminaire: 100 - 277 VAC 3.6W 45lm
Weight: Net 0.81 lb – Gross 1.14 lb
Package: 8.26 x 4.72 x 3.54'' – 1.14 lb Vol – 0.07 ft³
Product notes: Incorporated press button to switch on or off when opening or closing the wall lamp. Lens at 25º with a honeycomb grill to reduce glare. LED included

1.8"
4.4"

c(UL)us

Wire installation: Hardwired

Mercer M

Code
A89-018
A89-079

Finish
● Pleated white cotton
● Pearl white

Materials
Shade: Textile
Structure: Blown glass
Diffuser: Opal disc

Integrated dimmer: Yes
Dimmer Type: Progressive in-line dimmer

Product type: Table
Light source: E26 TYPE A19 100W
Weight: Net 11 lb – Gross 9.9 lb
Package: 22 x 14.9 x 15.7'' – 9.9 lb Vol – 3.17 ft³
Lamping not included

ø11.4"
16.1"
ø7.3"

Dimmer

c (UL) us

Cable length: 5 ft
Wire installation: Plug-in
Cord color: Black
Switch location: In-line

Mercer

Code
A89-006
A89-078

Finish
● Pleated white cotton
● Pearl white

Materials
Shade: Textile
Structure: Blown glass
Diffuser: Opal disc

Integrated dimmer: Yes
Dimmer Type: Progressive in-line dimmer

Product type: Table
Light source: E26 TYPE A21 100W
Weight: Net 11 lb – Gross 15.4 lb
Package: 26 x 19.2 x 19.2'' – 17.6 lb Vol – 5.579 ft³
Lamping not included

ø14.9"

20.8"

ø9.4"

Dimmer

c (UL) us

Cable length: 5 ft
Wire installation: Plug-in
Cord color: Black
Switch location: In-line

Mercer 30

Code
A89-054
A89-082

Finish
● Pleated white cotton
● Pearl white

Materials
Shade: Textile
Structure: Blown glass

Product type: Pendant
Light source: E26 LED TYPE A 11W
Weight: Net 6.17 lb – Gross 8.1 lb
Package: 14.9 x 14.9 x 17'' – 9.9 lb Vol – 2.1 ft³
Lamping not included

ø4.3"

1.8"

6.6ft

7.79"

ø11.81"

c (UL) us

Cable length: 6.6 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: White

Code	Finish
A89-020	● Pleated white cotton
A89-083	● Pearl white

Materials
Shade: Textile
Structure: Blown glass

Product type: Pendant
Light source: 2x E26 LED TYPE A 11W
Weight: Net 17.2 lb – Gross 22 lb
Package: 22 x 22 x 18.9'' – 22 lb Vol – 5.29 ft^3
Lamping not included

ø4.3'
1.8"
6.6ft
11.41"
ø17.32"

c(UL)us

Cable length: 6.6 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: White

Mercer A

Code	Finish
A89-065	● Pleated white cotton
A89-084	● Pearl white

Materials
Shade: Textile
Structure: Blown glass
Wal bracket: Chromed iron

Product type: Wall
Light source: E12 LED candle 5W
Weight: Net 3 lb – Gross 4.4 lb
Package: 12.6 x 13 x 11'' – 3.3 lb Vol – 1.06 ft^3
Lamping not included

6.06"
4.7"
9.57"

c(UL)us

Wire installation: Hardwired

Mercer C

| Code	Finish
A89-067	● Pleated white cotton
A89-085	● Pearl white

Materials
Shade: Textile
Structure: Blown glass

Product type: Ceiling
Light source: 2x E26 LED TYPE A 11W
Weight: Net 9.92 lb – Gross 13.22 lb
Package: 22.8 x 22.8 x 14.2'' – 13 lb Vol – 3.5 ft³
Lamping not included

ø5.51"
6.93"
6"
ø17.32"

Wire installation: Hardwired

Spare parts

Code	Product	Finish	Spare part
A89-501	Mercer M	-	Glass
A89-500	Mercer	-	Glass
A89-505	Mercer 30	-	Glass
A89-503	Mercer 44	-	Glass
A89-504	Mercer A	-	Glass
A89-506	Mercer C	-	Glass

The Milana is a sleek, versatile form with an almost imperceptible point of light. The base lamp offers an impeccable downward-directed light, but when a shade is added, the light escapes upward, illuminating the lamp itself. An additional counterweight version gives the user complete control over the light.


Milana

Code	Finish
A699-101	○ Off-white (RAL 1013)
A699-102	● Black (RAL 9005)

Materials
Shade: Aluminum
Diffuser: Polycarbonate

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)

Product type: Pendant
Light Source: LED SMD 700mA 8.6W 2700K CRI90 372lm
Luminaire: 100 - 120 VAC TRIAC 11W 340lm
Weight: Net 1.14 lb – Gross 1.54 lb
Package: 8.8 x 2.7 x 1.6'' – 0.7 lb Vol – 0.02 ft³
        7.8 x 4.7 x 3.1'' – 0.88 lb Vol – 0.2 ft³
LED included

Ø4.3''
9.8 ft
8.3''
Ø0.8''

Dimmable

c(UL)us

Cable length: 9.8 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Black

Milana 32

Code	Finish
A699-106	● Off-white (RAL 1013)
A699-107	● Black (RAL 9005)

Materials
Shade: Aluminum
Diffuser: Polycarbonate

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)

Product type: Pendant
Light Source: LED SMD 700mA 8.6W 2700K CRI90 372lm
Luminaire: 100 - 120 VAC TRIAC 11W 340lm
Weight: Net 1.91 lb – Gross 3.35 lb
Package: 8.8 x 2.7 x 1.6" – 0.7 lb Vol – 0.02 ft³
         14.3 x 14.3 x 2.8" – 1.8 lb Vol – 0.98 ft³
         7.8 x 4.7 x 3.1" – 0.88 lb Vol – 0.2 ft³
LED included

Ø4.3"
9.8 ft
10.2"
Ø12.6"

Dimmable

c (UL) us

Cable length: 9.8 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Black

Milana 47

Code	Finish
A699-111	● Off-white (RAL 1013)
A699-112	● Black (RAL 9005)

Materials
Shade: Aluminum
Diffuser: Polycarbonate

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)

Product type: Pendant
Light Source: LED SMD 700mA 8.6W 2700K CRI90 372lm
Luminaire: 100 - 120 VAC TRIAC 11W 340lm
Weight: Net 2.86 lb – Gross 5.07 lb
Package: 8.8 x 2.7 x 1.6" – 0.7 lb Vol – 0.02 ft³
         20.7 x 20.7 x 3.9" – 3.4 lb Vol – 0.98 ft³
         7.8 x 4.7 x 3.1" – 0.88 lb kg Vol – 0.2 ft³
LED included

Ø4.3"
9.8 ft
11.2"
Ø18.6"

Dimmable

c (UL) us

Cable length: 9.8 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Black

Milana Counterweight

Code
A699-116
A699-117

Finish
○ Off-white (RAL 1013)
● Black (RAL 9005)

Materials
Shade: Aluminum
Diffuser: Polycarbonate

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)

Product type: Pendant
Light Source: LED SMD 700mA 8.6W 2700K CRI90 372lm
Luminaire: 100 - 120 VAC TRIAC 11W 340lm
Weight: Net 2.2 lb – Gross 2.86 lb
Package: 4.7 x 4.7 x 2.9" – 1.3 lb Vol – 0.04 ft^3
         8.8 x 2.7 x 1.6" – 0.7 lb Vol – 0.02 ft^3
         17.8 x 4.7 x 3.1" – 0.88 lb Vol – 0.2 ft^3
LED included

Ø4.3" Ø0.63"   Ø1.1"
1.2"

8.3"
Ø1.1"   Ø2.6"

Dimmable

c (UL) us

Cable length: 9.8 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Black

Milana 32 Counterweight

Code
A699-121
A699-122

Finish
○ Off-white (RAL 1013)
● Black (RAL 9005)

Materials
Shade: Aluminum
Diffuser: Polycarbonate

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)

Product type: Pendant
Light Source: LED SMD 700mA 8.6W 2700K CRI90 372lm
Luminaire: 100 - 120 VAC TRIAC 11W 340lm
Weight: Net 3.52 lb – Gross 5.3 lb
Package: 4.7 x 4.7 x 2.9" – 1.3 lb Vol – 0.04 ft^3
         8.8 x 2.7 x 1.6" – 0.7 lb Vol – 0.02 ft^3
         14.3 x 14.3 x 2.8" – 1.8 lb Vol – 0.98 ft^3
         7.8 x 4.7 x 3.1" – 0.88 lb Vol – 0.2 ft^3
LED included

Ø4.3" Ø0.63"   Ø1.1"
1.2"

10.1"
Ø12.6"   Ø3"

Dimmable

c (UL) us

Cable length: 9.8 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Black

Milana 47 Counterweight

Code	Finish
A699-126	⬤ Off-white (RAL 1013)
A699-127	● Black (RAL 9005)

Materials
Shade: Aluminum
Diffuser: Polycarbonate

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)

Product type: Pendant
Light Source: LED SMD 700mA 8.6W 2700K CRI90 372lm
Luminaire: 100 - 120 VAC TRIAC 11W 340lm
Weight: Net 5.07 lb – Gross 7.50 lb
Package: 4.7 x 4.7 x 2.9'' – 1.3 lb Vol – 0.04 ft³
         8.8 x 2.7 x 1.6'' – 0.7 lb Vol – 0.02 ft³
         20.7 x 20.7 x 3.9'' – 3.4 lb Vol – 0.98 ft³
         7.8 x 4.7 x 3.1'' – 0.88 lb Vol – 0.2 ft³
LED included

Ø4.3'' Ø0.63'' Ø1.1''
1.2''
11.2''
Ø3.3''
Ø18.6''

Dimmable

c(UL)us

Cable length: 9.8 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Black

Spare parts

Code	Product	Finish	Spare part
A699-025	Milana 32	White	Shade
A699-024	Milana 32	Black	Shade
A699-029	Milana 47	White	Shade
A699-028	Milana 47	Black	Shade

ISTAS

The wooden sphere of the N. Ocho's lampshade is handcrafted, giving each fixture a human touch. Its smooth texture has the quality and feel of a billiard ball, while its flexible arm, covered in braided fabric, is a mainstay that improves its look without sacrificing its efficacy. The N. Ocho was designed to be placed at the head of a bed and add comfort to the bedroom, a place dedicated to restfulness, where a good book is always healthier than a sleeping pill.

N. Ocho

Code	Finish
A670-003	● Oak
A670-004	● Wenge

Materials
Plate: Metal
Arm: Metal covered in braided fabric
Diffuser: Wood

Dimmable: No

Product type: Wall
Light Source: LED SMD 700mA 2.1W 2700K CRI80 226,5lm
Luminaire: 120 - 277 VAC 3.5W
Weight: Net 1.36 lb – Gross 2.2 lb
Package: 27.2 x 6.7 x 4'' – 2.2 lb Vol – 0.35 ft^3
LED included

Máx 16.73'' ø2.56''

ø5.15'' 1.31''

Wire installation: Hardwired
Switch location: Canopy
Canopy color: Black

A good design is one that endures. So it is with Plaff-on!, a lamp that has been illuminating walls and ceilings for almost ten years. Its hand-blown white glass diffuser appears to float, detaching from the ceiling and the circumference that surrounds it, and its light filters upward to create a luminous halo. Indoors, outdoors, with or without signage, the Plaff-on! now offers multiple options in one lamp that can now conquer the outdoors as well, now with a new finishing in rust brown.

Plaff-on! 16 IP65 (NEW FINISH)

Code	Finish	Dimming
A628-051	● Black	Triac
A628-079-31-27K	● Rust Brown	Triac
A628-069	● Black	0-10V
A628-080-31-27K	● Rust Brown	0-10V
A628-081-39-27K	● Black	AC LED on/off
A628-081-31-27K	● Rust Brown	AC LED on/off

Materials
Structure: Aluminum
Shade: Opal blown glass

Dimmable: Yes
Integrated dimmer: No
Dimming protocols:
Phase cut (Triac)
0-10V (120-277V)

Product type: Wall / Ceiling
Light Source: LED SMD 500mA 6W 2700K CRI90 607.2lm
Luminaire: 120 VAC TRIAC 8.7W 225lm
 120-277 VAC 0-10V 8.7W 225lm
 100-240 VAC AC LED on/off 8.7W 225lm
Weight: Net 1.76 lb – Gross 2.65 lb
Package: 8.6 x 8.6 x 6.7'' – 2.6 lb Vol – 0.28 ft³
LED included

3.5"
Ø6.3"
Ø4.7"
1.8"

(Dimmable)

(ADA)

Suitable for wet locations

c (UL) us

Wire installation: Hardwired

Signage Lid

Code	Description
-	1 - 3 units
-	4 - 10 units
-	11 - 25 units
-	26 or more units

Product type: Accessory
Product Notes: Minimum order of 3pcs.
Available upon request.

1003
4.9"
4.9"

Plaff-on! 33 LED IP54

Code	Finish	CCT
A628-062	● Black	27K
A628-062-3CCT	● Black	27K - 30K - 40K

Materials
Structure: Aluminum
Shade: Opal blown glass

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Dual dimming driver
Phase cut (Triac) or 0-10V

Product type: Wall / Ceiling
Light source: LED SMD 700mA 23W 2700K CRI90 2654lm
Luminaire: Only 120 VAC TRIAC 28W 1941lm
           120 - 277 VAC 0-10V 28W 1941lm
For 3CCT
Light source: LED SMD 700mA 23W 2700-4000K CRI90 2654lm
Luminaire: Only 120 VAC TRIAC 28W 1941lm
           120 - 277 VAC 0-10V 28W 1941lm
Weight: Net 8.8 lb – Gross 9.9 lb
Package: 15.7 x 15.7 x 8.3" – 9.9 lb Vol – 1.05 ft^3
LED included

2.9"
ø13"
5.1"

Dimmable

**Suitable for
damp locations**

c(UL)us

Wire installation: Hardwired

The 3-CCT model has an integrated switch to select
the desired color temperature during the installation.

Plaff-on! 33

Code	Finish
A628-059	● Black

Materials
Structure: Aluminum
Shade: Opal blown glass

Product type: Wall / Ceiling
Light source: 2x E26 LED TYPE A 11W
Weight: Net 9 lb – Gross 9.9 lb
Package: 15.7 x 15.7 x 8.3'' – 9.9 lb Vol – 1.05 ft^3
Lamping not included

2.9''

ø13''   5.1''

c (UL) us

Wire installation: Hardwired

Plaff-on! 50 LED IP54

Code	Finish	CCT
A628-063	● Black	27K
A628-063-3CCT	● Black	27K - 30K - 40K

Materials
Structure: Aluminum
Shade: Opal blown glass

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Dual dimming driver
Phase cut (Triac) or 0-10V

Product type: Wall / Ceiling
Light source: LED SMD 700mA 29W 2700K CRI90 3318lm
Luminaire: Only 120 VAC TRIAC 36W 2172lm
              120 - 277 VAC 0-10V 36W 2172lm
For 3CCT
Light source: LED SMD 700mA 29W 2700-4000K CRI90 3318lm
Luminaire: Only 120 VAC TRIAC 36W 2172lm
              120 - 277 VAC 0-10V 36W 2172lm
Weight: Net 15.87 lb – Gross 18.7 lb
Package: 23.6 x 23.6 x 9.8'' – 18.7 lb Vol – 3.18 ft^3
LED included

3.5''

ø19.7''   5.4''

Dimmable

Suitable for damp locations

c (UL) us

Wire installation: Hardwired

The 3-CCT model has an integrated switch to select
the desired color temperature during the installation.

Plaff-on! 50

Code	Finish
A628-060	● Black

Materials
Structure: Aluminum
Shade: Opal blown glass

Product type: Wall / Ceiling
Light source: 4x E26 LED TYPE A 11W
Weight: Net 14.55 lb – Gross 18.7 lb
Package: 23.6 x 23.6 x 9.8" - 18.7 lb Vol - 3.18 ft³
Lamping not included

3.5"

ø19.7"   5.4"

Wire installation: Hardwired

Plaff-on! A IP65 (NEW FINISH)

| Code	Finish	Dimming
A628-161	● Black	Triac
A628-082-31-27K	● Rust Brown	Triac
A628-084-39-27K	● Black	0-10V
A628-084-31-27K	● Rust Brown	0-10V
A628-083-39-27K	● Black	AC LED on/off
A628-083-31-27K	● Rust Brown	AC LED on/off

Materials
Structure: Aluminum
Shade: Opal blown glass

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)

Product type: Wall
Light Source: LED SMD 500mA 6W 2700K CRI90 607.2lm
Luminaire: 120 VAC TRIAC 8.7W 225lm
          120-277 VAC 0-10V 8.7W 225lm
          100-240 VAC AC LED on/off 8.7W 225lm
Weight: Net 1.76 lb – Gross 2.64 lb
Package: 8.7 x 8.7 x 6.5" – 2.64 lb Vol – 0.28 ft³
LED included

Ø6.3"
2.3"

(Dimmable)

**Suitable for
wet locations**

Ø5.1"
6.6"

Wire installation: Hardwired

Plaff-on! B IP65 (NEW FINISH)

Code
A628-164
A628-085-31-27K

Finish
● Black
● Rust Brown

Materials
Structure: Aluminum
Shade: Opal blown glass

Dimmable: No

Product type: Wall
Light Source: LED SMD 500mA 6W 2700K CRI90 607.2lm
Luminaire: 120 VAC TRIAC 8.7W 225lm
Weight: Net 4 lb – Gross 7.5 lb
Package: 9.25 x 32.7 x 13.2 " –7.5 lb Vol – 2.47 ft³
LED included

7.48"   Ø6.3"

**Suitable for
wet locations**

29.72"

Ø5.5"

Wire installation: Hardwired

Ground fixation plate

Code
A628-071

Finish
● Stainless steel

Materials
Structure: Stainless steel 316L

Product type: Accessory for Plaff-on! B IP65
Weight: Net 0.45 lb – Gross 1.85 lb
Package: 10.2 x 10.2 x 7.9" - 1.85 lb – Vol - 4.6 ft³

5.1"

5.1"

Spare parts

Code	Product	Finish	Spare part
R628-002	Plaff-on! 16 IP65	-	Glass
R628-010	Plaff-on! 33 IP54	-	Glass
R628-011	Plaff-on! 50 IP54	-	Glass

Pleat Box, Xavier Mañosa & Mashallah

The idea behind the Pleat Box is a sophisticated combination between a digitally designed crease in a piece of cloth and a silhouette that is applied to a ceramic base. The alchemy of the craft process leaves unpredictable traces, small marks in the

metal glaze, tiny cracks in the polish... little flaws that mark the unique personality of every lamp.

Pleat Box 13

Code	Finish
A636-408-3535	⚪ White - White
A636-408-3549	🟡 White - Gold
A636-408-3835	⚫ Grey - White
A636-408-4135	🔴 Terracotta - White
A636-408-3949	⚫ Black - Gold
A636-408-4235	🟡 Ocher - White (NEW)
A636-408-4535	🟢 Dark Green - White (NEW)
A636-408-4549	🟢 Dark Green - Gold (NEW)

Materials
Shade: Ceramic with the inner part in brilliant white enamel or gold
Canopy: Ceramic

Product type: Pendant
Light source: E26 LED TYPE A 11
Weight: Net 3.1 lb – Gross 4.4 lb
Package: 9.4 x 9.4 x 20.8'' – 4.4 lb Vol – 1.06 ft³
Lamping not included

ø5.1''
3.4''
6.6 ft
10.24''
ø5.12''

c(UL)us

Cable length: 6.6 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Same color as chosen shade

Pleat Box 13 LED

Code
A636-409-3535-27K
A636-409-3549-27K
A636-409-3835-27K
A636-409-4135-27K
A636-409-3949-27K
A636-409-4235-27K
A636-409-4535-27K
A636-409-4549-27K

Finish
White - White
White - Gold
Grey - White
Terracotta - White
Black - Gold
Ocher - White (NEW)
Dark Green - White (NEW)
Dark Green - Gold (NEW)

Materials
Shade: Ceramic with the inner part
in brilliant white enamel or gold
Canopy: Ceramic
Cord: Fabric

Dimmable: No

Product type: Pendant
Light Source: LED SMD 350mA 4.05W 2700K CRI90 463lm
Luminaire: 90 - 264 VAC 6W 165lm
Weight: Net 3.63 lb – Gross 5 lb
Package: 9.4 x 9.4 x 20.8'' – 5 lb Vol – 1.06 ft³
LED included

ø5.1''
3.4''
6.6 ft
10.24''
ø5.12''

Cable length: 6.6 ft
Wire installation: Hardwired
Cord color: Black fabric electrical cord
Canopy color: Same color as chosen shade

Pleat Box 24

Code
A636-410-3535
A636-410-3549
A636-410-3835
A636-410-4135
A636-410-3949
A636-410-4235
A636-410-4535
A636-410-4549

Finish
White - White
White - Gold
Grey - White
Terracotta - White
Black - Gold
Ocher - White (NEW)
Dark Green - White (NEW)
Dark Green - Gold (NEW)

Materials
Shade: Ceramic with the inner part
in brilliant white enamel or gold
Canopy: Ceramic
Cord: Fabric

Product type: Pendant
Light source: E26 LED TYPE A 11
Weight: Net 4.2 lb– Gross 5.5 lb
Package: 14.2 x 14.2 x 11.8'' – 5.5 lb Vol – 1.412 ft³
Lamping not included

ø5.1''
3.4''
6.6 ft
7.09''
ø8.3''

Cable length: 6.6 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Same color as chosen shade

Pleat Box 24 LED

Code
A636-411-3535-27K
A636-411-3549-27K
A636-411-3835-27K
A636-411-4135-27K
A636-411-3949-27K
A636-411-4235-27K
A636-411-4535-27K
A636-411-4549-27K

Finish
White - White
White - Gold
Grey - White
Terracotta - White
Black - Gold
Ocher - White (NEW)
Dark Green - White (NEW)
Dark Green - Gold (NEW)

Materials
Shade: Ceramic with the inner part
in brilliant white enamel or gold
Canopy: Ceramic
Cord: Fabric

Dimmable: Yes
Integrated dimmer: No
**Dimming protocols:** Phase cut (Triac)

Product type: Pendant
Light Source: LED SMD 700mA 8.2W 2700K CRI90 913lm
Luminaire: 100 - 120 VAC TRIAC 14W 113lm
Weight: Net 4.2 lb– Gross 5.5 lb
Package: 14.2 x 14.2 x 11.8'' – 5.5 lb Vol – 1.412 ft³
LED included

ø5.1''
3.4''
6.6 ft
7.09''
ø8.27''

Dimmable

Cable length: 6.6 ft
Wire installation: Hardwired
Cord color: Black fabric electrical cord
Canopy color: Same color as chosen shade

Pleat Box 36

Code
A636-412-3535
A636-412-3549
A636-412-3835
A636-412-4135
A636-412-3949
A636-412-4235
A636-412-4535
A636-412-4549

Finish
White - White
White - Gold
Grey - White
Terracotta - White
Black - Gold
Ocher - White (NEW)
Dark Green - White (NEW)
Dark Green - Gold (NEW)

Materials
Shade: Ceramic with the inner part
in brilliant white enamel or gold
Canopy: Ceramic

Product type: Pendant
Light source: E12 LED TYPE G16.5 5W
Weight: Net 5.7 lb – Gross 9.5 lb
Package: 19.3 x 19.3 x 11.4'' – 9.5 lb Vol – 2.47 ft³
Lamping not included

ø5.1''
3.4''
6.6 ft
6.3''
ø13.39''

Cable length: 6.6 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Same color as chosen shade

Pleat Box 36 LED

Code
A636-413-3535-27K
A636-413-3549-27K
A636-413-3835-27K
A636-413-4135-27K
A636-413-3949-27K
A636-413-4235-27K
A636-413-4535-27K
A636-413-4549-27K

Finish
White - White
White - Gold
Grey - White
Terracotta - White
Black - Gold
Ocher - White (NEW)
Dark Green - White (NEW)
Dark Green - Gold (NEW)

Materials
Shade: Ceramic with the inner part
in brilliant white enamel or gold
Canopy: Ceramic
Cord: Fabric

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)

Product type: Pendant
Light Source: LED SMD 700mA 8.2W 2700K CRI90 913lm
Luminaire: 100 - 120 VAC TRIAC 14W 233lm
Weight: Net 7 lb – Gross 9.5 lb
Package: 19.3 x 19.3 x 11.4'' – 9.5 lb Vol – 2.47 ft³
LED included

ø5.1''
3.4''
6.6 ft
6.3''
ø13.39''

Dimmable

Cable length: 6.6 ft
Wire installation: Hardwired
Cord color: Black fabric electrical cord
Canopy color: Same color as chosen shade

Pleat Box 47

Code
A636-414-3535
A636-414-3549
A636-414-3835
A636-414-4135
A636-414-3949
A636-414-4235
A636-414-4535
A636-414-4549

Finish
White - White
White - Gold
Grey - White
Terracotta - White
Black - Gold
Ocher - White (NEW)
Dark Green - White (NEW)
Dark Green - Gold (NEW)

Materials
Shade: Ceramic with the inner part
in brilliant white enamel or gold
Canopy: Ceramic

Product type: Pendant
Light source: E26 LED TYPE A 11W
Weight: Net 10.2 lb – Gross 13.2 lb
Package: 22.4 x 22.4 x 14.2'' – 13.2 lb Vol – 3.5 ft³
Lamping not included

ø5.1''
3.4''
6.6 ft
10.24''
ø17.32''

Cable length: 6.6 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Same color as chosen shade

Code
A636-415-3535-27K
A636-415-3549-27K
A636-415-3835-27K
A636-415-4135-27K
A636-415-3949-27K
A636-415-4235-27K
A636-415-4535-27K
A636-415-4549-27K

Finish
White - White
White - Gold
Grey - White
Terracotta - White
Black - Gold
Ocher - White (NEW)
Dark Green - White (NEW)
Dark Green - Gold (NEW)

Materials
Shade: Ceramic with the inner part
in brilliant white enamel or gold
Canopy: Ceramic
Cord: Fabric

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)

Product type: Pendant
Light Source: LED SMD 700mA 16.28W 2700K CRI90 1873lm
Luminaire: 90 - 135 VAC TRIAC 21W 625lm
Weight: Net 10.2 lb – Gross 13.2 lb
Package: 22.4 x 22.4 x 14.2'' – 13.2 lb Vol – 3.5 ft³
LED included

ø5.1''
3.4''
6.6 ft
10.24 ''
ø17.32''

Dimmable

c(UL)us

Cable length: 6.6 ft
Wire installation: Hardwired
Cord color: Black fabric electrical cord
Canopy color: Same color as chosen shade

Spare parts

Code	Product	Finish	Spare part
R636-027	Pleat Box 13	White - White	Shade
R636-026	Pleat Box 13	White - Gold	Shade
R636-028	Pleat Box 13	Grey - White	Shade
R636-030	Pleat Box 13	Terracotta - White	Shade
R636-034	Pleat Box 13	Black - Gold	Shade
R636-123	Pleat Box 13	Ocher - White	Shade
R636-124	Pleat Box 13	Dark Green - White	Shade
R636-125	Pleat Box 13	Dark Green - Gold	Shade
R636-017	Pleat Box 24	White - White	Shade
R636-016	Pleat Box 24	White - Gold	Shade
R636-018	Pleat Box 24	Grey - White	Shade
R636-019	Pleat Box 24	Terracotta - White	Shade
R636-022	Pleat Box 24	Black - Gold	Shade
R636-126	Pleat Box 24	Ocher - White	Shade
R636-127	Pleat Box 24	Dark Green - White	Shade
R636-128	Pleat Box 24	Dark Green - Gold	Shade
R636-041	Pleat Box 36	White - White	Shade
R636-046	Pleat Box 36	White - Gold	Shade
R636-042	Pleat Box 36	Grey - White	Shade
R636-043	Pleat Box 36	Terracotta - White	Shade
R636-049	Pleat Box 36	Black - Gold	Shade
R636-129	Pleat Box 36	Ocher - White	Shade
R636-130	Pleat Box 36	Dark Green - White	Shade
R636-131	Pleat Box 36	Dark Green - Gold	Shade
R636-014	Pleat Box 47	White - White	Shade
R636-055	Pleat Box 47	White - Gold	Shade
R636-051	Pleat Box 47	Grey - White	Shade
R636-052	Pleat Box 47	Terracotta - White	Shade
R636-058	Pleat Box 47	Black - Gold	Shade
R636-132	Pleat Box 47	Ocher - White	Shade
R636-133	Pleat Box 47	Dark Green - White	Shade
R636-134	Pleat Box 47	Dark Green - Gold	Shade

The fluidity of its movements and its integrated LED technology make the Polo a light source with a great precision and versatility.

The Polo comes with a diffuser made from injected aluminum and a rotary switch located at the top of the shade.


Polo

Code	Finish
A642-011	● Black (RAL 9005)

Materials   Dimmable: No
Diffuser: Aluminum
Body: Aluminum

Product type: Table
Light Source: LED SMD 350mA 6.3W 3000K CRI80 532.4lm
Luminaire: 100 - 240 VAC 9W 441lm
Weight: Net 1.55 lb – Gross 4 lb
Package: 20.8 x 14 x 4.3" – 4.4 lb Vol – 0.67 ft³
Product notes: Reflector with 80º degree aperture.
Must be combined with base or floor base.
LED included

Cable length: 7.25 ft
Wire installation: Plug-in
Cord color: Black
Switch location: Built-in the shade

Base

Code
A642-003

Finish
● Black (RAL 9005)

Materials
Base: Metal with a polycarbonate
cover

Product type: Accessory
Weight: Net 8.6 lb – Gross 4.4 lb
Package: 9.4 x 9.4 x 4.7" - 4.4 lb – Vol - 0.24 ft³

ø7"

Floor base

Code
A642-020

Finish
● Black (RAL 9005)

Materials
Structure: Aluminum

Product type: Accessory
Weight: Net 11.90 lb – Gross 15.4 lb
Package: 13.4 x 13.4 x 1.18" - 13.2 lb – Vol - 0.11 ft³
        Ø1.57 x 26" - 2.2 lb – Vol - 0.01 ft³

23.98"

ø10.43"

The Roc is a compact indoor and outdoor wall lamp with a pressed glass diffuser. Its undulating shade blurs and softens the light, creating a unique ambiance.

Roc tempts the senses. It looks like a bright block of ice, and its irregular, almost organic texture beckons to be touched.


Roc IP65

Code	Finish	Dimming
A701-002	● Black	Triac
A701-005	● Black	0-10V
A701-006	● Black	AC LED on/off

Materials
Structure: Aluminum
Shade: Pressed glass

Dimmable: Yes
Integrated dimmer: No
Dimming protocols:
Phase cut (Triac)
0-10V (120-277V)

Product type: Wall
Light Source: LED SMD 500mA 6W 2700K CRI90 607.2lm
Luminaire: 120 VAC TRIAC 8.7W 250lm
        120-277 VAC 0-10V 8.7W 250lm
        100-240 VAC AC LED on/off 8.7W 250lm
Weight: Net 3.1 lb – Gross 3.7 lb
Package: 8.3 x 13.4 x 3.1 '' – 4.2 lb Vol – 0.18 ft³
LED included

3.1''
Ø5.5''
Ø4.7''
1.6''

Dimmable

ADA

Suitable for wet locations

Wire installation: Hardwired

Inspired by the lanterns found on fishing boats, this collection of outdoor customizable lamps allows you to create multiple compositions. Users can choose how many shades to place on the diffuser, along with their order, position and direction. This interplay of combinations yields a rich array of direct or reflected light.


Silver Delta
ADI Award
2016

Santorini

Code	Finish	
A654-011	○ White (RAL 9003)	⯈⯈
A654-012	● Grey (RAL 7039)	⯈⯈
A654-013	● Mustard (RAL 1032)	⯈

Materials
Structure: Polycarbonate
Shade: Blown pressed glass

Product type: Pendant
Light source: E26 TYPE A19 8W
Weight: Net 3.1 lb – Gross 4.9 lb
Package: 16.1 x 10.2 x 9.4" – 4.9 lb Vol – 0.81 ft³
Lamping not included

15 ft

10.16"

ø3.94"
ø8.35"

Suitable for wet locations

c(UL)us

Cable length: 15 ft
Wire installation: Plug-in
Cord color: Black

Santorini A Fixed Stem

Code
A654-030
A654-031
A654-032

Finish
⬤ White (RAL 9003)
⬤ Grey (RAL 7039)
⬤ Mustard (RAL 1032)

Materials
Structure: Polycarbonate
Shade: Blown pressed glass
Support: Stainless anti-oxidant
cataphoresis treatment

Product type: Wall
Light source: E26 LED TYPE A19 8W
Weight: Net 3.3 lb – Gross 5.3 lb
Package: 20.8 x 13 x 9.4'' – 5.3 lb Vol – 1.48 ft³
Lamping not included

11.29''
Ø4.72''
10.16''
14.52''
ø3.94''
ø8.35''

Suitable for wet locations

c(UL)us

Wire installation: Hardwired

Santorini C

Code
A654-033
A654-034
A654-035

Finish
⬤ White (RAL 9003)
⬤ Grey (RAL 7039)
⬤ Mustard (RAL 1032)

Materials
Structure: Polycarbonate
Shade: Blown pressed glass
Support: Stainless anti-oxidant
cataphoresis treatment

Product type: Ceiling
Light source: E26 LED TYPE A19 8W
Weight: Net 3.1 lb – Gross 5.3 lb
Package: 20.8 x 13 x 9.4'' – 5.3 lb Vol – 1.48 ft³
Lamping not included

Ø4.72''
15.19''
10.16''
ø3.94''
ø8.35''

Suitable for wet locations

c(UL)us

Wire installation: Hardwired

Garland accessory

Code
A654-045

Finish
● Grey

Product type: Accessory

4"

2.6"

Wall bracket

Code
A654-005

Finish
● Graphite grey (RAL 7024)

Materials
Structure: Metal with stainless anti-oxidant
cataphoresis treatment

Product type: Accessory
Weight: Net 0.67 lb – Gross 1.1 lb
Package: 5.5 x 5.5 x 11.22" - 1.1 lb – Vol - 0.2 ft³

ø4.72"

7.87"

Santorini with Canopy IP65

Code
A654-039
A654-040
A654-041

Finish
○ White (RAL 9003)
● Grey (RAL 7039)
● Mustard (RAL 1032)

Materials
Structure: Polycarbonate
Shade: Blown pressed glass

Product type: Pendant
Light source: E26 TYPE A19 8W
Weight: Net 3.1 lb – Gross 4.9 lb
Package: 20.47 x 12.99 x 9.84"- 4.41 lb Vol - 1.48ft³
            6.2 x 4.7 x 4.7" - 0.66 lb Vol - 0.07ft³
Lamping not included

Ø4.41"
1.38"
14.76 ft
10.16"
ø3.94"
ø8.35"

**Suitable for
wet locations**

Cable length: 14.76 ft
Wire installation: Hardwired
Cord color: Black

Floor accessory

Code
A654-009

Finish
● Grey (RAL 7039)

Materials
Structure: Metallic structure with stainless anti-oxidant cataphoresis treatment

Product type: Accessory
Weight: Net 14.8 lb – Gross 17.2 lb
Package: 9.8 x 2 x 70.5" - 4.4 lb – Vol - 0.77 ft³
　　　　　14.5 x 14.5 x 2" - 9.9 lb – Vol - 0.21 ft³

1.18"
67.8"
ø12.99"

Santorini Indoor

Code
A654-054
A654-055
A654-056

Finish
● Light green (PANTONE 5517U)
● Sand (RAL 1001)
● Off-white (RAL 1013)

Materials
Structure: Polycarbonate
Shade: Blown pressed glass

Product type: Pendant
Light source: E26 LED TYPE A19 8W
Weight: Net 2.9 lb – Gross 4.4 lb
Package: 20.47 x 12.99 x 9.84"- 4.41 lb Vol - 1.48ft³
　　　　　6.2 x 4.7 x 4.7" - 0.66 lb Vol - 0.07ft³
Lamping not included

ø4.41"
1.38"
6.6 ft
10.16"
ø3.94"
ø8.35"

Cable length: 6.6 ft
Wire installation: Hardwired
Cord color: Black fabric electrical cord
Canopy color: Black

Code	Product	Finish	Spare part
R654-001	Santorini Outdoor	-	Glass
R654-005	Santorini Outdoor	White	Big Shade
R654-006	Santorini Outdoor	Grey	Big Shade
R654-007	Santorini Outdoor	Mustard	Big Shade
R654-010	Santorini Outdoor	White	Small Shade
R654-011	Santorini Outdoor	Grey	Small Shade
R654-012	Santorini Outdoor	Mustard	Small Shade
R654-009	Santorini Outdoor	White	Cylindrical Shade

Santorini, 2014

Wood and metal combine in a design that utilizes the beauty and simplicity of basic geometric shapes. The Scantling is based on a highly functional and flexible system, in which all the movements of the fully rotational shade use ball joints and arms to create a versatile, easy-to-move light. In addition, its technical precision requires no exposed springs or counterweights to stay in the specified position.


Scantling P73

Code
A626-009

Finish
● White (RAL 9001)

Materials
Stem: Iron
Base: Iron
Arm: Oak
Shade: Aluminum

Product type: Floor
Light source: E26 LED TYPE A 11W
Weight: Net 16.5 lb – Gross 23.5 lb
Package: 18.1 x 57.7 x 6.7'' – 12.2 lb Vol – 4.04 ft³
        11.8 x 11.8 x 8.6'' – 12.2 lb Vol – 0.69 ft³
Lamping not included

28.82''
7.87''
ø4.53''
53.62''
ø11.22''

Cable length: 6.6 ft
Wire installation: Plug-in
Cord color: Black fabric electrical cord
Switch location: Shade

Scantling S

Code
A626-013

Finish
● White (RAL 9001)

Materials
Stem: Iron
Base: Iron
Arm: Oak
Shade: Aluminum

Product type: Table
Light source: E26 LED TYPE A 11W
Weight: Net 7.9 lb – Gross 11.6 lb
Package: 28 x 15.7 x 7" – 11 lb Vol – 1.8 ft³
Lamping not included

15.75"
7.68"
ø3.74"
23.31"
ø8.27"

c(UL)us

Cable length: 5 ft
Wire installation: Plug-in
Cord color: Black fabric electrical cord
Switch location: Shade

Scantling A

Code
A626-015

Finish
● White (RAL 9001)

Materials
Structure: Iron
Arm: Oak
Shade: Aluminum

Product type: Wall
Light source: E26 LED TYPE A 11W
Weight: Net 1.76 lb – Gross 3.1 lb
Package: 13.8 x 11.8 x 7" – 3.1 lb Vol – 0.7 ft³
Lamping not included

10.5"
7.86"
ø6.3"
3.74"

c(UL)us

Wire installation: Hardwired
Switch location: Canopy

The striking, industrial shapes in the Soho collection are reminiscent of the lamps that were traditionally used in markets and taverns, but they contrast through the use of thoroughly contemporary materials and textures.

It is made from rotation-molded polyethylene, a technique that allows us to offer it in different sizes.

Soho 38 LED

Code	Finish
A631-235	○ White
A631-236	● Stone grey
A631-237	● Black

Materials
Shade: Rotary moulded polyethylene
Diffuser: Methacrylate opal

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)

Product type: Pendant
Light Source: LED SMD 700mA 13.2W 2700K CRI80 1848lm
Luminaire: 100 - 120 VAC TRIAC 16W 1051lm
Weight: Net 5.5 lb – Gross 7.71 lb
Package: 17.3 x 17.7 x 9.4'' – 7.71 lb Vol – 1.76 ft³
LED included

ø4.3''
1.4''
8.03'' 6.6 ft
ø14.96''

Dimmable

Suitable for damp locations

c (UL) us

Cable length: 6.6 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: White

Soho 57 LED

Code	Finish
A631-356	○ White
A631-357	◐ Stone grey
A631-358	● Black

Materials
Shade: Rotary moulded polyethylene
Diffuser: Methacrylate opal

Product type: Pendant
Light Source: LED SMD 700mA 28W 2700K CRI80 1848lm
Luminaire: Only 120 VAC TRIAC 36W 1051lm
　　　　　　120 - 277 VAC 0-10V 36W 1051lm
Weight: Net 15.4 lb – Gross 18.7 lb
Package: 23.6 x 23.6 x 14.2" – 18.7 lb Vol – 4.7 ft³
Product notes: 3000K available upon request
LED included

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Dual dimming driver
Phase cut (Triac) or 0-10V

ø4.3"
1.8"
6.6 ft
12"
ø22.44"

Dimmable

Suitable for damp locations

c(UL)us

Cable length: 6.6 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: White

Soho 112 LED

Code	Finish	
A631-371	○ White	⌂
A631-372	◐ Stone grey	⌂
A631-373	● Black	⌂

Materials
Shade: Rotary moulded polyethylene
Diffuser: Methacrylate opal

Product type: Pendant
Light Source: LED SMD 700mA 79.2W 2700K CRI90 1848lm
Luminaire: 120 - 277 VAC 0-10V 95W 1051lm
Weight: Net 60.84 lb – Gross 68.3 lb
Package: 45.2 x 45.2 x 28.3" – 68.3 lb Vol – 33.62 ft³
Product notes: 3000K available upon request
LED included

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: 0-10V

ø4.3"
1.4"
9.8 ft
23.9"
ø44.33"

Dimmable

Suitable for damp locations

c(UL)us

Cable length: 9.8 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: White

Soho 38 IP44 LED

Code	Finish
A631-245	⬤ White
A631-246	⬤ Stone grey
A631-247	⬤ Black

Materials
Shade: Rotary moulded polyethylene
Diffuser: Methacrylate opal

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)

Product type: Pendant
Light Source: LED SMD 700mA 13.2W 2700K CRI80 1848lm
Luminaire: 100 - 120 VAC TRIAC 16W 1051lm
Weight: Net 5.95 lb – Gross 7.71 lb
Package: 17.7 x 17.3 x 9.84'' – 7.71 lb Vol – 1.76 ft³
LED included

ø4.3''
1.8''
6.6 ft
8.03''
ø14.96

Dimmable

**Suitable for
wet locations**

c (UL) us

Cable length: 6.6 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: White

Soho 57 IP44 LED

Code	Finish
A631-362	⬤ White
A631-363	⬤ Stone grey
A631-364	⬤ Black

Materials
Shade: Rotary moulded polyethylene
Diffuser: Methacrylate opal

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Dual dimming driver
Phase cut (Triac) or 0-10V

Product type: Pendant
Light Source: LED SMD 700mA 28W 2700K CRI80 3446lm
Luminaire: Only 120 VAC TRIAC 36W 2086lm
            120 - 277 VAC 0-10V 36W 2086lm
Weight: Net 15.4 lb – Gross 18.9 lb
Package: 23.6 x 24 x 14.2'' – 18.9 lb Vol – 4.6 ft³
Product notes: 3000K available upon request
LED included

ø4.3''
1.8''
6.6 ft
12''
ø22.44''

Dimmable

**Suitable for
wet locations**

c (UL) us

Cable length: 6.6 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: White

Soho 112 IP44 LED

Code	Finish
A631-377	○ White
A631-378	◐ Stone grey
A631-379	● Black

Materials
Shade: Rotary moulded polyethylene
Diffuser: Methacrylate opal

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: 0-10V

Product type: Pendant
Light Source: LED SMD 350mA 79.2W 2700K CRI90 15648lm
Luminaire: 120 - 277 VAC 0-10V 95W 8085lm
Weight: Net 60.9 lb – Gross 68.3 lb
Package: 45.2 x 45.2 x 28.3'' – 68.3 lb Vol – 33.62 ft³
Product notes: 3000K available upon request
LED included

ø4.3''
1.4''
9.8 ft
23.9''
ø44.3''

Dimmable

Suitable for wet locations

c(UL)us

Cable length: 9.8 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: White

Soho A LED

Code	Finish
A631-365	○ White
A631-366	◐ Stone grey
A631-367	● Black

Materials
Shade: Rotary moulded polyethylene
Diffuser: Methacrylate opal
Structure: Metal with stainless anti-oxidant cataphoresis

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Dual dimming driver
Phase cut (Triac) or 0-10V

Product type: Wall
Light Source: LED SMD 700mA 28W 2700K CRI80 3446lm
Luminaire: Only 120V VAC TRIAC 36W 2086lm
            120 - 277V VAC 0-10V 36W 2086lm
Weight: Net 17.2 lb – Gross 21.4 lb
Package: 23.62 x 24 x 14.2'' – 21.4 lb Vol – 4.6 ft³
Product notes: 3000K available upon request
LED included

34.96''
ø5.9''
12''
15.87''
ø22.44''

Dimmable

Suitable for wet locations

c(UL)us

Wire installation: Hardwired
Canopy color: Black

Soho C Fixed Stem LED

Code	Finish
A631-368	⬤ White
A631-369	⬤ Stone grey
A631-370	⬤ Black

Materials
Shade: Rotary moulded polyethylene
Diffuser: Methacrylate opal
Structure: Metal with stainless anti-oxidant cataphoresis

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Dual dimming driver
Phase cut (Triac) or 0-10V

Product type: Ceiling
Light Source: LED SMD 700mA 28W 2700K CRI80 3446lm
Luminaire: Only 120 VAC TRIAC 36W 2086lm
           120 - 277 VAC 0-10V 36W 2086lm
Weight: Net 16.8 lb – Gross 17.6 lb
Package: 23.62 x 23.62 x 14.56'' – 17.6 lb Vol – 4.6 ft³
Product notes: 3000K available upon request
LED included

ø5.9"
27.87"
12"
ø22.44"

(Dimmable)

Suitable for wet locations

c (UL) us

Wire installation: Hardwired
Canopy color: Black

Soho 38 P LED

Code	Finish
A631-255	⬤ White
A631-256	⬤ Stone grey
A631-257	⬤ Black

Materials
Shade: Rotary moulded polyethylene
Diffuser: Methacrylate opal
Structure: Metal with stainless anti-oxidant cataphoresis

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)

Product type: Floor
Light Source: LED SMD 700mA 8.1W 2700K CRI90 913lm
Luminaire: 120 VAC TRIAC 14W
Weight: Net 26 lb – Gross 32 lb
Package: 17.32 x 17.32 x 9.84'' – 6.61 lb Vol – 1.76 ft³
         18.1 x 18.1 x 1.18'' – 19.84 lb Vol – 0.21 ft³
         69.29 x 11.8 x 2.56'' – 6.6 lb Vol – 1.05 ft³
LED included

8.03"
ø14.96"
66.5"
ø16.33"

(Dimmable)

Suitable for wet locations

c (UL) us

Cable length: 6.6 ft
Wire installation: Plug-in
Cord color: Black

Tam Tam, Fabien Dumas

The Tam Tam is a festive and versatile collection that offers several options to add color and originality to all types of interior design projects. The idea is to be able to aim the light in any direction, making this fixture perfect for long or narrow spaces.

This year, the collection is updated with new colors and a semi-matt finish on all models.

Tam Tam 3 NEW FINISH

Code	Finish
Central shade	
A633-176 35	● Black semi-matt (RAL 9011)
A633-176 39	○ Off-White semi-matt (RAL 1013)
A633-176 48	● Blue grey semi-matt (RAL 7031)
A633-176 43	● Khaki semi-matt (RAL 7008)
Satellite shade	
A633-177 39	● Black semi-matt (RAL 9011)
A633-177 35	○ Off-white semi-matt (RAL 1013)
A633-177 37	● Sand semi-matt (RAL 7032)
A633-177 38	● Silver Grey semi-matt (RAL 7001)
A633-177 42	● Olive Yellow semi-matt (RAL 1020)
A633-177 46	● Orange semi-matt (RAL 2000)
A633-177 47	● Brown Grey semi-matt (RAL 7013)

Materials
Shade: Aluminum
Diffuser: Opalescent methacrylate

Product type: Pendant
Light source: 9x E26 LED TYPE A 11W
Weight: Net 10.4 lb – Gross 18 lb
Package: 22.4 x 22.4 x 15.3'' – 13.2 Vol – 4.485 ft³
(3x) 16.5 x 16.5 x 10.6'' – 4.8 lb Vol – 1.76 ft³
Product notes: Combine 1 central shade and 5 satellite shades.
Lamping not included

Cable length: 11.5 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Black

Tam Tam 5 (NEW FINISH)

Code	Finish
Central shade	
A633-178 35	● Black semi-matt (RAL 9011) ⇨
A633-178 39	○ Off-White semi-matt (RAL 1013) ⇨
A633-178 48	● Blue grey semi-matt (RAL 7031)
A633-178 43	● Khaki semi-matt (RAL 7008)

Satellite shade	
A633-177 39	● Black semi-matt (RAL 9011) ⇨
A633-177 35	○ Off-white semi-matt (RAL 1013) ⇨
A633-177 37	● Sand semi-matt (RAL 7032)
A633-177 38	● Silver Grey semi-matt (RAL 7001)
A633-177 42	● Olive Yellow semi-matt (RAL 1020)
A633-177 46	● Orange semi-matt (RAL 2000)
A633-177 47	● Brown Grey semi-matt (RAL 7013)

Materials
Shade: Aluminum
Diffuser: Opalescent methacrylate

Product type: Pendant
Light source: 13x E26 LED TYPE A 11W
Weight: Net 9.7 lb – Gross 18.07 lb
Package: 22.4 x 22.4 x 15.3" – 13.2 lb Vol – 4.48 ft³
     (5x) 16.5 x 16.5 x 10.6" – 4.8 lb Vol – 1.76 ft³
Product notes: Combine 1 central shade and 5 satellite shades.
Lamping not included

c(UL)us

ø4.3"
13.6" 11.5 ft
ø13.7"
ø19.7"
40.1"
41.1"

Cable length: 11.5 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Black

Tam Tam Mini (NEW FINISH)

Code	Finish
Central shade	
A633-179 35	● Black semi-matt (RAL 9011) ⇨
A633-179 39	○ Off-White semi-matt (RAL 1013) ⇨
A633-179 48	● Blue grey semi-matt (RAL 7031)
A633-179 43	● Khaki semi-matt (RAL 7008)

Satellite shade	
A633-130 39	● Black semi-matt (RAL 9011) ⇨
A633-130 35	○ Off-white semi-matt (RAL 1013) ⇨
A633-130 37	● Sand semi-matt (RAL 7032) ⇨
A633-130 38	● Silver Grey semi-matt (RAL 7001) ⇨
A633-130 42	● Olive Yellow semi-matt (RAL 1020) ⇨
A633-130 46	● Orange semi-matt (RAL 2000) ⇨
A633-130 47	● Brown Grey semi-matt (RAL 7013) ⇨

Materials
Shade: Aluminum
Diffuser: Opalescent methacrylate

Product type: Pendant
Light source: 5x E26 LED TYPE A 11W
Weight: Net 6 lb – Gross 9 lb
Package: 17.3 x 17.3 x 11" – 7.5 lb Vol – 1.9 ft³
     (3x) 9.4 x 9.4 x 6.7" – 2.2 lb Vol – 0.317 ft³
Product notes: Combine 1 central shade and 3 satellite shades.
Lamping not included

c(UL)us

ø4.3"
8 ft
10.2"
ø8.6"
ø13.7"
25.9"
22.6"

Cable length: 8 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Black

Tam Tam 4 (NEW FINISH)

Code	Finish
Structure	
A633-180 39	● Black semi-matt (RAL 9011) ⇗

Shades	
A633-130 39	● Black semi-matt (RAL 9011) ⇗
A633-130 35	○ Off-white semi-matt (RAL 1013) ⇗
A633-130 37	● Sand semi-matt (RAL 7032) ⇗
A633-130 38	● Silver Grey semi-matt (RAL 7001) ⇗
A633-130 42	● Olive Yellow semi-matt (RAL 1020) ⇗
A633-130 46	● Orange semi-matt (RAL 2000) ⇗
A633-130 47	● Brown Grey semi-matt (RAL 7013) ⇗

Materials
Shade: Aluminum
Diffuser: Opalescent methacrylate

Product type: Pendant
Light source: 4x E26 LED TYPE A 11W
Weight: Net 5.3 lb – Gross 11.24 lb
Package: 65.7 x 7 x 7'' – 9.7 lb Vol – 1.9 ft³
　　　　　(4x) 9.4 x 9.4 x 6.7''– 2.2 lb Vol – 0.317 ft³
Product notes: Combine structure with 4 satellite shades.
Lamping not included

Max. 6.6 ft
57.09''
18.11''
Ø8.66''

Cable length: 9.8 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Black

Tam Tam 6 (NEW FINISH)

Code	Finish
Structure	
A633-181 39	● Black semi-matt (RAL 9011) ⇗

Shades	
A633-130 39	● Black semi-matt (RAL 9011) ⇗
A633-130 35	○ Off-white semi-matt (RAL 1013) ⇗
A633-130 37	● Sand semi-matt (RAL 7032) ⇗
A633-130 38	● Silver Grey semi-matt (RAL 7001) ⇗
A633-130 42	● Olive Yellow semi-matt (RAL 1020) ⇗
A633-130 46	● Orange semi-matt (RAL 2000) ⇗
A633-130 47	● Brown Grey semi-matt (RAL 7013) ⇗

Materials
Shade: Aluminum
Diffuser: Opalescent methacrylate

Product type: Pendant
Light source: 6x E26 LED TYPE A 11W
Weight: Net 6.6 lb – Gross 14.10 lb
Package: 65.7 x 7 x 7'' –9.7 lb Vol – 1.9 ft³
　　　　　(6x) 9.4 x 9.4 x 6.7'' – 2.2 lb Vol – 0.317 ft³
Product notes: Combine structure with 6 satellite shades.
Lamping not included

Max.6.6 ft
85.43''
18.11''
Ø8.66''

Cable length: 9.8 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Black

Tam Tam P (NEW FINISH)

Code	Finish
Stem	
A633-182 39	● Black semi-matt (RAL 9011)
Shade	
A633-130 39	● Black semi-matt (RAL 9011)
A633-130 35	○ Off-white semi-matt (RAL 1013)
A633-130 37	● Sand semi-matt (RAL 7032)
A633-130 38	● Silver Grey semi-matt (RAL 7001)
A633-130 42	● Olive Yellow semi-matt (RAL 1020)
A633-130 46	● Orange semi-matt (RAL 2000)
A633-130 47	● Brown Grey semi-matt (RAL 7013)

Materials
Shade: Aluminum
Diffuser: Opalescent methacrylate
Structure: Metal

Product type: Floor
Light source: E26 LED TYPE A 11W
Weight: Net 6.6 lb – Gross 9.9 lb
Package: 50 x 3.1 x 3.1'' – 3.3 lb Vol – 0.28 ft³
          13 x 13 x 1.18'' – 6.6 lb Vol – 0.1 ft³
          9.4 x 9.4 x 6.7'' – 2.2 lb Vol – 0.317 ft³
Lamping not included

5.12"
Ø8.66"
45.67"
Ø9.45"

Cable length: 6.6 ft
Wire installation: Plug-in
Cord color: Black
Switch location: In-line

Tam Tam P2 (NEW FINISH)

Code	Finish
Stem	
A633-183 39	● Black semi-matt (RAL 9011)
Shade	
A633-130 39	● Black semi-matt (RAL 9011)
A633-130 35	○ Off-white semi-matt (RAL 1013)
A633-130 37	● Sand semi-matt (RAL 7032)
A633-130 38	● Silver Grey semi-matt (RAL 7001)
A633-130 42	● Olive Yellow semi-matt (RAL 1020)
A633-130 46	● Orange semi-matt (RAL 2000)
A633-130 47	● Brown Grey semi-matt (RAL 7013)

Materials
Shade: Aluminum
Diffuser: Opalescent methacrylate
Structure: Metal

Product type: Floor
Light source: 2x E26 LED TYPE A 11W
Weight: Net 15.4 lb – Gross 19.84 lb
Package: 66.14 x 7 x 7'' – 8.3 lb Vol – 0.28 ft³
          13 x 13 x 1.18'' – 6.6 lb Vol – 0.1 ft³
          (2x) 9.4 x 9.4 x 6.7'' – 2.2 lb Vol – 0.317 ft³
Product notes: Combine stem with 2 satellite shades.
Lamping not included

5.12"
Ø8.66"
62.99"
Ø11.22"

Cable length: 6.6 ft
Wire installation: Plug-in
Cord color: Black
Switch location: In-line

Tam Tam P3 (NEW FINISH)

Code	Finish
Stem	
A633-184 39	● Black semi-matt (RAL 9011) ⟫

Code	Finish
Shade	
A633-130 39	● Black semi-matt (RAL 9011) ⟫
A633-130 35	○ Off-white semi-matt (RAL 1013) ⟫
A633-130 37	● Sand semi-matt (RAL 7032) ⟫
A633-130 38	● Silver Grey semi-matt (RAL 7001) ⟫
A633-130 42	● Olive Yellow semi-matt (RAL 1020) ⟫
A633-130 46	● Orange semi-matt (RAL 2000) ⟫
A633-130 47	● Brown Grey semi-matt (RAL 7013) ⟫

Materials
Shade: Aluminum
Diffuser: Opalescent methacrylate
Structure: Metal

Product type: Floor
Light source: 3x E26 LED TYPE A 11W
Weight: Net 15.4 lb – Gross 22.04 lb
Package: 66.14 x 7 x 7'' – 8.3 lb Vol – 0.28 ft³
         13 x 13 x 1.18'' – 6.6 lb Vol – 0.1 ft³
         (3x) 9.4 x 9.4 x 6.7'' – 2.2 lb Vol – 0.317 ft³
Product notes: Combine stem with 3 satellite shades.
Lamping not included

5.12''
Ø8.66''
62.99''
Ø11.22''

c (UL) us

Cable length: 6.6 ft
Wire installation: Plug-in
Cord color: Black
Switch location: In-line

Tam Tam A (NEW FINISH)

Code	Finish
Base 1	
A633-145 35	○ Off-white semi-matt (RAL 1013) ⟫

Code	Finish
Shade	
A633-130 39	● Black semi-matt (RAL 9011) ⟫
A633-130 35	○ Off-white semi-matt (RAL 1013) ⟫
A633-130 37	● Sand semi-matt (RAL 7032) ⟫
A633-130 38	● Silver Grey semi-matt (RAL 7001) ⟫
A633-130 42	● Olive Yellow semi-matt (RAL 1020) ⟫
A633-130 46	● Orange semi-matt (RAL 2000) ⟫
A633-130 47	● Brown Grey semi-matt (RAL 7013) ⟫

Materials
Shade: Aluminum
Diffuser: Opalescent methacrylate
Plate: Metal

Product type: Wall
Light source: E26 LED TYPE A 11W
Weight: Net 2.7 lb – Gross 4.40 lb
Package: 12.2 x 12.2 x 5.1'' – 2.2 lb Vol – 0.317 ft³
         9.4 x 9.4 x 6.2'' – 2.2 lb Vol – 0.247 ft³
Lamping not included

ø8.6''
ø8.6''
9.6''
10.3''

c (UL) us

Wire installation: Hardwired
Switch location: Backplate

Tam Tam A2 (NEW FINISH)

Code	Finish
Base	
A633-146 35	○ Off-white semi-matt (RAL 1013) ⇨
Shade	
A633-130 39	● Black semi-matt (RAL 9011) ⇨
A633-130 35	○ Off-white semi-matt (RAL 1013) ⇨
A633-130 37	● Sand semi-matt (RAL 7032) ⇨
A633-130 38	● Silver Grey semi-matt (RAL 7001) ⇨
A633-130 42	● Olive Yellow semi-matt (RAL 1020) ⇨
A633-130 46	● Orange semi-matt (RAL 2000) ⇨
A633-130 47	● Brown Grey semi-matt (RAL 7013) ⇨

Materials
Shade: Aluminum
Diffuser: Opalescent methacrylate
Plate: Metal

Product type: Wall
Light source: 2x E26 LED TYPE A 11W
Weight: Net 3.3 lb – Gross 5.1 lb
Package: 12.2 x 12.2 x 5.1''– 2.9 lb Vol – 0.1 ft^3
　　　　(2x) 9.4 x 9.4 x 6.7'' – 2.2 lb – 0.317 ft^3
Product notes: Combine base with 2 satellite shades
Lamping not included

6.7"　ø13.7"
ø8.6"

9.4"
16.7"

c(UL)us

Wire installation: Hardwired

From light to shadow with a single gesture. Theia has two faces: to discover them, simply swivel the fixture around its central axis. It can be pointed towards you for use as a reading lamp, or towards an object or a wall, creating a subtle, indirect light that immediately warms the atmosphere.


Theia M

Code	Finish
A672-005	○ White (RAL 9010)
A672-006	● Black (RAL 9005)

Materials
Base: Iron
Stem: Iron
Dissipater: Aluminum
Diffuser: Spun metal
Shade: Thermoformed methacrylate

Integrated dimmer: Yes
Dimmer Type: Progressive from 0 to 100

Product type: Table
Light Source: LED SMD 700mA 8.2W 2700K CRI90 913lm
Luminaire: 85 - 264 VAC 14W
Weight: Net 13 lb – Gross 15.9 lb
Package: 14.1 x 14.1 x 9.44" – 13.22 lb Vol – 1.06 ft³
           17.3 x 7 x 4.7" – 4.41 lb Vol – 0.35 ft³
LED included

ø12.6"
17.13"
ø11.81"

Dimmer

Cable length: 5 ft
Wire installation: Plug-in
Cord color: Black
Switch location: Built-in the dissipater

Code
A672-007
A672-008

Finish
⬤ White (RAL 9010)
● Black (RAL 9005)

Materials
Base: Iron
Stem: Iron
Dissipater: Aluminum
Diffuser: Spun metal
Shade: Thermoformed methacrylate

Integrated dimmer: Yes
Dimmer Type: Progressive from 0 to 100

Product type: Floor
Light Source: LED SMD 700mA 8.2W 2700K CRI90 913lm
Luminaire: 85 - 264 VAC 14W
Weight: Net 15 lb – Gross 19.2 lb
Package: 14.6 x 14.6 x 9'' – 13.2 lb Vol – 1.06 ft³
       42.7 x 6.7 x 4.7'' – 6 lb Vol – 0.7 ft³
LED included

ø12.6 ''

Dimmer

c(UL)us

45.83"

ø11.81"

Cable length: 5 ft
Wire installation: Plug-in
Cord color: Black
Switch location: Built-in the dissipater

Theia, 2016

The TXL wants to fill space with a light of its own; stunning thanks to its size and its textile shade that filters the light and appears to vibrate. With a concrete base that lends a distinct outline, it appears to be a one-piece construction. Solid and colossal, the TXL projects the warm light of an indoor space outside.

TXL 2019 205

Code	Finish
A605-076	● Beige
A605-077	● Grey

Materials
Base: Concrete
Stem: Stainless steel
Diffuser: White acid etched glass
Shade: Textilene with the inner part always in white

Product type: Floor
Light source: 2x E26 LED TYPE A 11W
Weight: Net 63.5 lb – Gross 70.5 lb
Package: 16 x 13 x 13'' – 5.5 lb Vol – 1.41 ft³
　　　　　27.6 x 27.6 x 19.7'' – 9.7 lb Vol – 8.8 ft³
　　　　　86.6 x 3.9 x 3.9'' – 7.9 lb Vol – 0.7 ft³
　　　　　26 x 26 x 5.9'' – 47.3 lb Vol – 2.11 ft³
Lamping not included

ø27.6"

80.3"

19.6"

Suitable for wet locations

c (UL) us

Cable length: 8 ft
Wire installation: Plug-in
Cord color: Black

Code / Finish

Code	Finish	
A605-078	● Beige	🛥
A605-079	● Grey	🛥

Materials
Base: Concrete
Stem: Stainless steel
Diffuser: White acid etched glass
Shade: Textilene with the inner part
always in white

Product type: Floor
Light source: 3x E26 LED TYPE A 8W
Weight: Net 46.7 lb – Gross 51.1 lb
Package: 10.6 x 11 x 14.9'' – 4.4 lb Vol – 0.7 ft³
       23.6 x 23.6 x 17.7'' – 7.9 lb Vol – 5.6 ft³
       70.8 x 3.9 x 3.9'' – 6.8 lb Vol – 0.63 ft³
       22.8 x 22.8 x 5.9'' – 31.9 lb Vol – 1.7 ft³
Lamping not included

ø22.9"
16.3"
67"

**Suitable for
wet locations**

c(UL)us

Cable length: 8 ft
Wire installation: Plug-in
Cord color: Black

Spare parts

Code	Product	Finish	Spare part
A605-102	Txl 205	-	Glass
A605-112	Txl 170	-	Glass
R605-004	Txl 2019 205	Beige	Shade
R605-005	Txl 2019 205	Grey	Shade
R605-006	Txl 2019 170	Beige	Shade
R605-007	Txl 2019 170	Grey	Shade

Vetra 32

Code	Finish	Dimming
A689-015	⬤ White	Triac
A689-022	⬤ White	0-10V
A689-041	⬤ Amber	Triac
A689-042	⬤ Amber	0-10V

Materials
Shade: Blown glass
Dissipater: Aluminum

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)
0-10V

Product type: Pendant
Light Source: LED SMD 700mA 8.2W 2700K CRI90 913lm
Luminaire: 100 - 120 VAC TRIAC 14W 350lm
120 - 277 VAC 0-10V 14W 348lm
Weight: Net 6.6 lb – Gross 8.8 lb
Package: 17 x 17 x 11'' – 8.8 lb Vol – 1.8 ft³
LED included

ø4.33''
1.77''

9.8 ft

5.94''

ø12.59''

Dimmable

c(UL)us

Cable length: 9.8 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Black

Vetra 43

Code	Finish	Dimming
A689-016	⬤ White	Triac
A689-023	⬤ White	0-10V
A689-043	⬤ Amber	Triac
A689-044	⬤ Amber	0-10V

Materials
Shade: Blown glass
Dissipater: Aluminum

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)
                              0-10V

Product type: Pendant
Light Source: LED SMD 700mA 16.28W 2700K CRI90 1873lm
Luminaire: 90 - 135 VAC TRIAC 19W 881lm
              120 - 277 VAC 0-10V 19W 881lm
Weight: Net 12.6 lb – Gross 16.5 lb
Package: 22.4 x 22.4 x 14.6'' – 6.5 lb Vol – 4.23 ft^3
LED included

ø4.33''
1.8''
9.8 ft
7.79''
ø16.9''

Dimmable

c(UL)us

Cable length: 9.8 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Black

Vetra P

Code	Finish
A689-019	⬤ White
A689-020	⬤ Black

Materials
Base: Iron
Stem: Iron
Shade: Blown glass
Dissipater: Aluminum

Dimmable: Yes
Integrated dimmer: No
3 positions sensor dimmer.

Product type: Floor
Light Source: LED SMD 700mA 8.2W 2700K CRI90 913lm
Luminaire: 90 - 264 VAC 11W 348lm
Weight: Net 17.4 lb – Gross 22 lb
Package: 17 x 17 x 11'' – 6.61 lb Vol – 1.8 ft^3
              55 x 10 x 10'' – 8.8 lb Vol – 3.17 ft^3
              14 x 14 x 2'' – 6.6 lb Vol – 0.78 ft^3
LED included

ø12.59''
5.94''
54.29''
ø13.38''

Dimmer

c(UL)us

Cable length: 6.6 ft
Wire installation: Hardwired
Cord color: Black
Switch location: In-line

Code	Product	Finish	Spare part
R689-004	Vetra 32	White	Glass
R689-005	Vetra 32	Amber	Glass
R689-001	Vetra 43	White	Glass
R689-006	Vetra 43	Amber	Glass

Zenc

Code
A715-002-35
A715-002-38
A715-002-40
A715-002-48
A715-002-42

Finish
⬤ White (RAL 1013)
⬤ Grey (RAL 7022)
⬤ Red (RAL 3011)
⬤ Sky Blue (PANTONE 7542C)
⬤ Pale yellow (RAL 085 80 30)

Materials
Shade: Bi-injected rotary moulded polyethylene

Product type: Pendant
Light source: E26 Globe (Ø95) 12W
Weight: Net 6.6 lb – Gross 8.6 lb
Package: 20.4 x 20.42 x 14.6'' – 8.6 lb Vol – 3.53 ft³
Lamping not included

ø4.33''
1.37''
8 ft
11''
ø17.3''

c(UL)us

Cable length: 8 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Black

Plan your projects in our Professional Area

Photometric Data · Press Releases · Banners

2D Models · 3D Models · HR Images · Videos

Ø23.6"

10.9"

Ø3.9"

7" · 3.1"

Ø2.4"

9.9ft

Ø9"

We want to offer you an exclusive service that's designed to make your work easier. By signing up at the new professional area at marset.com, you'll be able to download technical information, images, and videos of our products, receive our newsletter, and save your preferred products. We offer direct access and personal attention.

Symbols & Certificates

(Dimmer)

Dimmer on the unit.

(Dimmable)

Product which can be dimmed.

Quick ship item. Always in stock, ships within 5 to 10 days.

Oversized item. Special freight policy applies. Freight assessed separately.

Marset USA Inc.
202 N 10th Street
Brooklyn, NY 11211
T +1 646 727 4250
marsetusa@marset.com

Factory & Headquarters
Carretera de Rubí 284
08228 Terrassa (Spain)
T +34 934 600 107
info@marset.com

Barcelona Showroom
Santaló 56 interior
08021 Barcelona (Spain)
T +34 934 142 844
press@marset.com

Milan Showroom
Via dell'Annunciata 29
20121 Milan (Italy)
C +39 366 6059083
milano-showroom@mdaitalia.it

Cologne Showroom
Design Post
Deutz-Mülheimer-Str. 22a
50679 Cologne (Germany)
T +49 221 69 06 50
info@marset.com

Mexico Showroom
Alejandro Dumas 212
11550 Mexico City
T+52 5568170926
marset@g-tec.com.mx